

Corrigendum

Impact of folic acid fortification of flour on neural tube defects: a systematic review – Corrigendum

Cecilia Castillo-Lancellotti, Josep A Tur and Ricardo Uauy

First published online 22 February 2013

doi:10.1017/S1368980012003576, published online by Cambridge University Press 31 July 2012

The authors have corrected Table 2 to note that estimates from the study by Boulet *et al.* (ref 40) are between two post-fortification periods, not between pre- and post-fortification

Table 2 Description of the studies assessing the impact of flour fortification with folic acid on the prevalence of NTD

First author, year of publication, reference	Country	Period	Spina bifida*			Anencephaly*			NTD*			Source of data
			PreF	PostF	%	PreF	PostF	%	PreF	PostF	%	
Boulet, 2008 ^{(40)†}	USA	1999–2000/ 2003–2004	3·51	3·39	3·4	2·47	1·98	19·8				Birth certificates and prenatal data of live births and stillbirths from twenty-one birth defects surveillance systems

†Estimates from the study by Boulet *et al.* are between two post-fortification periods, not between pre- and post-fortification.

Reference

Castillo-Lancellotti C, Tur JA, Uauy R (2012) Impact of folic acid fortification of flour on neural tube defects: a systematic review *Public Health Nutrition* published online 31 July 2012, doi:10.1017/S1368980012003576