



The assaultive, hostile outbursts and turbulent, agitated behaviour of some hospitalized old persons can make life most difficult and disagreeable for all who must nurse them, or, as fellow patients, live with them.

'Neulactil'* is a potent neuroleptic with a specific inhibitory action on the very symptoms of aggressiveness, impulsiveness and impaired sociability which make for unmanageability and disrupt ward routine.^{1,2}

As such it can often make – and keep – the peace

between the dementing or psychotically disturbed old patient and his environment, human and physical.

Wide clinical experience has confirmed that on 'Neulactil', a "socializing" drug,³ aggression gives way to friendliness and compliance, contact improves, and destructiveness decreases.^{1,4,5} The patient himself feels and sleeps better;^{4,6} he participates in purposeful group activities;^{1,4} and everyone, staff and fellow-patients, benefits from a resultant happier ward atmosphere.⁷

'NEULACTIL' makes the aggressive, antisocial aged patient easier to live with - and care for

supplied as tablets, syrup and injection solution.
full prescribing information on request.

*trade mark of May & Baker Ltd Dagenham Essex RM10 7XS for its preparations of pericyazine.

- 1 *Encéphale*, 51, 602, 1962
- 2 *Laval Méd.*, 41, 796, 1970
- 3 Comptes Rendus du 62e Congrès de Psychiatrie et de Neurologie de Langue Française, Marseille, Sept., 1964, p.862
- 4 *Med.Proc.*, 15, 157, 1968
- 5 Proceedings of the Leeds Symposium on Behavioural Disorders, 25-27th March, 1965, p.26
- 6 *Prasse Méd.*, 71, 339, 1963
- 7 *S.Afr. Med.J.*, 41, 995, 1967



M&B May & Baker

A member of the Rhône-Poulenc Group of Companies



Anafranil[®] **Geigy**

In addition to its use in depression, where it has proved to be effective both by the oral route and by intravenous infusion (in the more seriously depressed patient), Anafranil is becoming established as a leading drug treatment for obsessional and phobic disorders. We will be pleased to forward further information relating to the use of Anafranil in the treatment of depression and phobic and obsessional disorders on request.

Anafranil is 3-chloro-5-(3-dimethylaminopropyl)-10,11-dihydro 5H dibenz [b, f] azepine (clomipramine) hydrochloride

Full prescribing information is available.

Geigy Pharmaceuticals,
Macclesfield, Cheshire SK10 2LY

NOTES FOR CONTRIBUTORS

PAPERS Papers for publication should be addressed to the Editor, Professor Michael Shepherd, Institute of Psychiatry, De Crespigny Park, Denmark Hill, London SE58AF. Contributors should send at least three copies of the text, tables, and figures. Copies other than the first may be xeroxed. The S.I. system should be adopted for text and figures. A short summary of about 50 words should be provided at the beginning of each article. Foreign quotations and phrases should be followed by a translation. Submission of a paper will be held to imply that it contains original work that has not been previously published and that it is not being submitted for publication elsewhere.

In addition to longer articles, the Editor is prepared to accept preliminary communications of up to about 1,500 words.

Manuscripts must be typewritten on one side of the paper in double-spacing with wide margins. The following information must be given on a single separate sheet: (1) title and short title for running head (not more than 100 characters); (2) authors' names, and (3) department in which work was done. Footnotes on the same sheet should list: (i) the authors' present addresses if different from departments in which work was done; (ii) name and address of the author to whom correspondence should be addressed; (iii) receipt of grants. Authors who would like a reprint address to be printed should include this on their manuscript.

REFERENCES (1) In the text these should follow the Harvard system – that is, name followed by date: Brown (1970). If there are more than two authors the first author's name followed by *et al.* should be used, even the first time that the reference appears. (2) The list of references should be typed in alphabetical order on a separate sheet and should appear as follows: Brown, J., Williams, E. & Wright, H. (1970). Treatment of heroin addiction. *Psychological Medicine* 1, 134–136. Journal titles should be given in full.

Books should be cited as follows: Brown, J. (1970). *Psychiatric Research*. Smith: Glasgow.

ILLUSTRATIONS Only essential figures and tables should be included. *Photographs* Unmounted photographs on glossy paper should be provided. Magnification scales, if necessary, should be lettered on these. Where possible, prints should be trimmed to column width (i.e. 2½ in.). *Diagrams* These will usually be reduced to 2½ in. wide. Lettering should be in either Letraset or stencil, and care should be taken that lettering and symbols are of comparable size. Illustrations should not be inserted in the text, they should be marked on the back with figure numbers, title of paper, and name of author. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in the text in Arabic numerals. The legends for illustrations should be typed on a separate sheet. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet.

PROOFS AND OFFPRINTS Page proofs will be sent to the senior author. Corrections other than printer's errors may be charged to the author. Fifty offprints of each paper are supplied free; additional offprints are available according to a scale of charges if they are ordered when the proof is returned.

Psychological Medicine

Volume 8 Number 1 February 1978

CONTENTS

EDITORIALS

Trends in the epidemiology of alcoholism	page 1
The future of alcoholism: a commentary on the Rand Report	5
LEWIS, A.	
Psychiatry and the Jewish tradition	9
HIERONS, R., JANOTA, I. AND CORSELLIS, J. A. N.	
The late effects of necrotizing encephalitis of the temporal lobes and limbic areas: a clinico-pathological study of 10 cases	21
HORROBIN, D. F., ALLY, A. I., KARMALI, R. A., KARMAZYN, M., MANKU, M. S. AND MORGAN, R. O.	
Prostaglandins and schizophrenia: further discussion of the evidence	43
COPPEN A. AND WOOD, K.	
Tryptophan and depressive illness	49
FALLOON, I., WATT, D. C. AND SHEPHERD, M.	
A comparative controlled trial of pimozide and fluphenazine decanoate in the continuation therapy of schizophrenia	59
RASKIN, A., BOOTHE, H., REATIG, N. AND SCHULTERBRANDT, J. G.	
Initial response to drugs in depressive illness and psychiatric and community adjustment a year later	71
VERLEGER, R. AND COHEN, R.	
Effects of certainty, modality shift and guess outcome on evoked potentials and reaction times in chronic schizophrenics	81
MORROW, G. R., AND LABRUM, A. H.	
The relationship between psychological and physiological measures of anxiety	95
DAVIES, G., HAMILTON, S., HENDRICKSON, D. E., LEVY, R. AND POST, F.	
Psychological test performance and sedation thresholds of elderly demented, depressives and depressives with incipient brain damage	103
ARMSTRONG, M. S., BLASZCZYNSKI, A. P. AND MCCONAGHY, N.	
Dichotic listening and allusive thinking	111
SHAFFER, D., PETTIGREW, A., WOLKIND, S. AND ZAJICEK, E.	
Psychiatric aspects of pregnancy in schoolgirls: a review	119
WORSLEY, A., WALTERS, W. A. W. AND WOOD, E. C.	
Responses of Australian patients with gynaecological disorders to the General Health Questionnaire: a factor analytic study	131
CARNEY, M. W. P. AND SHEFFIELD, B. F.	
Serum folic acid and B12 in 272 psychiatric in-patients	139
BRIEF COMMUNICATION	
The movement of hostility during recovery from depression G. C. LYKETSOS, I. M. BLACKBURN AND J. TSIANTIS	145
PRELIMINARY COMMUNICATIONS	
Thyro-endocrine pathology, obstetric morbidity and schizophrenia: survey of a hundred families with a schizophrenic proband D. MACSWEENEY, P. TIMMS AND A. JOHNSON	151
Absence of cardiac deceleration in a signalled escape paradigm: a psychophysiological deficit in chronic schizophrenia J. L. WADDINGTON, M. J. MACCULLOCH, M. L. SCHALKEN AND J. E. SAMBROOKS	157
BOOK REVIEWS	163
NOTICE OF MEETINGS	176

© Cambridge University Press 1978

CAMBRIDGE UNIVERSITY PRESS
Bentley House, 200 Euston Road, London NW1 2DB
32 East 57th Street, New York, N.Y. 10022

Printed in Great Britain at the University Press, Cambridge