

INDEX

	PAGE
Aron, R. M. & Globevnik, J. Interpolation by analytic functions on c_0	295
Artico, G. & Moresco, R. On the structure of fuzzes	235
Ayala, R., Quintero, A. & Mitchell, W. J. R. Triangulating and recognising PL homology manifolds	497
Bagley, R. W., Wu, T. S. & Yang, J. S. Locally compact groups: maximal compact subgroups and N-groups	47
Blecher, D. P. Geometry of the tensor product of C^* -algebras	119
Banaschewski, B. & Brümmer, G. C. L. Stably continuous frames	7
Brosamler, G. A. An almost everywhere central limit theorem	561
Brüdern, J. On Warings's problem for cubes and biquadrates. II	199
Brümmer, G. C. L. & Banaschewski, B. Stably continuous frames	7
Burdzy, K. Harmonic measure on 3-dimensional Brownian paths	407
Cochran, J. A. & Lukas, M. A. Differentiable positive definite kernels and Lipschitz continuity	361
Crabb, M. C. & Mitchell, S. A. The loops on $U(n)/O(n)$ and $U(2n)/Sp(n)$	95
Deeb, W. & Khalil, R. Best approximation in $L(X, Y)$	527
Deheuvels, P., Haeusler, E. & Mason, D. M. Almost sure convergence of the Hill estimator	371
Drury, S. W. Estimates for a multilinear form on the sphere	533
Ekhaguere, G. O. S. Dirichlet forms on partial $*$ -algebras	129
Etayo, J. J. & Martinez, E. Hyperbolic polygons and NEC groups	261
Everest, G. A 'Hardy–Littlewood' approach to the norm form equation	421
Fröman, N., Fröman, P. O. & Lundborg, B. The Stokes constants for a cluster of transition points	153
Fröman, N., Fröman, P. O. & Lundborg, B. Symmetry relations for connection matrices in the phase-integral method	181
Fröman, P. O., Lundborg, B. & Fröman, N. The Stokes constants for a cluster of transition points	153
Fröman, P. O., Lundborg, B. & Fröman, N. Symmetry relations for connection matrices in the phase-integral method	181
Fröman, P. O. & Lundborg, B. Improvement of the generalized quantal Bohr–Sommerfeld quantization condition	581
Garling, D. J. H. On martingales with values in a complex Banach space	399
Glendinning, R. H. The growth of the expected number of real zeros of a random polynomial with dependent coefficients	547
Globevnik, J. & Aron, R. M. Interpolation by analytic functions on c_0	295
Grey, D. R. Supercritical branching processes with density independent catastrophes	413
Grobler, J. J. & Labuschagne, C. C. A. The tensor product of Archimedean ordered vector spaces	331
Haeusler, E., Mason, D. M. & Deheuvels, P. Almost sure convergence of the Hill estimator	371
Heath, P. R. & Parmenter, M. M. Lifting colimits in various categories	193
Hernandez, L. J. & Porter, T. Global analogues of the Brown–Grossman proper homotopy groups of an end	483
Higgs, R. J. Groups which act transitively on the projective characters of a normal subgroup	429

Hoare, A. H. M. Pregroups and length functions	21
Kestenband, B. C. Partitioning projective planes into arcs	435
Khalil, R. & Deeb, W. Best approximation in $L(X, Y)$	527
Kingman, J. F. C. Random dissections and branching processes	147
Kwasik, S. & Lee, K. B. Locally linear actions on 3-manifolds	253
Kwee, B. On a conjecture on Riemann summability (R, k)	277
Labuschagne, C. C. A. & Grobler, J. J. The tensor product of Archimedean ordered vector spaces	331
Lee, K. B. & Kwasik, S. Locally linear actions on 3-manifolds	253
Łuczak, T. The automorphism group of random graphs with a given number of edges	441
Lukas, M. A. & Cochran, J. A. Differentiable positive definite kernels and Lipschitz continuity	361
Lundborg, B., Fröman, N. & Fröman, P. O. The Stokes constants for a cluster of transition points	153
Lundborg, B., Fröman, N. & Fröman, P. O. Symmetry relations for connection matrices in the phase-integral method	181
Lundborg, B. & Fröman, P. O. Improvement of the generalized quantal Bohr-Sommerfeld quantization condition	581
Maddox, I. J. Statistical convergence in a locally convex space	141
Marinosci, R. A. Generalized pointwise symmetric Riemannian spaces: a classification	505
Martinez, E. & Etayo, J. J. Hyperbolic polygons and NEC groups	261
Mason, D. M., Deheuvels, P. & Haeusler, E. Almost sure convergence of the Hill estimator	371
Minami, N. Group homomorphisms inducing an isomorphism of a functor	81
Mitchell, S. A. & Crabb, M. C. The loops on $U(n)/O(n)$ and $U(2n)/Sp(n)$	95
Mitchell, W. J. R., Ayala, R. & Quintero, A. Triangulating and recognising PL homology manifolds	497
Moresco, R. & Artico, G. On the structure of fuzzes	235
Móricz, F. & Rhoades, B. E. Almost convergence of double sequences and strong regularity of summability matrices	283
Morosawa, S. Limit points for infinitely generated Fuchsian groups	539
Nan, C.-X & Wang, J.-H. On the LK -UR and the L - kR spaces	521
Niefield, S. & Rosenthal, K. I. Constructing locales from quantales	215
Okon, J. S. & Ratliff Jr, L. J. Filtrations, closure operations and prime divisors	31
Önsiper, H. On generalized albanese varieties for surfaces	1
Papadima, S. Rational homotopy equivalences of Lie type	65
Parmenter, M. M. & Heath, P. R. Lifting colimits in various categories	193
Porter, T. & Hernandez, L. J. Global analogues of the Brown-Grossman proper homotopy groups of an end	483
Prolla, J. B. A generalized Bernstein approximation theorem	317
Quintero, A., Mitchell, W. J. R. & Ayala, R. Triangulating and recognizing PL homology manifolds	497
Ratliff Jr, L. J. & Okon, J. S. Filtrations, closure operations and prime divisors	31
Ratto, A. On harmonic maps between S^3 and S^2 of prescribed Hopf invariant	273
Raynaud, Y. Extracting almost symmetric sequences in rearrangement invariant spaces	303
Rezakhanlou, F. The packing measure of the graphs and level sets of continuous functions	347
Rhoades, B. E. & Móricz, F. Almost convergence of double sequences and strong regularity of summability matrices	283
Rosenthal, K. I. & Niefield, S. Constructing locales from quantales	215

Index

v

Rudin, W. Tangential H^∞ -images of boundary curves	115
Sakuma, M. An evaluation of the Jones polynomial of a parallel link	105
Symonds, P. Relative characters for H -projective RG -lattices	207
Szafraniec, Z. On the Euler characteristic mod 2 of real projective varieties	479
Wang, J.-H. & Nan, C.-X. On the Lk -UR and the L - kR spaces	521
Wilde, I. F. Quasi-free stochastic integral representation theorems over the CCR	383
Wong, M. W. The spectrum of a one-dimensional pseudo-differential operator	575
Wu, T. S., Yang, J. S. & Bagley, R. S. Locally compact groups: maximal compact subgroups and O-groups	47
Yamagishi, K. Idealizations of maximal Buchsbaum modules over a Buchsbaum ring	451
Yang, J. S., Bagley, R. S. & Wu, T. S. Locally compact groups: maximal compact subgroups and N-groups	47
Zimmermann, B. Some groups which classify knots	417

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address at which mail is to be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to enlighten the task of the compositor and to reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\{z^2 \sin \theta/(1+y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed **wavy**.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O o , O , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; l , 1 ; ϵ , \in ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign **I** may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) 72 (1960), 20–104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis, Columbia University (1963).

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 104 (Pt 3) 417-608 (1988) 0305-0041 November 1988

CONTENTS

	PAGE
ZIMMERMANN, B. Some groups which classify knots	417
EVEREST, G. R. A 'Hardy-Littlewood' approach to the norm form equation	421
HIGGS, R. J. Groups which act transitively on the projective characters of a normal subgroup	429
KESTENBAND, BARBU C. Partitioning projective planes into arcs	435
ŁUCZAK, TOMASZ. The automorphism group of random graphs with a given number of edges	441
YAMAGISHI, KIKUMICHI. Idealizations of maximal Buchsbaum modules over a Buchsbaum ring	451
SZAFRANIEC, ZBIGNIEW. On the Euler characteristic mod 2 of real projective varieties	479
HERNANDEZ, L. J. & PORTER, T. Global analogues of the Brown-Grossman proper homotopy groups of an end.	483
AYALA, R., QUINTERO, A. & MITCHELL, W. J. R. Triangulating and recognising PL homology manifolds	497
MARINOSCI, R. A. Generalized pointwise symmetric Riemannian spaces: a classification	505
NAN, CHAO-XUN & WANG, JIAN-HUA. On the Lk -UR and L - kR spaces	521
DEEB, W. & KHALIL, R. Best approximation in $L(X, Y)$	527
DRURY, S. W. Estimates for a multilinear form on the sphere	533
MOROSAWA, SHUNSUKE. Limit points for infinitely generated Fuchsian groups	539
GLENDINNING, RICHARD. The growth of the expected number of real zeros of a random polynomial with dependent coefficients	547
BROSAMLER, GUNNAR A. An almost everywhere central limit theorem	561
WONG, M. W. The spectrum of a one-dimensional pseudo-differential operator	575
LUNDBORG, BENGT & FRÖMAN, PER OLOF. Improvement of the generalized quantal Bohr-Sommerfeld quantization condition	581
Proceedings of the meetings held during the session 1987-1988	603

© The Cambridge Philosophical Society 1988

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 1RP

32 EAST 57TH STREET, NEW YORK, NY 10022, USA

10 STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

Price £20.50 net (USA and Canada US \$49.00)

Subscription price £57.00 per volume (£114.00 per annum) net post free
(US \$125 per volume (US \$250 per annum) in USA and Canada)

Printed in Great Britain by the University Press, Cambridge