MATHEMATICAL PROCEEDINGS

(formerly Proceedings)

of the Cambridge Philosophical Society

VOLUME 155





Published by the Press Syndicate of the University of Cambridge The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS

The Edinburgh Building, Cambridge CB2 8RU, United Kingdom 32 Avenue of the Americas, New York, NY 10013–2473, USA 477 Williamstown Road, Port Melbourne, VIC 3207, Australia C/Orense, 4, planta 13, 28020 Madrid, Spain Lower Ground Floor, Nautica Building, The Water Club, Beach Road, Granger Bay, Cape Town 8005, South Africa

© Cambridge Philosophical Society 2013

Printed in the United Kingdom by Bell and Bain Limited, Glasgow

INDEX FOR VOLUME 155

	PAGE
Abe, T., Jong, I. D., Omae, Y. & Takeuchi, M. Annulus twist and diffeomorphic 4-manifolds	219
Ahmed, I., Ruas, M. A. S. & Tomazella, J. N. Invariants of topological relative right equivalences	307
Alías, L. J., Impera, D. & Rigoli, M. Erratum to "Spacelike hypersurfaces of constant higher order mean curvature in generalized Robertson–Walker spacetimes". Math. Proc. Camb. Phil. Soc. (2012), 152, 365–383	375
Atiyah, M. & Lebrun, C. Curvature, cones and characteristic numbers	13
Bauer, A. & Lumsdaine, P. L. On the Bourbaki–Witt principle in toposes	87
Bringmann, K. & Mahlburg, K. Asymptotic formulas for coefficients of Kac–Wakimoto Charac-	07
ters,	51
Brown, J. & Pitale, A. Special values of L-functions for Saito–Kurokawa lifts	237
Checcoli, S. & Widmer, M. On the Northcott property and other properties related to polynomial mappings	1
Cheng, Z. When is region crossing change an unknotting operation?	257
Cotton-Barratt, O. Detecting ends of residually finite groups in profinite completions	379
Dann, S. The Busemann–Petty problem in the complex hyperbolic space	155
Domitrz, W., Janeczko, S. & Zhitomirskii, M. Generic singularities of symplectic and quasi-symplectic immersions	317
Dousse, J. On a generalisation of Roth's theorem for arithmetic progressions and applications to sum-free subsets.	331
Fouvry, É., Kowalski, E. & Michel, P. An inverse theorem for Gowers norms of trace functions over F_p .	277
Hadžić, M. and Rein, G. Stability for the spherically symmetric Einstein–Vlasov system–a coercivity estimate	529
Halic, M. & Tajarod, R. A cohomological splitting criterion for locally free sheaves on arithmetically Cohen–Macaulay surfaces	517
Hare, K. G., Morris, I. D. & Sidorov, N. Extremal sequences of polynomial complexity	191
Hernández, R. & Martín, M. J. Stable geometric properties of analytic and harmonic functions	343
Hong, K., No, S. & Oh, S. Upper bound on lattice stick number of knots	173
Horiuchi, S. & Ohyama, Y. A two dimensional lattice of knots by C_{2m} -moves	39
Johnson, K. W. & Poimenidou, E. A formal power series attached to a class function on a group and its application to the characterisation of characters	465
Kim, D. <i>p</i> -adic <i>L</i> -functions over the false Tate curve extensions	483
Lamzouri, Y. The distribution of short character sums	207
Lau, KS., Luo, J. J. & Rao, H. Topological structure of fractal squares	73
Lauer, J. & Wise, D. T. Cubulating one-relator groups with torsion	411
Li, T. Small 3-manifolds with large Heegaard distance	431
Liu, L., Papadopoulos, A., Su, W. & Therét, G. On the classification of mapping class actions on Thurston's asymmetric metric.	499
Macías-Virgós, E. & Pereira-Sáez, M. J. An upper bound for the Lusternik-Schnirelmann category of the symplectic group	271
Martin, A. C. L., Gomez, D. S. & Prieto, C. T. Relative Fourier–Mukai transforms for Weierstraß fibrations, abelian schemes and Fano fibrations	129
Maynard, J. 3-tuples have at most 7 prime factors infinitely often	443
McReynolds, D. B., Reid, A. W. & Stover, M. Collisions at infinity in hyperbolic manifolds .	459
Olberding, B. & Tartarone, F. Integrally closed rings in birational extensions of two-dimensional regular local rings	101
Osborne , J. Connectedness properties of the set where the iterates of an entire function are bounded	
Ozawa, M., & Takao, K. A locally minimal, but not globally minimal, bridge position of a knot	181

ii Index

Paré, R. & Rosický, J. Colimits of accessible categories	٠								47
Py, P. Coxeter groups and Kähler groups									557
Salmi, P. & Skalski, A. Inclusions of ternary rings of operat	tors a	and o	cond	ition	al ex	pect	atio	ns	475
van den Berg, B. The Herbrand topos	٠								361
Yamaguchi, Y. Higher even dimensional Reidemeister torsi	on fo	r to	rus k	not	exter	iors			297

INSTRUCTIONS TO AUTHORS

1. Preparation of Manuscripts

A paper should be submitted electronically to mpeditor@hermes.cam.ac.uk in pdf form only.Authors are encouraged to prepare their manuscripts in LaTeX 2e using the PSP class file. The class file, together with a guide, PSP2egui.tex, and sample pages, PSP2esam.tex, can be downloaded from ftp://ftp.cambridge.org/pub/texarchive/journals/latex/psp-cls in either packed or unpacked form. These files will be updated periodically: please ensure that you have the latest version.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. A new proof of the prime-number theorem, whereas, Some applications of a theorem of G. H. Hardy would be useless).

Authors are asked to provide an abstract as a basis for search on the Web. This may be an explicit abstract at the start of the paper. Otherwise the first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians. Please note that the abstract should be able to be read independently of the main text. References should therefore not be included in the abstract.

Authors are encouraged to check that where references are given, they are used in the text. Experience has shown that unused references have a habit of surviving into the final version of the manuscript.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician). Please also check the Cambridge University Press website for information about the style in which the paper should be submitted.

$2. \, Notation$

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error. For instance n sub k is common usage, but avoid if possible using c sub n sub k. Fractions are generally best expressed by a solidus. Complicated exponentials like:

$$\exp\{z^2\sin\theta/(1+y^2)\}$$

should be shown in this and no other way.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o, O, o, O, o, O, o, O, x, x, x, ϕ , ϕ , \emptyset , l, l; e,k, k.

Footnotes should be avoided.

Please use typewriter font for all addresses and email addresses.

Omit ☐ from the end of proofs.

In listing assertions, conclusions, etc. do not use a vertical column of dots and do not follow (a) or (i) by a capital letter (eg. (i) the absolute value . .)

In making references precise use [3, theorem 5.1]

3. Diagrams

Diagrams should be in black ink or from a high-quality laser printer and should not be larger than 30 cm by 45 cm. Lettering to be inserted by the printer should be shown clearly on copies of the figures rather than on the original drawings. Please note that a charge may be made if hand-drawn diagrams need to be re-drawn for publication.

A typed list of captions may be provided at the end of the manuscript in the following format:

Figure 1. A basis for . .

Note that there is no point at the end of the heading. All headings should be centred.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

Heading for tables should be shown in the following way:

Table 1. A basis for ...

Note that there is no point at the end of the heading. All headings should be centred over columns.

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Where references are given, they should be used in the text. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

[1] J. F. Adams. On the non-existence of elements of Hopf invariant one. Ann of Math. (2) 72 (1960), 20-104.

[2] M. P. Fouram and D. S. Scott. Sheaves and logic. In Applications of Sheaves Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302-401.

[3] P. T. Johnstone. Stone Spaces. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).

[4] F. W. Lawvere. Functional semantics of algebraic theories. PhD. thesis. Columbia University (1963).

$6.\ Submission\ of\ papers\ accepted\ for\ publication$

When a paper has been accepted for publication the relevant TeX files of the final version, accompanied by a pdf file, should be sent to the Editor by e-mail.

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

MATHEMATICAL PROCEEDINGS

of the

Cambridge Philosophical Society

VOLUME 155 PART 3, pages 379-566, November 2013

CONTENTS

COTTON-BARRATT, O. Detecting ends of residually finite groups in profinit	
completions	. 379
Osborne, J. Connectedness properties of the set where the iterates of an entire	e
function are bounded	. 391
Lauer, J. & Wise, D. T. Cubulating one-relator groups with torsion	. 411
Li, T. Small 3-manifolds with large Heegaard distance	. 431
Maynard, J. 3-tuples have at most 7 prime factors infinitely often	. 443
McReynolds, D. B., Reid, A. W. & Stover, M. Collisions at infinity in hyperboli	ic
manifolds	. 459
Johnson, K. W. & Poimenidou, E. A formal power series attached to a class functio	n
on a group and its application to the characterisation of characters .	. 465
Salmi, P. & Skalski, A. Inclusions of ternary rings of operators and conditions	
expectations	. 475
K_{IM} , D. p -adic L -functions over the false Tate curve extensions	. 483
Liu, L., Papadopoulos, A., Su, W. & Théret, G. On the classification of mappin	
class actions on Thurston's asymmetric metric	. 499
Halic, M. & Tajarod, R. A cohomological splitting criterion for locally free	
sheaves on arithmetically Cohen–Macaulay surfaces	
Hadžíć, M. & Rein, G. Stability for the spherically symmetric Einstein-Vlaso	
system-a coercivity estimate	. 529
Py, P. Coxeter groups and Kähler groups	. 557

©The Cambridge Philosophical Society 2013

Cambridge Journals Online
For further information about this journal please go to the journal website at: journals.cambridge.org/psp



MIX
Paper from
responsible sources
FSC® C007785

CAMBRIDGEUNIVERSITY PRESS