

# Index

active galactic nuclei (AGN)	160	bump progression	237,261,268
Ap stars (see rapidly oscillating Ap stars)		C-a classification	370
Baade, W.	61	C-b (s-Cepheids) classification	370
Baade-Wesselink methods (see Cepheids, $\delta$ Sct stars, RR Lyrae stars)		classical models of Cepheids	285–293
$\beta$ CMa variable stars		colours of (anomalous) Cepheids	
$\beta$ Canis Majoris	183	43–44,90	
$\beta$ Cep stars		diffusion in Cepheids	244
$\beta$ Cephei	184–185,186–187	double-mode Cepheids	372,377,382
$\beta$ Cep stars in LMC clusters	164–166	evolution of Cepheids	419
$\beta$ Cep stars in SMC	164	extragalactic (anomalous) Cepheids:	
binarity	171–179	in IC4182	53–60
high-resolution spectrography	173	in LMC	285–293,359–367
line-profile variations	182	in NGC 6822	91
location in HR diagram	136	in SMC	43–45,285–293,349–356, 359–367
non-radial pulsations	182	in Sculptor dwarf galaxy	43–45
OPAL opacities	163–170,221	in Ursa Minor dwarf galaxy	43–45
period changes and pulsation	171–179	in Virgo cluster galaxies	81–89
pulsation anomalies	184–185	in WLM (DDO221)	92
pulsation mechanism	164,171–179	faint Cepheids	369
searches for $\beta$ Cep stars	172–173	first-overtone Cepheids	31–52,370, 377
BL Her stars (see Cepheids)		forgotten Cepheids	368
blue straggler stars	31–52,347	Fourier decomposition	268–269,370, 386
B-type variable stars		H $\beta$ photometry	90
slowly pulsating B stars	180–181	Hertzsprung progression	370,371
Cepheid variable stars		individual Cepheids:	
anomalous Cepheids (ACs)	31,37, 43–45,353	$\alpha$ Ursa Minoris	77
asymmetry of metallic lines	375	AR Per	25
ACs in Sculptor dwarf galaxy	43,358	AU Peg (Pop II)	423
Baade-Wesselink methods	73–76,84, 90,238,375	AV Ser	333
Barnes-Evans method	386	AW Per (binary Cepheid)	408
BL Her stars	31,39–43,277,378, 422, 423–424	AZ Cen (first-overtone pulsator)	377
binary Cepheids	43,73,74,387–395, 406–407,408,423	BB Cen (first-overtone pulsator)	377
bump and beat masses	237,239,268	BB Pup	25
		BB Sgr	77,90
		BD Cas (candidate binary)	407
		BG Cru (first-overtone pulsator)	377

BL Her	31	S Nor	77,90,375
BY Cas (candidate binary)	407	SS Leo	25
CEa Cas	77	SS Sct (candidate binary)	407
CEb Cas	77	SU Cas	77,90
CF Cas	77	SU Cyg (binary)	393
CR Cep (candidate binary)	406–407	S Vul	77,373
CS Vel	76–78	SV Per (binary)	388,390
CV Mon	77,90	SV Vul	77,90,373
δ Cephei	386	SW Vel	77,90
DL Cas	77,90	SX Per	368
DW Per	368,369	SY Aur (candidate binary)	407
DR Vel (candidate binary)	406–407	SY Nor (binary)	388,390
η Aquilae	386	SZ Tau	77,90
ER Car (candidate binary)	407	T Mon	77,373
EU Tau (candidate binary)	407	TU Cas (double-mode)	372,382
EV Aur	368	TW Nor	76,77,78
EV Sct (candidate binary)	77,407	U Car	77
EY Car (fundamental mode pulsator)	377	U Sgr	77
FF Aql	386	UY Per	77
FM Cas (candidate binary)	406–407	UX Car	377
GY Sge	77	V340 Nor	77
HK Cas	369	V367 Sct (in NGC 6649)	77,90,382
HR 7796	385	V381 Cen (candidate binary)	407
HZ Per	368	V395 Cas	368
IN Aur	369	V402 Cyg (candidate binary)	406–407
KN Cen (binary)	388	V419 Cen (candidate binary)	407
KQ Sco	77	V440 Per (candidate binary)	406–407
MM Per	368	V445 Oph	25
MY Pup (candidate binary)	407	V526 Aql	369
QZ Nor	77	V588 Cas	368
RS Boo	335	V636 Sco (binary)	392
RS Pup	77	V1033 Cyg	369
R TrA	377	V1046 Cyg	369
RU Sct	77	V1154 Cyg (candidate binary)	406–407
RV Cet	333	V1344 Aql (candidate binary)	407
RW Cam (binary)	388	V Cen	77
RY Vel (candidate binary)	407	VY Car	77
RZ Vel	77	VZ CMa (candidate binary)	406–407
S Mus (binary)	387,392,393		

VZ Cnc	243	surface-brightness method	386
W Vir	61	ultraviolet studies of Cepheids	386–395
WZ Sgr	77, 90	W Vir stars	31–52, 61, 378, 419
X Cygni	373, 386	ZAMS-fitting distance scale	73–75, 90
XY Cas (candidate binary)	407		
XZ Dra	333		
Y Oph	373, 375	deceleration parameter ( $q_0$ )	4
YZ Aur (candidate binary)	407	$\delta$ Scuti stars	
$\zeta$ Gem	77, 90	Baade-Wesselink radii	104
infrared photometry of Cepheids	61–71	diffusion in $\delta$ Sct stars	248–250
kinematics of Galactic Cepheids	95–101	dwarf Cepheids	374, 419
light curves of Cepheids	244, 422	Fourier decomposition of $\delta$ Sct stars	
location of Cepheids in the H-R diagram	136	104, 144–146, 147, 148, 149, 150	
Los Alamos opacities	238	identification in RR7 field	346
low-amplitude Cepheids	385	individual $\delta$ Sct stars:	
luminosities of Cepheids	90, 237	AI Vel	135, 137, 142
masses of Cepheids	268	$\beta$ Cas	137, 396
mass-luminosity relation	240	BI CMi	149
mechanism for multimode pulsation	268	DY Her	104
modelling Cepheid pulsations	267–274	DY Peg	104
period changes of Cepheids	419	EH Lib	104
period ratios of Cepheids	371	ET And	424
period ratio (Petersen) diagram	237, 371	$\gamma$ Boo	137
<i>P-L</i> relation	56, 58, 61–71, 72–80, 237	HD 18878	149
<i>P-L-C</i> relation	72–80, 97	HD 93044	144–146
<i>P-R</i> relation	90	HD 224639	149
<i>P-R</i> -mass relation	238	$\kappa^2$ Bootis	137
Pop I (classical) Cepheids	370–371, 377, 424	K2 Boo	396
Pop II Cepheids	31–52, 371, 378–379, 423–424	<i>l</i> Car (binary)	387, 394
radial velocities	385, 386	$\sigma^1$ Eri	396
resonance	237, 371	$\tau$ Cyg	396
s-Cepheids	268, 370, 419	$\tau$ Peg	137, 147, 396
stability of light curves	422	$\theta^2$ Tau	135, 140, 141
statistical parallaxes of Cepheids	73	$\rho$ Pup	396
		V1719 Cygni (dwarf Cepheid)	374
		X Caeli	149
		1 Mon	135, 138
		4 CVn	136
		28 And	137
		44 Tau	149
		69 Tau	396
		71 Tau	396

- large amplitude  $\delta$  Sct stars 104  
 location in the instability strip 125–126  
 luminosities 104  
 mode determinations 147,148  
 multiperiodic  $\delta$  Sct stars 149  
 nonradial p- and/or g-modes 243  
 non-radial pulsation 135–143  
 non-linear radiation hydrodynamical calculations 242  
 spectral lines 396  
 spectroscopic abundances 374  
 SX Phe stars (see separate entry)  
 X-ray sources in  $\delta$  Sct systems 396
- $D_n$ - $\sigma$  relation 81  
 dwarf Cepheids (see  $\delta$  Sct stars)  
 dwarf galaxies  
   distances 32  
   individual dwarf galaxies:  
 Ursa Minor dwarf galaxy 34,35  
 Sculptor dwarf galaxy 358  
 dynamical parallax 76
- Faber-Jackson relation 49
- galactic centre 26  
 globular clusters  
   ages of globular clusters 3–14  
   luminosity functions 9,81  
   individual globular clusters:  
 NGC 104 (47 Tuc) 91–92  
 NGC 1851 91–92  
 NGC 2419 42  
 NGC 2808 280  
 NGC 3201 22,33,324  
 NGC 4147 324  
 NGC 4372 46  
 NGC 4590 (M68) 320,324,329,330  
 NGC 4833 4,324  
 NGC 5139 ( $\omega$  Cen) 22–26,39,42,  
   46–49,297–299,322,378–379  
 NGC 5024 (M53) 316,320,324
- NGC 5053 46–48,52  
 NGC 5272 (M3) 3,22,23,26,42,  
   295,316,320,324–332  
 NGC 5466 22,43,46–48  
 NGC 5904 (M5) 22–24,30,42,316,  
   320,324,329,330,332  
 NGC 6093 (M80) 42  
 NGC 6121 (M4) 22–27,33,335–336  
 NGC 6171 (M107) 22,33,52,316,  
   320,324  
 NGC 6205 (M13) 3,4,33,42,43,39  
 NGC 6254 (M10) 43  
 NGC 6266 (M62) 324  
 NGC 6273 (M19) 43  
 NGC 6341 (M92) 24–26  
 NGC 6388 338  
 NGC 6402 (M14) 39,41,43  
 NGC 6626 (M28) 43  
 NGC 6656 (M22) 4  
 NGC 6838 (M71) 46,47  
 NGC 6752 43  
 NGC 6864 280  
 NGC 7078 (M15) 22,23,26,30,  
   31–52,91,92,280,316,320,  
   322,324,329–332  
 NGC 7089 (M2) 4,39,43,91,92,295  
 in the Magellanic Clouds 15–20
- HD 161796 (yellow supergiant star) 204  
 HD 161817 341,342  
 HD 196093 (= 47 Cyg) 373  
 Helium stars 217  
 Hertzsprung progression (see Cepheid variables)  
 high-velocity HI clouds 346  
 Hipparcos satellite 31,49,51,125  
 HR Cam (high resolution camera) 82  
 HR 2680 (B5 V eclipsing binary) 188  
 HR 8762 (Be and shell star) 189  
 Hubble constant 3–4,10–12,58–59,64,  
   81–89

Hubble Space Telescope (HST)		
observations of Cepheids	89	
observ. of Cepheids in IC 4182	53–60	
observ. of Cepheids in M81	61–71	
Hyades (see open clusters)		
IC 1613 (galaxy)	63,65,67	
IC 4182 (galaxy)	11,53–60,69	
IUE satellite	410–418	
λ Eri (Be variable) stars	136, 164	
Large Magellanic Cloud (LMC)		
β Cep stars in LMC clusters	164–166	
Cepheids in the LMC:		
color excesses	79	
in NGC 1866	359–367	
P-L relation	73	
P-L-C relation	78	
distance modulus of LMC	17,20, 63–68,91,92,352,353	
globular clusters in the LMC:		
NGC 1466	15,16,19	
NGC 1786	15,19,43	
NGC 1835	15,19	
NGC 1841	15,19	
NGC 2210	15,16,17	
NGC 2257	15,16,17,19	
Reticulum	15,16,17,19	
LVPs in the LMC	102,192–200	
Miras in the LMC	17	
star clusters (non-globular) in the LMC:		
NGC 1711	361	
NGC 1755	361	
NGC 1774	361	
NGC 1783	17	
NGC 1818	360,361	
NGC 1850	360,161	
NGC 1854	360,361	
NGC 1866	359–367	
NGC 2004	164–166,360,361	
NGC 2010	361	
NGC 2025	361	
NGC 2031	361	
NGC 2041	361	
NGC 2100	164–166,360,361	
NGC 2134	361	
NGC 2135	360,361	
NGC 2156	361	
NGC 2157	360,361,364	
NGC 2164	359–367	
NGC 2214	360,361	
number of variable stars in LMC	86	
RR Lyrae stars in the LMC	15–20, 160	
late-type low-amplitude radial-velocity variables		
hydrogen fluoride technique	383,384	
individual stars:		
α Boo	283,383,384	
α Her	383	
α Hya	384	
α Ori (Betelgeuse)	383,426	
α Tau	383,384	
β And	383	
β Gem	384	
β Peg	383	
β UMi	383	
δ Sgr	384	
ε Peg	383,384	
γ Dra	383	
g Her	383	
μ Gem	383	
R Lyr	383	
line-profile variations	147,148	
long-period variable (LPV) stars		
dynamics of circumstellar shells	206	
extended pulsating atmospheres	281	
hydrogen emission lines	281	
hydrodynamical models	204–205	
LPVs in the Galaxy	192–200	
LPVs in LMC	102,192–200	
LPVs in M33	102	
LPVs in Per OB1	102	

LPVs in SMC	192–200	NGC 1783	16
LPVs in Virgo cluster galaxies	81–89	NGC 2403	63,64
optical P-L relation	102	NGC 3109	67
<i>P-L</i> relation in <i>K</i>	87–88	NGC 4321 (Virgo galaxy)	83,84
pulsation and mass loss	191	NGC 4571 (Virgo galaxy)	83,84,85,86
(see Mira variable stars)		NGC 6544	337
Los Alamos Opacity Library (LAOL)		NGC 6642	337
221–230,231–236,240,268,316		NGC 6822	91,63,67
luminosity fluctuations	81	NGC 6822 (see globular clusters)	
M31 (Andromeda galaxy)	9,63–67	novae	81
M33 (Local Group galaxy)	63–67		
M81 (galaxy)	61–71		
M101 (galaxy)	63		
Maia/ET And variables	136		
Mira variable stars			
definition of a Mira variable star	192	Opacity Project (OP)	221–230,231–236,
H $\alpha$ emission line profiles	209,		240,268
	281–282	OPAL opacities	151,221–230,231–236,
hydrodynamic models	207		237,240,241,242,261,268,306
implication of a <i>P-L</i> relation	103	open (galactic) star clusters	
individual Mira variable stars:		ejection of stars from open clusters	
$\mu$ Gem	383		346
$\sigma$ Ceti	201	individual open clusters:	
R Leo	201	C1814-191a	77
S Car	210–211	Collinder 394	77
in the LMC	17	Czerny 8	77
long-term brightness changes		Hyades	74
	425–426	King 4	77
masses	103	Lyngå 6	77
non-linear models	208	M25	77
NLTE synthetic spectra	207	NGC 129	77
photospheres	201–203	NGC 1647	77
radii	103	NGC 2244	167
S,N,C,R types	209,426	NGC 3293	166
time-dependent convection	208	NGC 5662	77
variable UV line emission	210–211	NGC 6067	77
(see long-period variable stars)		NGC 6087	77
neutrinos	151	NGC 6649	77
NGC 147 (galaxy)	69	NGC 6664	77
NGC 185 (galaxy)	69	NGC 7790	77
		NGC 4755	166
		Pleiades	74
		Trumpler 35	77
		PG 1159-035 (pre-white dwarf)	107,
			117–119

PG 1159 (pre-white dwarf) stars		U Aqr	212
	117–119	RY Sgr	212
planetary nebulae	81,109	SU Tau	215
Pleiades (see open clusters)		V854 Cen	214
PNN pulsating variable stars	136	W Men in LMC	215
Procyon (F5 IV star)	152	RCB stars in the LMC	215
Proto-giant-planets	284	pulsations and declines of RCBs	
			212–213
rapidly oscillating Ap (roAp) stars		UV and Visual spectra of RCBs	214
asteroseismology of roAp stars		resonance sequences	371
	122–131	RR Lyrae stars	
chaos and roAp stars	133	absolute magnitudes	61
individual roAp stars:		Baade-Wesselink analysis	21–29,66,
$\gamma$ Equ	125		302,303
HD 24712 (= HR 1217)	123–131, 132	binary RR Lyrae stars	332
HD 6532	127	Blazhko effect	409,410–418
HD 60435	122–131	chemical abundances	335–336
HD 83368 (= HR 3831)	134	convection	252–260,271
HD 101065 (Pryzbylski's star)	123, 125,128,129	double-mode RR Lyrae (RRd) stars:	
HD 119027	125	masses	241,324
HD 134214	131–133	models of pulsation behaviour	256–260,275,276
HD 137949	132,133	search for double-mode behaviour	266
HD 166473	125	mechanism for multimode pulsation	268
HD 201601	132		
HD 203932	125	RRd stars in M15	322
HD 217522	129,133	double-mode RR Lyrae with	
HD 218495	125	Blazhko effect	409
HR 1217 (= HD 24712)	123–131, 132	evolutionary models	294–303, 309–311,312
HR 3831 (= HD 83368)	134	extragalactic RR Lyrae stars:	
10 Aql	125	in IC 1613	66
33 Lib	125	in LMC	15–20,66,78
limb darkening	128	in M31	66
location in the HR diagram	136	in M33	66
nonradial p- and/or g-modes	243	in NGC 121 field of SMC	354
obliquely rotating magnetic stars	134	in NGC 361 field of SMC	349–356
R CoronæBorealis (RCB) stars		in Lick field RR7 and NGC field	
echelle spectra of (RCB) stars	215	SA57	340–348
individual RCB stars:		in Sculptor dwarf galaxy	358
HV12842 in LMC	215	in SMC	93

Fourier decomposition of RR Lyrae light curves	269, 315–323, 324, 410–418	
individual RR Lyrae stars:		
AC And (triple-mode)	279	
BB Vir (candidate binary)	330, 331	
RR Lyr	409, 410–418	
RW Dra	410	
VY Ser	21	
infrared photometry of RR Lyrae stars	21–29, 30, 31–52, 325–331, 332–334	
instability strip	262	
location in the HR diagram	136	
masses of RR Lyraes	10, 241, 301–302, 315–323, 324	
mass-[Fe/H] relationship	7	
metal abundances	335–336	
modelling RR Lyr pulsations	267–274	
mode switching	254	
new identifications	337, 340–348	
nonlinear models	265, 266	
luminosities	3–14, 15–17, 241, 315–323	
<i>L</i> -[Fe/H] relationship	8	
Oosterhoff period effect	3–14, 241	
period-amplitude diagram	358	
period ratio (Petersen) diagram	371	
period changes	419	
period-frequency distributions	353	
<i>P-L</i> relationship	31–52, 353	
<i>P-L</i> -[Fe/H] relationship	31–52	
<i>P</i> -[Fe/H] relationship	3–4, 332–334	
pulsation equation	7	
RR Lyrae	409, 410–418	
Sandage effect	241, 280	
shock waves and atmospheric motions	374	
similarity to the Sun and binary systems	160	
spectrum of vibrational modes	263–264	
<i>T<sub>eff</sub></i> -Color-[Fe/H] relationship	5	
<i>T<sub>eff</sub></i> -[Fe/H] relationship for FBE	7	
triple-mode RR Lyrae stars	278–279	
RS Cnc (supergiant red variable)	426	
runaway B stars	346	
RV Tauri stars		
definition	425	
individual RV Tau stars:		
EN Tra (RV Tau-like)	422	
RU Cen	216	
SZ Mon (RV Tau-like)	422	
U Mon 210	425–426	
in globular clusters	378	
southern RV Tau stars	216	
Small Magellanic Cloud (SMC)		
β Cep stars in SMC	164	
Cepheids in SMC:		
HV 829	93	
HV 834 (candidate binary)	407	
HV 1365 (candidate binary)	407	
HV 1871	351, 352	
HV 2864 (candidate binary)	407	
HV 11449	351, 352	
Cepheids in SMC field	43	
Cepheids in SMC star clusters		
359–367		
distance modulus of SMC	61–71, 93	
<i>P-L-C</i> zero point	73	
RR Lyrae stars in SMC	15–20, 354, 349–356	
star clusters in SMC:		
NGC 121	16, 17, 19, 349	
NGC 330	360, 361	
NGC 361	17, 19, 349–356	
NGC 3 6	361, 365, 366	
surface-brightness technique	93	
Sculptor dwarf galaxy	358	
Small-amplitude red variables	426	
individual stars:		
EU Del	426	
stellar associations		
Car OB2	77	

Mon OB2	77	V1719 Cygni (dward Cepheid)	374
Per OB1	88,102	Virgo cluster of galaxies	81–89
Ruprecht	81,77	weakly interacting massive particles (WIMPs)	152
Sco OB anon	77	white dwarfs (wds)	
Vel OB1	77	DA wds	117–119,397
Vel OB5	77	DAV (ZZ Ceti) wds	107–115,120, 136,397
Vul OB1	77	DB wds	116–119
Vul OB2	77	DSBV wds	107–115,136
Sun		pulsation mechanisms	
diffusion in the Sun	245–248	D0V stars	109
global oscillations	160	in binary systems	397
solar convection zone	155	individual white dwarfs:	
solar oscillation frequencies	151–159	GD 358 (DBV)	113
nonradial p- and/or g-modes	243	IK Peg companion (DA wd)	397
standard solar models	153	nonradial p- and/or g-modes	243
surface brightness method	381	oscillations	107–115
Supergiant variable stars	136,426	PG1159 stars	117–119
supernovae	81	pre-white dwarf evolution	108
Supernova 1937c	2–14,53–60,66	pulsation mechanisms	110–111
Supernova 1987a	68	observations with Whole Earth	
SX Phe stars		Telescope	117–119
definition	31	Whole Earth Telescope	117–119
number of known SX Phe stars	37	WLM galaxy (DDO 221)	91,92
P-A diagram	46	yellow hypergiants	
P-L relationship	31,46–49	definition	425
P-L-[Fe/H] relationship	31,46–49	individual stars:	
individual SX Phe stars:		$\rho$ Cas	425
BL Cam	46,49	V509 Cas	425
CY Aqr	46,150,368,428	zero-age main sequence (ZAMS)	
DY Peg	46,49	$\zeta$ Oph stars	
KZ Hya	46,49	location in HR diagram	136
SX Phe	31,46,47,49,52,380–381	time-series spectroscopy	190
Type Ia Supernovae	53–60,11	ZZ Ceti stars (see white dwarfs)	
Type II Supernovae	65	53 Per variables	136
Trumpler 10 (star in Coma cluster)	342	89 Her (yellow supergiant star)	204
Tully-Fisher method	49,64,81		
V509 Cas (yellow hypergiant)	425		