

The Journal of Laryngology and Otology

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR

R. SCOTT STEVENSON

WITH THE COLLABORATION OF

G. H. BATEMAN V. E. NEGUS R. G. MACBETH

Contents

CANCER OF THE PHARYNGO-LARYNGEAL GROOVE WITH SPECIAL REFERENCE TO THE SINUS PYRI- FORMIS	M. LEDERMAN
FRONTAL BONE CYSTS OF OBSCURE ÆTIOLOGY AND NATURE	A. HANDOUSA
FURTHER OBSERVATIONS ON THE CONDITIONING OF RESPIRATORY AIR	PHILIP COLE
TRANSITIONAL CELL PAPILOMA OF THE POST- PHARYNGEAL WALL	ANTHONY RADCLIFFE
VERTIGO IN A RANDOM SAMPLE OF ELDERLY PEOPLE LIVING IN THEIR HOMES	HUGO DROLLER and JOHN PEMBERTON
CLINICAL RECORD— A CASE OF OTITIC HYDROCEPHALUS	R. J. MARTIN
GENERAL NOTES	

London

Headley Brothers Ltd

109 Kingsway WC2

Annual Subscription £3/3/0 net, U.S.A. \$10

Monthly, 7/6 net post free

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
R. SCOTT STEVENSON

WITH THE COLLABORATION OF
G. H. BATEMAN V. E. NEGUS R. G. MACBETH

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added.

4. Illustration blocks are provided free up to the limit of £5 per article; beyond this authors are expected to pay half the cost.

5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD, 109 Kingsway London WC2.

8. The annual subscription is three guineas sterling (U.S.A. \$10,) post free, and is payable in advance.

9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD, 109 Kingsway London WC2.

United States of America

Orders for this *Journal* may be sent either through a local bookseller, or to Messrs G. E. STECHERT & Co., 31-33 East 10th Street, New York, or they may be sent direct to the publishers, HEADLEY BROTHERS LTD, 109 Kingsway London WC2, England.


Effective local treatment of sinusitis . . .

Sinusitis is now regarded as a medical rather than a surgical problem and many authorities recommend its conservative treatment.

'Pendex' can be used for sinus irrigation, but when resolution is delayed the Proetz* displacement technique is often of great assistance. This method is effective for cleansing the mucosa of the nasal sinuses, loosening inspissated secretions, and bringing about drainage of infected sinuses provided the natural ostia are patent and the mucosa is not polypoid.

'PENDEX' the penicillin-vasoconstrictor

aids drainage from the sinuses without impairing ciliary activity, and ensures an adequate concentration of penicillin at the site of infection.



'PENDEX'

is available—on prescription only—in 15 ml. (½-oz.) bottles.

Detailed information on 'Pendex' is available on request.

MENLEY & JAMES, LIMITED, Goldharbour Lane, London, S.E.5
for *Smith Kline & French International Co.,*
owner of the trade mark 'Pendex'

***Proetz, A. W., (1946),** Displacement Method of Sinus Diagnosis and Treatment, St. Louis and London: H. K. Louis & Company.

FXP92

Please mention *The Journal of Laryngology* when replying to advertisements

AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

“ Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price.”—The LANCET, 23-12-50.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable, English made P.B. and Harvard Spondee Records available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



The Basic Instrument of Modern Otology

ACCURATE • COMPLETE • SIMPLE TO OPERATE

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.1 (Welbeck 2591)

Please mention *The Journal of Laryngology* when replying to advertisements

NEW

Antibiotic Lozenge

Bacteriostatic

Bactericidal

Analgesic

Tyrosolven lozenges are a most effective treatment for infections of the mouth and throat. The antibiotic tyrothricin has bactericidal and powerfully bacteriostatic actions; its spectrum includes haemolytic streptococci, enterococci, vibrioform and fusiform bacteria, and spirochaetes. Benzocaine, as a mild local anaesthetic, gives prompt relief from irritation and pain. The economy of treatment with Tyrosolven lozenges is noteworthy, and they may be prescribed with confidence.

Tyrosolven lozenges are supplied to chemists in a dispensing pack of 250 lozenges at 16/8d.

Formula: Tyrothricin 1 mg., Benzocaine 5 mg.

Tyrosolven^{REGD}
ANTIBIOTIC - ANALGESIC
LOZENGES



NO WARNER PREPARATION HAS EVER BEEN ADVERTISED TO THE PUBLIC

William R. Warner & Co. Ltd., Power Road, London, W.4

Please mention *The Journal of Laryngology* when replying to advertisements

CONTENTS

	PAGE
CANCER OF THE PHARYNGO-LARYNGEAL GROOVE WITH SPECIAL REFERENCE TO THE SINUS PYRIFORMIS. M. Lederman (London)	641 ✓
FRONTAL BONE CYSTS OF OBSCURE ÆTIOLGY AND NATURE. A. Handousa (Cairo)	655 ✓
FURTHER OBSERVATIONS ON THE CONDITIONING OF RESPIRATORY AIR. Philip Cole (Manchester)	669 ✓
TRANSITIONAL CELL PAPILOMA OF THE POST-PHARYNGEAL WALL. Anthony Radcliffe (London)	682 ✓
VERTIGO IN A RANDOM SAMPLE OF ELDERLY PEOPLE LIVING IN THEIR HOMES. Hugo Droller and John Pemberton (Sheffield)	689
CLINICAL RECORD— A CASE OF OTITIC HYDROCEPHALUS. R. J. Martin (Liverpool)	695
GENERAL NOTES	699

For Advertisement space in this Journal apply to :
HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2

Please mention *The Journal of Laryngology* when replying to advertisements