


The method of choice in
most laboratories today



THE
'MULTODISK'
for Bacterial Sensitivity Tests

- ACCURATE REPRODUCIBLE RESULTS
- ASSURED STABILITY
- SAVES TIME, SPACE AND MONEY
- MANY STOCK COMBINATIONS AVAILABLE

FURTHER INFORMATION FROM:

*The Oxoid Division of Oxo Ltd., Thames House, Queen Street Place, London, E.C.4.
Phone: Central 9781*

AN **OXOID** LABORATORY PRODUCT

Burroughs Wellcome & Co.*

FOR BIOLOGICAL DIAGNOSTIC REAGENTS

★ Burroughs Wellcome & Co. supply the largest range of Biological Diagnostic Reagents of any Company in the world.

A complete list of these products of the Wellcome Research Laboratories is available on request.



Normal Horse Blood
(oxalated or defibrinated)

Normal Horse Sera

Sheep Blood, defibrinated
(formolised, no preservative or
Alsever solution)

**Standard Agglutinable
Suspensions**

Diagnostic Sera
(specific for slide or tube test)
for—*E. coli*
Salmonella
Shigella
H. influenzae, etc.

Streptococcus Grouping Sera

**Wassermann, Kahn and
Cardiolipin Antigens**

Gonococcus Antigen

Hæmolytic Serum

Preserved Complement
(liquid or dried)

Species Precipitating Sera
Penicillinase

Rabbit Plasma, dried
(for coagulase test)

Coombs's Reagent

Streptolysin-O, dried

Staphylococcus a-hæmolysin

Thyroglobulin Tanned Red Cells

Receptor-Destroying Enzyme
(*V. cholerae*)

Also available:—

Opacity Tubes

'Agla' Micrometer Syringes

Culture Media

BURROUGHS WELLCOME & CO. (The Wellcome Foundation Ltd.)

THE WELLCOME BUILDING, EUSTON ROAD, LONDON, N.W.1

The Journal of General Microbiology

Editors: B. C. J. G. KNIGHT and A. F. B. STANDFAST

Vol. 26, No. 3

35s.

November 1961

- G. L. JONES and F. C. HAPFOLD. The occurrence of polythionates as intermediates in the metabolism of thiosulphate by the Thiobacilli.
- J. R. POSTGATE and J. R. HUNTER. On the survival of frozen bacteria.
- P. G. BRISBANE and A. D. ROVIRA. A comparison of the methods for classifying rhizosphere bacteria.
- T. D. BROCK and M. L. BROCK. RNA synthesis and degradation during antibiotic treatment and its relation to antibiotic-induced lag.
- A. KIPPS, G. S. TURNER and A. POLSON. Some properties of a cytopathogenic bovine orphan virus (Van den Ende strain).
- G. S. TURNER, A. KIPPS, A. POLSON and the late M. VAN DEN ENDE. Neutralization of a cytopathogenic bovine orphan virus in tissue culture by heat stable Francis type inhibitors in normal animal sera.
- J. F. WATKINS. Titration of trachoma virus with observations on yolk-sac infection and sensitivity to oxytetracycline, using the single-dilution method.
- R. L. CONNER, M. S. KORNACKER and R. GOLDBERG. Influence of certain sterols and 2:4-dinitrophenol on phosphate accumulation and distribution in *Tetrahymena pyriformis*.
- J. S. K. BOYD and D. E. BIDWELL. The type A phages of *Salmonella typhimurium*: observations on temperate phage and lysogenesis.
- B. A. BRIDGES. The effect of N-ethylmaleimide on the radiation sensitivity of bacteria.
- B. T. LINGAPPA and J. L. LOCKWOOD. The nature of the widespread soil fungistasis.
- T. D. BROCK. Physiology of the conjugation process in the yeast *Hansenula wingelii*.
- L. L. LARSON and R. W. SIEGEL. Illegitimate mating in *Paramecium bursaria* and the basis for cell union.
- J. GREENBERG, J. D. MANDELL and P. L. WOODY. Resistance and cross-resistance of *Escherichia coli* mutants to antitumour agent Mitomycin C.
- H. LJUNGGREN and G. FAHRAEUS. The role of polygalacturonase in root-hair invasion by nodule bacteria.
- F. J. LEINWEBER and J. L. LIVERMAN. The isolation of (³⁵S) homocysteine from *Neurospora*.
- K. P. CARPENTER. The relationship of the enterobacterium A 12 (Sachs) *Shigella boydii* 14.

Subscription 80s. per volume of 3 parts.

Orders should be sent to

CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. 1

Introduction to Animal Virology

A. P. WATERSON

A brief authoritative account of virology for medical, veterinary and biological students. Dr Waterson discusses the biological status of viruses, their examination and culture, the multiplication of virus particles within the living cell, the genetics of animal viruses, the animal tumour viruses and the relationship between viruses and disease.

22s. 6d. net

from all bookshops

CAMBRIDGE UNIVERSITY PRESS

CONTENTS

(All rights reserved)

	PAGE
ROZANSKY, R., WEBER, D., LEHMAN, E. and BALI, S. A village epidemic of brucellosis	379
COID, C. R., BESWICK, T. S. L. and TOBIN, J. O'H. The virulence of strains of polio-virus for cynomolgus monkeys after subcutaneous injection	387
BESWICK, T. S. L. and COID, C. R. The influence of technique on the sensitivity of monkeys to intraspinally inoculated poliovirus	395
LEMCKE, RUTH M. Association of PPLO infection and antibody response in rats and mice	401
BENTLEY, E. W., HAMMOND, L. E., BATHARD, A. H. and GREAVES, J. H. Sodium fluoracetate and fluoracetamide as 'direct' poisons for the control of rats in sewers	413
HUGHES, M. H. Staphylococcal infections following childbirth	419
GRAY, DAVID F., NOBLE, JOHN L. and O'HARA, MARY. Allergy in experimental rat tuberculosis	427
WILLIAMS, H. and THORBURN, H. The serological response of sheep to infection with louping-ill virus	437
BENNETT, B. M. and HSU, P. A sampling study of the power function of the binomial χ^2 'index of dispersion' test	449
BEDSON, H. S. and DUMBELL, K. R. The effect of temperature on the growth of pox viruses in the chick embryo	457
GRAY, DAVID F. The relative natural resistance of rats and mice to experimental pulmonary tuberculosis	471
HARPER, G. J. Airborne micro-organisms: survival tests with four viruses	479
MORRIS, E. J., DARLOW, H. M., PEEL, J. F. H. and WRIGHT, W. C. The quantitative assay of mono-dispersed aerosols of bacteria and bacteriophage by electrostatic precipitation	487
HOOD, A. M. Infectivity of <i>Pasteurella tularensis</i> clouds	497
ROUND, M. C. Observations on the possible role of filth flies in the epizootiology of bovine cysticercosis in Kenya	505

The Journal of Hygiene is issued in four parts to a volume.

Quotations can be given for back volumes on application.

Papers for publication should be sent to Lt.-Col. H. J. BENSTED, c/o Lister Institute of Preventive Medicine, Chelsea Bridge Road, London, S.W. 1. Other communications should be addressed to the University Press, Cambridge.

Papers forwarded to the Editor for publication are understood to be offered to *The Journal of Hygiene* alone, unless the contrary is stated.

Contributors receive twenty-five copies of their paper free. Additional copies, not exceeding two hundred (except in special cases) may be purchased; these should be ordered when the final proof is returned.

The subscription price is £4. 10s. per volume (post-free), payable in advance; single numbers 30s. net. Subscriptions may be sent to any Bookseller, or to The Cambridge University Press, Bentley House, 200 Euston Road, London, N.W. 1.

The subscription price in the U.S.A., is \$17.50. Single parts \$5.00. Enquiries should be addressed to the American Branch of the Press at 32 East 57th Street, New York 22, N.Y.