

Index

- abstract thinking. *See*
cognition, abstract
thinking.
- abulia, 6
- abuse, 226, 227
- acetylcholinesterase inhibitors,
10
- donepezil, 33–36, 43–44, 96,
112, 132–33, 179–81,
187
- galantamine, 10, 220
- rivastigmine, 10, 39–40, 42,
65, 125, 155, 164,
173
- activities of daily living (ADL),
24–26, 173, 175, 178,
184–85, 186, 215–18
- bathing, 32–34, 52–53, 59,
79, 81, 83, 133, 135
- dressings, 24, 28, 30, 66, 71,
179, 183, 196
- mobility, 7, 66, 68, 123,
179–81, 183, 185, 202,
203
- toileting, 7, 9, 13, 120, 123,
126, 198, 202 *See also*
incontinence.
- transferring, 66, 179, 202,
203
- wayfinding, 91, 114, 115,
143–44, 159, 183 *See*
also instrumental
activities of daily
living.
- adjustment disorder, 36, 46,
48, 73, 166, 239
- advance care planning.
See care planning.
- aggression, 29, 203–4, 213, 238
- agitation, 10, 29, 229, 238
- alcohol use, 7, 188, 189, 212,
242
- alexia, 6
- allopurinol, 51, 57, 124
- Alzheimer's disease
aetiology, 6
age of onset, 113
comorbidities. *See*
comorbidities.
- diagnosis, 8, 15, 32
cognitive tests, 46, 48, 55
See also cognitive
function.
- differential diagnosis, 50,
112, 153, 182, 197, 213
- early detection, 13
- imaging, 100
- symptom presentation, 25,
34, 43, 59, 106, 118–19
- neuropathology, 6, 55
- amyloid plaques, 6, 32,
54, 55, 69, 71, 112, 114
- frontal lobe, 67, 110, 164,
171, 191
- hippocampal sclerosis,
32, 94, 110
- prevalence, 5
- progression, 8, 9, 12–13, 63,
115
- severe stage, 34, 36
- risk factors, 98, 115
- cardiovascular, 23, 114
- cerebral, 42
- Alzheimer's Disease
International (ADI), 1,
10, 220, 237
- ambulation. *See* mobility.
- amlodipine besylate, 57, 102,
108, 162, 164, 169, 173,
174
- amyloid cascade hypothesis, 6
- amyloid plaques, 6, 137, 144,
153, 170, 177
- cerebral load, 48, 63, 69, 71,
73, 131, 137, 144
- cognitive reserve against, 54,
55, 69
- deposition, 170
- hippocampal sclerosis and,
32, 94
- imaging for, 114
- anaemia, 84
- antidepressants, 77, 164, 187,
194
- antipsychotics, 30, 32, 34, 61,
63, 205, 237, 238
- anxiety, 40, 42, 46, 90, 135,
136, 166, 187
- apraxia, 81, 83, 127, 191,
209–14, 226, 234
- aspirin, 98, 110, 138, 164, 169,
173, 194
- asthma, 79–80, 106
- atrial fibrillation, 45–46, 56, 94,
96–126, 130, 132, 162
- attention deficit, 6, 24, 36, 75,
96–97, 113–14, 186,
201–2
- Barthel Index, 24, 25–26,
36–38, 43, 50–53,
68–70, 73–75, 81–83
- basal ganglia, 6, 110, 173
- bathing, 32–34, 52–53, 59, 79,
81, 83, 133, 135
- bed/chair transfers, 66, 179,
202, 203
- behavioural dysfunction,
66–67, 135, 189, 191,
196–98, 230, 231,
238–39
- aggression, 29, 203–4, 213,
238
- agitation, 10, 29, 229, 238
- disinhibition, 6, 214, 238
- hoarding, 7, 197, 239
- behavioural dysfunction,
overeating, 29, 66–67,
120, 178–79, 213, 214
- biopsychosocial model, 11,
149, 218, 239
- bladder incontinence. *See*
urinary incontinence.
- blood assays
complete blood picture, 45,
47, 92, 96, 108, 171, 173
- ESR (erythrocyte
sedimentation rate),
41, 60, 92, 96, 110, 138,
149, 216
- TSH (thyroid-stimulating
hormone), 45, 96, 149,
150, 152, 154, 156, 173
- blood pressure, 72, 136, 138,
166
- bowel control, 73, 159, 179,
196, 202

- bradycardia, 94, 195–96
bradykinesia, 6, 50, 199, 213
brain imaging. *See* imaging.
brain insulin resistance, 115
brain reserve, 170 *See*
cognitive reserve.
bronchiectasis, 31
- Calci Chew, 49, 108, 138
cancer, 104, 162, 174
care homes, 123, 226
care planning, 10–14, 55, 57,
83, 106, 119, 225–28
Certified Dementia Care
Planner, 10, 14
integrated care, 10, 13
carers, 4, 23, 30, 108, 111, 112,
176, 229–31, 234–36,
246–47
assessment by, 71, 75, 123,
129
community care and, 4
delusions involving, 34, 110
domestic assistance, 34, 77,
170, 172–73, 180, 188,
194, 207–8
family members as, 50–52,
54, 77, 226, 230,
231–33, 238–41
preparation for
deterioration, 44, 191
primary care and, 15, 23, 24,
86
prompting by, 34, 88
reports by, 23, 27, 71, 191,
236
skills and education, 30, 50,
52, 82–83, 86, 104, 111,
203
communication skills, 34,
36, 44, 117, 137, 172,
233
preparation for
deterioration, 44, 191
specialist care and, 4, 13
well-being and support of,
2, 10–12, 199, 209
stress, 102, 170, 189, 204,
210–12, 225, 229–30,
231
care services and resources,
237, 240
community centres, 4, 38,
100, 132, 142, 162
day care, 11, 52, 133, 168,
198, 199
- social support networks, 57,
59, 73, 166, 215, 229
social workers, 4–5, 13, 46,
79, 81, 117–19, 131,
186–88
technology
location-tracking devices,
26, 30, 38, 48, 65, 79,
97, 100
carotid bruit, 84, 130, 132, 162,
171, 197
cataract, 25, 66, 68, 109, 110,
145, 149, 156
CBD. *See* cortobasical
degeneration.
CBP. *See* complete blood
picture.
CDR. *See* Clinical Dementia
Rating.
cerebral atrophy, 52, 82, 88,
106, 108, 110, 124, 127
cerebral infarction, 187
cerebrovascular accident,
40–42, 126, 169–70,
173, 179–80, 182, 202
cervical myelopathy, 124
chlordiazepoxide, 169
cholinesterase inhibitors, 23,
63, 77, 92–93, 94, 127,
156, 184
chronic illnesses, 64, 80, 236
circadian cycle. 26, 48 *See also*
sleep.
Clinical Dementia Rating
(CDR), 8, 47–72,
75–76, 96–97, 139–41,
217, 219
mild dementia, 49, 118
moderate dementia, 53, 58,
60, 62, 118, 150, 188,
200
questionable dementia, 45
Clock Drawing Test, 24
clock copying section, 61,
63, 65, 70, 71–73, 161,
163, 165
not completed, 24, 65, 77,
79, 80, 148, 150
executive element
impairment, 24, 25–26,
30–31, 34, 36, 61, 63, 65
no impairment, 24, 29, 47,
48, 139, 163, 172, 180
interlocking pentagon task
and, 92, 100
sensitivity, 38
- significant impairment, 28,
32, 42, 56, 58, 61, 81,
93
slight impairment, 24, 28,
50, 84, 123, 137, 139
time denotation, 36, 38, 40,
91, 93, 139–63, 165
clopidogrel, 134
clothing, 28, 30, 49, 51, 63–64,
66, 120–21, 126 *See*
also dressing.
cognitive function
abstract thinking, 9, 63, 71,
145, 146, 183, 186, 191
ADL function and
dissociation, 59
attention deficit, 6, 24, 36,
75, 96–97, 113–14, 186,
201–2
cognitive frailty, 75, 112,
146, 153, 175, 192,
194–95, 201
deterioration, 34, 36, 55, 73,
78, 92, 201, 206
executive function, 6, 7,
22–24, 63–64, 108–9,
145–46, 166–68, 170
naming, 22, 145, 146, 183,
186, 191
screening tests, 7, 36, 46, 52,
55, 209, 212, 216–18
cognitive reserve, 54, 55, 114,
115, 119, 131, 210, 215
cognitive stimulation therapy
(CST), 10, 160, 233,
237–38
cognitive tests. *See* cognitive
function, screening
tests.
colchicine, 57
community care, 75–77, 79,
81, 99, 101–2, 133,
240–42, 247
community centres, 4, 38, 100,
132, 142, 162
community engagement (of
patient), 9, 49–50, 76,
101, 122, 141, 167, 168
comorbidities, 6, 12, 53–54,
178, 239
anaemia, 83, 84
cardiovascular conditions,
39
chronic illnesses, 80, 236
depression, 4, 46, 61, 89
urinary tract infection, 96

- comorbidities (cont.)
 vascular dementia, 46, 57
See also mixed dementia.
- complete blood picture, 45, 47,
 92, 96, 108, 171,
 173
- computed tomography.
See CT.
- conduction dysphasia, 182
- Cornell Scale for Depression
 in Dementia, 55
- corticobasal degeneration,
 126–27, 213–14
- counselling, 14, 36, 46, 227,
 232
- CT (computed tomography
 imaging), 41–42, 59,
 60, 88, 177, 182,
 190–91, 215–16
- daily living activities. *See*
 activities of daily
 living.
- day care, 48, 50, 52, 71, 72–73,
 74, 132–33, 167–68
- deafness. *See* hearing
 impairment.
- delayed recall, 34, 38, 42–44,
 105–7, 135, 139–41,
 149–50, 174–75
- delirium, 147, 171, 192, 209,
 213, 239
- delusions, 31–35, 60–63,
 89–91, 107–14,
 116–18, 153–54,
 169–72
 defined, 212
- depression, 45–47, 58–170,
 184–88
 assessments in case studies,
 45, 46, 57, 76, 89–91
 carer stress and, 142
 IADL dependency and, 42
 pharmacological
 interventions, 77, 102,
 164, 187, 194
 prevalence, 219
 as pseudodementia, 7
 as risk factor, 92
 suicidal ideation and, 101
- Describe, Investigate, Create,
 Evaluate (DICE)
 model, 238
- diabetes, 90–92, 98, 115, 173,
 174, 177, 178, 239
- dialectic model, 11
- diazoxide, 174
- diet, 34, 35, 59, 61, 84, 86, 113,
 177–79
- digoxin, 57, 94, 96
- disinhibition, 6, 214, 238
- disorientation, 24, 32, 35, 57,
 61, 95, 199–200, 202
- distressed behaviours, 40, 196,
 201, 204, 229, 230, 238
- DLB. *See* Lewy body dementia.
- donepezil, 33–36, 43–44, 96,
 112, 132–33, 179–81,
 187
- dressing, 24, 28, 30, 66, 71,
 179, 183, 196
- drinking. 7 *See* alcohol use.
- dyslipidaemia, 98, 106, 124,
 126, 162, 164, 169, 173
- early dementia, 15, 50, 70, 81,
 87, 108, 177, 213–14
- early detection services, 13,
 209, 215, 216, 218, 231,
 234, 241
 EDS (Hong Kong), 13–15
- early intervention services, 1,
 4–13, 83, 84, 209, 215,
 220
- end-of-life care, 209, 228
- enduring power of attorney
 (EPA/EPOA), 13, 191,
 227
- escitalopram, 135, 187, 194
- esomeprazole, 115
- ESR (erythrocyte
 sedimentation rate),
 41, 60, 92, 96, 110, 138,
 149, 216
- executive function, 6, 7, 22–24,
 63–64, 108–9, 145–46,
 166–68, 170
- exercise (physical), 10, 27–28,
 31–32, 34, 59, 86, 231,
 238
- family care. *See* carers.
- famotidine, 45, 88, 171
- fasting lipids profile, 45, 47–98,
 124, 127, 171, 173
- fasting sugar profile, 94,
 96–173, 202–3
- FAST. *See* Functional
 Assessment Staging.
- flupentixol, 169
- forgetfulness. *See* memory
 impairment.
- frailty, 75, 110, 125, 127, 153,
 157, 194, 234–36
- frontal lobe pathology, 67,
 110, 164, 171, 191
- frontotemporal dementia (FTD),
 6–7, 8, 15, 179, 190–91,
 204, 208, 213–14
- Functional Assessment
 Staging (FAST), 8, 12,
 129, 151, 209, 219, 226
- gait abnormalities. 6, 123, 130,
 132, 162, 171 *See also*
 ambulation; mobility.
- galantamine, 10, 220
- gaze palsy, 50
- GDS. *See* Global Deterioration
 Scale.
- General Practitioner
 Assessment of
 Cognition. *See*
 GPCOG.
- glaucoma, 145, 149
- Global Action Plan on the
 Public Health
 Response to Dementia
 2017–2025, 2, 220
- Global Deterioration Scale, 8,
 217, 219
- goitre, 45
- gout, 23, 29, 31, 56, 74, 78, 86,
 124
- GPCOG Informant Interview,
 211–12
- grocery shopping. *See*
 shopping.
- hallucinations, 6, 10, 123, 125,
 172, 189, 199–201, 213
See also delusions.
- head injury, 98–99, 212, 216
- hearing impairment, 47,
 138–39, 150–51, 204,
 215, 242
- heart disease, 60, 98, 124, 138,
 156, 169
- hippocampal sclerosis, 32, 94,
 110
- hip replacement, 25, 33, 45,
 202, 239
- hoarding, 7, 197, 239
- hobbies, 74, 97, 99, 103, 105,
 122, 143–44
- home care, 3, 11–13
- home modifications, 12, 100,
 166

- home safety, 4, 129, 166, 225
household tasks, 26, 95, 107,
129, 136, 198, 201
housekeeping, 24–26, 51, 53,
58, 60, 73, 117
hygiene
 environmental, 65, 68, 126,
 139
 personal, 6, 120, 126–31,
 139, 196–97, 214, 239
hypercholesterolaemia, 115,
 116, 177, 178, 180, 182,
 202, 204
hyperlipidaemia, 56, 90, 188
hyperorality, 7
hyperplasia, 31, 80, 118, 124,
 174, 196–97, 199, 204
hypertension, 29, 31, 66,
 72–150
hypotension, 6, 195–96
hysterectomy, 88, 173

ICD-11, 8
imaging, 3, 8, 46, 100, 191,
 196, 208, 216
 CT (computed
 tomography), 41–42,
 59, 60, 88, 177, 182,
 190–91, 215–16
 See also magnetic resonance
 imaging(MRI)
 X-ray, 3
incontinence, 198, 214
 bowel control, 73, 159, 179,
 196, 202
 urinary, 6, 47, 73, 89, 96–97,
 126, 196, 202
independence, 69, 78–79,
 83–85, 110, 129, 142,
 144, 146
insomnia. *See* sleep.
Instrumental Activities of
 Daily Living (IADL),
 218
 aids and support
 reminders, 26, 85,
 127–29, 137, 153–55,
 159, 163–64, 197–98
 assessment tools, 218
 grocery shopping, 24–26,
 36, 38, 58, 60, 64, 66,
 68
 laundry, 24, 26, 51, 53, 58,
 60, 73, 75
 meal preparation, 24, 28, 47,
 49, 58, 60, 87, 193–95
 medication management,
 47, 104, 125, 211,
 234
 integrated care, 10, 13
 ipratropium bromide, 80, 124
 irritability. *See also* aggression,
 29, 61, 90, 91, 123, 164,
 189–91, 207
 isosorbide dinitrate, 96
 isosorbide mononitrate, 124,
 138
 language impairment, 34, 38,
 54–55, 81–83, 100–1,
 121–25, 190–91,
 207–8
 laundry, 24, 26, 51, 53, 58, 60,
 73, 75
 Lewy body dementia, 6, 8, 10,
 50, 125, 199, 200, 213
 life events, 11–12, 233
 lifestyle factors, 52, 54, 179,
 242
 alcohol use, 7, 188, 189, 212,
 242
 smoking, 7, 215, 242
 living tasks. *See* activities of
 daily living (ADL).
 location-tracking devices, 26,
 30, 38, 48, 65, 79, 97,
 100
 low motivation, 52, 77, 87, 92,
 109, 133, 163, 172
 magnetic resonance imagine
 (MRI), 45–46, 47, 106,
 113, 140, 169, 205–6,
 215–16
 meal preparation, 24, 28, 47,
 49, 58, 60, 87, 193–95
 mecobalamin, 84, 163
 medial lateral temporal
 atrophy, 57, 82, 140,
 171
 mediastinum, 138
 memantine, 55, 59, 61, 179,
 181, 182, 184, 237
 memory clinics, 3–5, 13, 92
 memory impairment, 47, 48,
 71, 72–161
 Alzheimer's disease
 early stage, 8
 carer concerns, 72–129
 delayed recall, 34, 38, 42–44,
 105–7, 135, 139–41,
 149–50, 174–75
 deterioration, 79, 117, 125,
 129, 166, 168
 family reported, 22–24,
 59–81, 89–91
 IADL and, 51
 Lewy body dementia, 6
 masking, 110
 misplacement of
 belongings, 121, 139,
 141, 144
 patient insight, 48
 meningioma, 110, 206
 mental health, 147, 196, 212,
 229, 239–40
 anxiety, 40, 42, 46, 90, 135,
 136, 147, 166, 187
 See also depression.
 suicidal ideation, 101, 102,
 189, 227
 metformin, 92, 98–99, 124,
 126, 162–63, 173
 methotrexate, 49
 methyldopa, 185–86
 metoprolol succinate, 169,
 173
 mild cognitive impairment
 (MCI), 7–19, 153, 162,
 164, 168, 173, 175, 177
 mild dementia, 41, 47, 49, 118,
 145–46, 159–60,
 176–77
 Mini-Mental State Examination.
 See MMSE.
 mixed dementia, 61, 88, 102,
 127, 182, 203, 237
 MMSE (Mini-Mental State
 Examination), 168,
 191, 216–17,
 234
 interlocking pentagon task,
 34, 38, 90, 92, 99, 100,
 158, 160
 mobility, 66, 68, 123, 179–81,
 183, 185, 202, 203
 moderate Alzheimer's disease,
 9, 29, 70–71, 76, 78, 83,
 234, 237
 moderate cognitive
 impairment, 123
 moderate dementia, 4, 10, 28,
 30, 35, 40, 66
 Montreal Cognitive
 Assessment (MoCA),
 145, 146, 147, 155–56,
 161–62, 168, 170,
 217–18

- mood change. 46–47, 56–58, 76–77, 89–90, 92–95, 99–103, 107–10, 185–86 *See also* depression.
- morphine, 138
- Multispecialty Interprofessional Teams, 4
- naming, 22, 145, 146, 183, 186, 191
- National Dementia Strategy, 3
- neurofibrillary tangles, 6
- neuroimaging. *See* imaging.
- neuroleptics, 90, 172, 237
- Neuropsychiatric Interview Questionnaire, 55
- NICE (National Institute for Health and Care Excellence), 5, 215, 220, 237, 240
- non-Alzheimer's dementia, 29, 31, 35, 37, 43, 45, 49, 213–14
- non-pharmacological interventions, 10–11, 12, 23–24, 30, 32, 40, 112, 237
- object agnosia, 6
- obstructive pulmonary disease, 80, 96, 124
- occupational therapists, 4–5, 10, 13, 144
- old age, extreme, 32
- osteoarthritis, 23, 88, 173, 195, 204
- osteoporosis, 45, 138, 156
- overeating, 29, 66, 120, 178–79, 213, 214
- palliative care. *See* end-of-life care.
- pancytopenia, 31
- pantoprazole, 49, 94, 98, 102, 110, 126, 156, 164
- paracetamol, 126, 171
- Parkinson disease dementia (PDD), 10, 50, 213
- parkinsonism, 6, 50, 125, 189, 198–99, 213–14
- atypical, 50
- bradykinesia, 6, 50, 199, 213
- pepcidine, 169
- personal care. 9, 72, 74, 76, 101, 167 *See also* activities of daily living (ADL).
- personality change, 6, 11, 32, 100, 133, 206–8, 229, 231
- person-centred care, 2, 5, 11, 15, 40, 226, 238
- PET (positron emission tomography), 6, 177
- physical exercise, 10, 238
- power of attorney (EPA/EPOA), 13, 191, 227
- primary care, 1–18, 62–81, 84–110, 147–75
- carers and, 236
- diagnostic accuracy, 15
- key considerations, 232, 237
- models, 3, 11
- with specialist outreach, 3
- prescribing, 10
- resources for, 212
- roles, 11–12, 15
- service integration, 5, 12
- specialist care and, 3
- primary progressive aphasia (PPA), 8, 96, 213–14
- pseudobulbar palsy, 6
- pseudodementia. *See* depression.
- psychiatric disorders. 31, 33, 35, 37, 43, 45, 49, 51
- See also* depression; mental health.
- psychoeducation, 36, 46, 102, 106, 229–30
- psychomotor retardation, 6
- psychotherapy, 46, 92, 188
- public awareness, 59, 153, 241
- Quality and Outcomes Framework, 3
- quetiapine, 30, 63, 125, 188–89
- radiation therapy, 162
- rapid eye movements
- behaviour disorder (REMBD), 6, 125, 172, 189, 199, 213
- reminders, 26, 85, 127–29, 137, 153–55, 159, 163–64, 197–98
- residential care. *See* care homes.
- resistance to care, 52, 238
- Resources for Enhancing Alzheimer's Carer Health, 10
- rigidity, 6, 104, 213, 237
- risk factors, 114, 242
- cardiovascular, 7, 23, 114, 115, 177, 180, 239, 242
- cerebral, 42, 84
- chronic disease, 92
- diabetes, 42, 115
- See also* comorbidities.
- rivaroxaban, 57
- rivastigmine, 10, 39–40, 42, 65, 125, 155, 164, 173
- safety, 10, 30, 38, 121, 129, 209, 210, 215
- salbutamol, 80, 124
- screening tests. 7 *See* cognitive screening tests.
- secondary care, 4, 14–15, 102, 104, 208
- selective serotonin reuptake inhibitors (SSRI), 67, 90, 102, 108, 135, 171, 197
- self-awareness, 55, 73, 106, 108, 163, 166, 206
- self-care, 31, 34, 35, 66–67, 69, 82–83, 126–27, 213
- shopping, 24–26, 30, 36, 38, 60, 64, 66, 87
- simvastatin, 45, 57, 98, 102, 124, 126, 173, 194
- sleep, 6, 93, 94, 134, 137, 189, 198–99, 201
- small vessel disease, 47, 84, 85–87, 88, 92, 110, 115, 184
- smoking, 7, 215, 242
- social centres, 11
- social interaction, 35, 59, 61, 84, 113, 144, 182–83, 237–38
- social workers, 4–5, 13, 46, 79, 81, 117–19, 131, 186–88
- specialist care, 1–5, 11, 13–14, 15, 204, 206, 232, 236–37
- SSRIs. *See* selective serotonin reuptake inhibitors.
- stress (carers), 86, 102, 117, 189, 204, 208, 212, 229
- stroke, 6, 95–97, 127–31, 177, 179, 180–82, 203, 212–13

- strontium ranelate, 169
 subdural haematoma, 22–23, 98, 169, 216
 subjective cognitive impairment, 7, 141, 155
 suicidal ideation, 101–2, 189, 227
 support services. *See* care and support services and resources.
 swallowing problems, 13, 66, 214
 Swedish Dementia Registry, 3
 task-sharing, 1, 14–15
 task-shifting, 1, 2, 14–15, 16
 temper. *See* irritability.
 temporal lobe degeneration, 57, 82–83, 110, 124
 thalassemia, 197
 thiamine, 189
 three-step command task, 24, 30, 32, 42, 44, 51, 53, 56
 thyroid function, 8
 thyroid-stimulating hormone, 45, 96, 149, 150, 152, 154, 156, 173
 toileting, 7, 9, 13, 120, 123, 126, 198, 202 *See also* incontinence.
 transferring, 66, 179, 202, 203
 tremor, 50, 124, 213
 triage, 13, 81, 153, 156, 212, 218, 219, 234
 United Kingdom, 3, 5, 209, 215, 236
 urinary incontinence, 47, 73, 96–97, 126, 142, 159, 196, 202
 utilisation behaviours, 6
 valproate, 171, 197, 205
 vascular dementia, 42, 96, 102, 106, 177–79, 181, 182, 184
 verbal expression, 24, 26, 153, 155, 183–84, 191, 203, 204 *See also* word finding.
 verbal function, naming, 22, 145, 146, 183, 186, 191
 vildagliptin, 98, 173
 visual hallucinations, 6, 50, 66, 160, 198–201, 213
 visual impairment, 32, 154 *See also* cataract; glaucoma.
 waiting times, 2, 5, 13–15
 warfarin, 45, 96, 126
 wayfinding, 91, 114, 115, 143–44, 159, 183
 word finding, 23, 90–91, 109–10, 158–60, 180–82, 183, 190–91, 200–2 *See also* verbal expression; naming; GPCOG informant interview.
World Alzheimer's Report, 1, 2, 13
 X-ray, 127, 134, 138, 140, 158, 160, 166

