INFECTION CONTROL & HOSPITAL EPIDEMIOLOGY

VOLUME 30, NUMBER 9

SEPTEMBER 2009

ORIGINAL ARTICLES

- Intervention with an Infection Control Bundle to Reduce Transmission of Influenza-Like Illnesses in a Thai Preschool Anucha Apisarnthanarak, MD; Piyaporn Apisarnthanarak, MD; Boonsri Cheevakumjorn, PhD; Linda M. Mundy, MD
- 823 Closed-Hub Systems with Protected Connections and the Reduction of Risk of Catheter-Related Bloodstream Infection in Pediatric Patients Receiving Intravenous Prostanoid Therapy for Pulmonary Hypertension D. Dunbar Ivy, MD; Michelle Calderbank, RN, BSN; Brandie D. Wagner, PhD; Susan Dolan, RN, MS, CIC; Ann-Christine Nyquist, MD, MSPH; Michael Wade, PhD; William M. Nickels; Aimee K. Doran, MS, RN, CPNP
- 830 Patients' Beliefs and Perceptions of Their Participation to Increase Healthcare Worker Compliance with Hand Hygiene Yves Longtin, MD; Hugo Sax, MD; Benedetta Allegranzi, MD; Stéphane Hugonnet, MD; Didier Pittet, MD, MS
- **Contaminated Product Water as the Source of** *Phialemonium curvatum Bloodstream Infection among Patients Undergoing Hemodialysis Carol Y. Rao, ScD; Constance Pachucki, MD; Salvatore Cali, MPH; Mangai Santhiraj, MPH; Kathi L. K. Krankoski, BS; Judith A. Noble-Wang, PhD; David Leehey, MD; Subhash Popli, MD; Mary E. Brandt, PhD; Mark D. Lindsley, ScD; Scott K. Fridkin, MD; Matthew J. Arduino, DrPH*
- Pseudo-Outbreak of "Mycobacterium paraffinicum" Infection and/or Colonization in a Tertiary Care Medical Center Shu-Hua Wang, MD, MPH&TM; Preeti Pancholi, PhD; Kurt Stevenson, MD, MPH; Mitchell A. Yakrus, MS, MPH; W. Ray Butler, MS; Larry S. Schlesinger, MD; Julie E. Mangino, MD
- Active Surveillance for Methicillin-Resistant Staphylococcus aureus in the Neonatal Intensive Care Unit
 Vanessa Sarda, MD; Anne Molloy, MSN, CIC; Shirahi Kadkol, MD, PhD, HCLD, FCAP, FASCP; William M. Janda, PhD; Ronald Hershow, MD; Marcella McGuinn, MD
- Relationship between the Prevalence of Methicillin-Resistant Staphylococcus aureus Infection and Indicators of Nosocomial Infection Control Measures: A Population-Based Study in French Hospitals. Leslie Grammatico-Guillon, MD; Jean-Michel Thiolet, MD; Pascale Bernillon, PhD; Bruno Coignard, MD; Babak Khoshnood, MD, PhD; Jean-Claude Desenclos, MD, PhD
- Use of a T Cell Interferon-γ Release Assay to Evaluate Tuberculosis Risk in Newly Qualified Physicians in Singapore Healthcare Institutions C. B. E. Chee, MBBS, FRCP; L. K. Y. Lim, BSc;
 T. M. Barkham, MBBS, MRC Path; D. R. Koh, MBBS, FRCP; S. O. Lam, RN; L. Shen, PhD; Y. T. Wang, MBBS, FRCP
- Screening for Tuberculosis Infection in Spanish Healthcare Workers: Comparison of the QuantiFERON-TB Gold In-Tube Test with the Tuberculin Skin Test Eva Elisa Álvarez-León, MD, PhD; Elizabeth Espinosa-Vega, MD; Évora Santana-Rodríguez, PhD; Jesús M. Molina-Cabrillana, MD, PhD; Jose Luis Pérez-Arellano, MD, PhD; Jose Antonio Caminero, MD, PhD; Pedro Serrano-Aguilar MD, PhD
- **Risk Factors for Spinal Surgical Site Infection, Houston, Texas** Kelley M. Boston, MPH; Sarah Baraniuk, PhD; Shana O'Heron, MPH; Kristy O. Murray, DVM, PhD

CONTENTS CONTINUED INSIDE



THE OFFICIAL JOURNAL OF THE SOCIETY FOR HEALTHCARE EPIDEMIOLOGY OF AMERICA

AREYOU STILL WAITING?

Real-time communication from the laboratory is the key to combating life-threatening sepsis and antimicrobial resistance. How are you notified of these important results?

"Utilization of the Sentinel™ (software) provides clinical and infection control data on the average of 17 hours more rapidly than current process." ¹

"...BD EpiCenter™ and Sentinel™ (software) optimizes infection control management and antimicrobial therapy by improving time to detection and immediate notification." ¹



Today microbiologists, infection control officers, physicians and pharmacists need immediate access to patient-focused information to rapidly identify and react to emerging resistance or HAI events. BD EpiCenter™ Data Management System can provide the real-time data access and analysis tools clinicians can use to improve patient care.





BD Diagnostics 800.268.5430 www.bd.com/ds

1 Beavers-May et al, 2008, ASM Abstract

BD, BD Logo and all other trademarks are property of Becton, Dickinson and Company. ©2009 BD



Infection prevention and control in healthcare settings is a critical public health problem rapidly gaining interest.

Are you current with the latest trends and evidence?

Join SHEA Today!

Stay on top of emerging science and evidence-based strategies to prevent and control infections and to improve quality-of-care in your healthcare facility.

SHEA supports members' efforts to improve patient care and healthcare worker safety through:

- Research
- Education & Training
- Policy Development
- Evidence-based Practical Guidelines
- Mentorship and Professional Development

Application Details

www.shea-online.org info@shea-online.org (703) 684-1006


Annual membership offers:

- Subscription and online access to Infection Control and Hospital Epidemiology (ICHE), the official journal of SHEA
- Epidemiology News and e-newsletter
- Discounted registration on SHEA educational programming
- Online member network and job board





The Society for Healthcare Epidemiology of America



Roche. In it for life.

From HIV to HAI, we are the only company with more than 20 years of experience in molecular diagnostics.

Our expertise in PCR assays and instruments can improve patients' healthcare.

As a pioneer with the COBAS® AmpliPrep/COBAS® TaqMan® System and assays for HCV, HBV, and HIV, Roche has made a significant contribution to infectious disease medicine. You can trust Roche as the only company with more than 20 years of knowledge and experience in molecular diagnostics.

The trusted company with multiple platform technologies to customize your needs.

Because every facility has its own unique demands and constraints, Roche can select the optimal platform, enabling you to better serve your institution and its patients.

Start-to-finish capabilities from research to manufacturing to sales, field service, and technical support.

You can depend on us for product support and technical proficiency. Roche provides in-house expertise with superior convenience and fast, personal customer service.

Now innovating PCR for detection of Healthcare Associated Infections (HAIs).

Make Roche your partner to reduce the prevalence of multidrugresistant organisms and associated infections in your institution. Look to us for advanced assays to rapidly identify infectious agents so you can treat sooner. Trust Roche to bring its pioneering expertise in PCR assays and instruments to combat HAIs.

ROCHE, AMPLIPREP, TAQMAN, and COBAS are trademarks of Roche.
© 2009 Roche Molecular Systems, Inc. All rights reserved.
Not available in the United States.
Roche Molecular Diagnostics
4300 Hacienda Drive
Pleasanton, CA 94588 USA
http://molecular.roche.com



INFECTION CONTROL & HOSPITAL EPIDEMIOLOGY

VOLUME 30, NUMBER 9

SEPTEMBER 2009

CONTENTS CONTINUED FROM COVER

CONCISE COMMUNICATIONS

- Pseudo-Outbreak of Respiratory Syncytial Virus Infection in a Neonatal Intensive Care Unit

 Due to Cross-Reactivity of Surfactant and a Rapid Immunoassay Dawn Terashita Gastelum, MD, MPH;

 Ashley Peterson, MPH; Laurene Mascola, MD, MPH; David Dassey, MD, MPH; Elizabeth Camargo, BA, CIC
- **Rotavirus Infection in Neonates at a University Hospital in Korea** Chang-Ryul Kim, MD; Jae Won Oh, MD; Myung Kul Yum, MD; Jung Han Lee, MD; Jung Oak Kang, MD
- 896 Adherence to Self-Quarantine Recommendations during an Outbreak of Norovirus Infection •
 Supriya Rao, MD; Nicole Scattolini de Gier, MSc; L. Brett Caram, MD; Joyce Frederick, MSN, CIC; Mary Moorefield, RN;
 Christopher W. Woods, MD, MPH
- 900 Hepatitis C Virus Transmission in Hemodialysis Units: Importance of Infection Control Practices and Aseptic Technique Nicola D. Thompson, PhD; Ryan T. Novak, PhD; Deblina Datta, MD; Susanne Cotter, MBBS; Matthew J. Arduino, DRPH; Priti R. Patel, MD; Ian T. Williams, PhD; Stephanic R. Bialek, MD
- Evaluation of Patients' Mask Use after the Implementation of Cough Etiquette in the Emergency
 Department Yves Longtin, MD; Christophe Akakpo, RN; Olivier T. Rutschmann, MD, MPH; Didier Pittet, MD, MS; Hugo Sax, MD
- Control of Healthcare-Associated Staphylococcus aureus: Survey of Practices in North Carolina Hospitals
 David J. Weber, MD, MPH; Karen K. Hoffmann, RN, MPH; William A. Rutala, PhD, MPH; Deborah G. Pyatt, BA
- 912 Methicillin-Resistant Staphylococcus aureus Colonization of House Officers Anna A. Barbosa, MD, MPH; Kim Chapin, MD; Leonard A. Mermel, DO, ScM
- Patricia Van Donk, NP, GradDip(IT), PhD; Glenn Doolan, BAppSc(AdvNurs), MNA

 Regional Hospital in the Home Program: A Randomized Controlled Trial

 Patricia Van Donk, NP, GradDip(AdvClinPrac), MN; Claire M. Rickard, BN, GradDip(CritCare), PhD; Matthew R. McGrail, BSc, GradDip(IT), PhD; Glenn Doolan, BAppSc(AdvNurs), MNA

RESEARCH BRIEF

Colonization with Multiple Staphylococcus aureus Strains among Patients in European Intensive Care
Units • A. L. A. Bloemendaal, MD; A. C. Fluit, PhD; W. T. M. Jansen, PhD; M. R. Vriens, MD, PhD; T. Ferry, MD, PhD;
J. M. Amorim, MD; A. Pascual, MD, PhD; S. Stefani, MD, PhD; J. Papaparaskevas, MD, PhD;
I. H. M. Borel Rinkes, MD, PhD; J. Verhoef, MD, PhD

LETTERS TO THE EDITOR

- 921 An Evaluation of Compliance with an Antibiotic Policy in Surgical Wards at a General Teaching Hospital in Northern Ireland Mamoon A. Aldeyab, PhD; Salah M. Elshibly, MD, PhD; James C. McElnay, PhD; Elizabeth Davies, MB BCh BAO, FRCPath; Michael G. Scott, PhD; Fidelma A. Magee, BSc; Paul Leyden, MB, BCh, FFARCS(I); Mary P. Kearney, MB BCh BAO, FRCPath
- 922 Outbreak of Chemical Meningitis Following Spinal Anesthesia Caused by Chemically Related Bupivacaine Marcelo Cordeiro dos Santos, MD, MSc; Bernardino Claudio de Albuquerque, MD, MSc; Rossicléia Lins Monte, MSc; Gilberto Gama Filho, MD; Maria das Graças Costa Alecrim, MD, PhD

CONTENTS CONTINUED ON NEXT PAGE

INFECTION CONTROL & HOSPITAL EPIDEMIOLOGY

VOLUME 30, NUMBER 9

SEPTEMBER 2009

CONTENTS CONTINUED FROM PREVIOUS PAGE

- **Asymptomatic Carriage of Clostridium difficile among HCWs: Do We Disregard the Doctor?** E. van Nood, MD; K. van Dijk, MD, PhD; Z. Hegeman, MSc; P. Speelman, MD, PhD; C. E. Visser, MD, PhD
- **Role of Biofilm in** *Pseudomonas aeruginosa* **Colonization and Infection •** Joseph S. Cervia, MD, MBA; Girolamo A. Ortolano, PhD; Francis P. Canonica, PhD; Morven B. McAlister, PhD
- 927 Screening for Methicillin-Resistant Staphylococcus aureus Betsy McCaughey, PhD
- 928 Is Double Gloving an Effective Barrier to Protect Surgeons against Blood Exposure Due to Needlestick Injury? Elisabeth Bouvet, MD; Gérard Pellissier, PhD; Dominique Abiteboul, MD; François L'Hériteau, MD; Group for the Prevention of Occupational Infections in Healthcare Workers
- **Reply to Bouvet et al.** Andreas Wittmann, PhD; Nenad Kralj, MD, MscD; Friedrich Hofmann, PhD, MD, MScD

An Official Publication of the Society for Healthcare Epidemiology of America

EDITOR

Suzanne F. Bradley, MD • Ann Arbor, MI

DEPUTY EDITOR

Carol A. Kauffman, MD • Ann Arbor, MI

SENIOR ASSOCIATE EDITORS

C. Glen Mayhall, MD • Galveston, TX Gina Pugliese, RN, MS • Chicago, IL William Schaffner, MD • Nashville, TN

ASSOCIATE EDITORS

Ebbing Lautenbach, MD, MPH • Philadelphia, PA Preeti N. Malani, MD, MSJ • Ann Arbor, MI David Weber, MD, MPH • Chapel Hill, NC

STATISTICS CONSULTANT

Rodney L. Dunn, MS • Ann Arbor, MI

SECTION EDITOR FOR GUIDELINES, POSITION PAPERS, AND INVITED REVIEWS Carol Chenoweth, MD • Ann Arbor, MI

MANAGING EDITOR

Rob Blixt • Chicago, IL

PAST EDITORS

Infection Control

Richard P. Wenzel, MD, 1980–1990 (vols. 1–11) *Infection Control and Hospital Epidemiology* Richard P. Wenzel, MD, 1991–1992 (vols. 12 and 13) Michael D. Decker, MD, 1993–2001 (vols. 14–22) Barry M. Farr, MD, 2002–2004 (vols. 23–25) William R. Jarvis, MD, 2005–2006 (vols. 26 and 27)

EDITORIAL ADVISORY BOARD

Miriam Alter, PhD, MD • Atlanta, GA

Anucha Apisarnthanarak, MD • Pratumthani, Lennox Archibald, MD, FRCP • Alachua, FL Hilary Babcock, MD • St. Louis, MO Elise M. Beltrami, MD, MPH • Decatur, GA David Birnbaum, PhD, MPH • Sidney, BC Christian Brun-Buisson, MD · Creteil, France John P. Burke, MD • Salt Lake City, UT David P. Calfee, MD, MS • New York, NY Yehuda Carmeli, MD, MPH • Tel Aviv, Israel Sara E. Cosgrove, MD, MS • Baltimore, MD Donald E. Craven, MD • Burlington, MA Burke A. Cunha, MD • Mineola, NY Erika D'Agata, MD, MPH • Boston, MA Patch Dellinger, MD • Seattle, WA Daniel Diekema, MD • Iowa City, IA Charles E. Edmiston, Jr., PhD • Milwaukee, WI Theodore C. Eickhoff, MD • Denver, CO Martin S. Favero, PhD • Irvine, CA Jon P. Furuno, PhD • Baltimore, MD Richard A. Garibaldi, MD • Farmington, CT Petra Gastmeier, MD • Hanover, Germany Dale N. Gerding, MD • Hines, IL Donald A. Goldmann, MD • Boston, MA Donna Haiduven, RN, PhD, CIC • Tampa, FL Anthony D. Harris, MD, MPH • Baltimore, MD David K. Henderson, MD • Bethesda, MD Loreen A. Herwaldt, MD • Iowa City, IA Peter N. R. Heseltine, MD • San Juan, CA Karen Hoffmann, RN, CIC, MS • Chapel Hill, NC Janine Jagger, MPH, PhD • Charlottesville, VA John A. Jernigan, MD, MS • Atlanta, GA James T. Lee, MD, PhD • St. Paul, MN L. Clifford McDonald, MD • Atlanta, GA

Allison McGeer, MD • Toronto, ON Leonard A. Mermel, DO, ScM • Providence, RI Robert R. Muder, MD • Pittsburgh, PA Carlene A. Muto, MD, MS • Pittsburgh, PA Joseph M. Mylotte, MD, CIC • Buffalo, NY David L. Paterson, MBBS, FRACP • Pittsburgh, PA Jan Evans Patterson, MD • San Antonio, TX Sindy M. Paul, MD • Yardley, PA David A. Pegues, MD • Los Angeles, CA Eli Perencevich, MD, MS · Baltimore, MD Michael A. Pfaller, MD • Iowa City, IA Didier Pittet, MD, MS • Geneva, Switzerland Gina Pugliese, RN, MS • Chicago, IL Isaam Raad, MD • Houston, TX Jordi Rello, MD, PhD • Tarragona, Spain Manfred L. Rotter, MD, DipBact • Vienna, Austria Henning Rüden, MD • Berlin, Germany William A. Rutala, PhD, MPH • Chapel Hill, NC Lisa Saiman, MD, MPH • New York, NY Sanjay Saint, MD, MPH • Ann Arbor, MI William E. Scheckler, MD • Madison, WI Lynne M. Sehulster, PhD • Atlanta, GA John A. Sellick, DO • Amherst, NY Kent Sepkowitz, MD • New York, NY Samir Shah, MD, MSCE • Philadelphia, PA Andrew E. Simor, MD • Toronto, ON Philip W. Smith, MD • Omaha, NE Denis W. Spelman, MD • Prahan, Victoria, Australia Jeffrey R. Starke, MD . Houston, TX Janet E. Stout, PhD • Pittsburgh, PA Clyde Thornsberry, PhD • Franklin, TN William Trick, MD • Chicago, IL Antoni Trilla, MD, PhD • Barcelona, Spain Robert A. Weinstein, MD • Chicago, IL Andreas Widmer, MD, MS • Basel, Switzerland Marcus Zervos, MD • Royal Oak, MI

Infection Control and Hospital Epidemiology (ISSN 0899-823X) is published monthly by the University of Chicago Press, 1427 E. 60th St., Chicago, IL 60637-2954 (http://www.journals.uchicago.edu/ICHE/). The editorial office is in Chicago, Illinois.

Editorial Office

Communications should be addressed to the Editor, Infection Control and Hospital Epidemiology, 1427 E. 60th St., Chicago, IL 60637-2954; (e-mail: iche@press.uchicago.edu; telephone: 773-773-2298, fax: 773-753-4247). Contributors should consult the Information for Authors, which is available at the journal's Web site.

Advertising

Please direct advertising inquiries to Journals Advertising, University of Chicago Press, 1427 E. 60th St., Chicago, IL 60637 (e-mail: cbarhany@press.uchicago.edu; telephone: 773-702-8187; fax: 773-702-0172). Publication of an advertisement in *Infection Control and Hospital Epidemiology* does not imply endorsement of its claims by the Society for Healthcare Epidemiology of America, by the Editor, or by the University of Chicago. Correspondence regarding advertising should be addressed to the advertising office in Chicago.

Permissions

Articles may be copied or otherwise reused without permission only to the extent permitted by Sections 107 and 108 of the US Copyright Law. Permission to copy articles for personal, internal, classroom, or library use may be obtained from the Copyright Clearance Center (http://www.copyright.com). For all other uses, such as copying for general distribution,

for advertising or promotional purposes, for creating new collective works, or for resale, please contact the Permissions Coordinator, Journals Division, University of Chicago Press, 1427 E. 60th St., Chicago, IL 60637 (e-mail: journalpermissions@press.uchicago.edu; fax: 773-834-3489). Articles in the public domain may be used without permission, but it is customary to contact the author.

Subscriptions

Subscription rates for 2009 are \$171 for individuals and \$401 for institutions. Additional rates for non-US subscribers and reduced rates for fellows, residents, and students are available at http://www.journals.uchicago.edu/ICHE. Subscription agent for Japan: Kinokuniya Company, Ltd. Individuals have the option to order directly from the University of Chicago Press. Single copy rates: individuals \$18; institutions \$40.

Please direct subscription inquries, requests for back issues, and address changes to Journals Division, University of Chicago Press, P.O. Box 37005, Chicago, IL 60637 (e-mail: subscriptions@press.uchicago.edu; telephone: 773-753-3347 or toll-free in the United States and Canada 877-705-1878; fax: 773-753-0811 or toll-free 877-705-1879).

Postmaster: Send address changes to Infection Control and Hospital Epidemiology, University of Chicago Press, P.O. Box 37005, Chicago, IL 60637-2954.

Periodicals postage paid at Chicago, Illinois, and at an additional mailing office.

Published by the University of Chicago Press, Chicago, Illinois. © 2009 by the Society for Healthcare Epidemiology of America. All rights reserved. This publication is printed on acid-free paper.

Oct. 29 - Nov. 1, 2009 Philadelphia, PA

For details on:


- Important Dates
- Preliminary Program
- Registration and Housing Online

Please visit www.idsociety.org/meetings



hiv medicine association





CHG formula doesn't go down the drain.

Chlorhexidine Gluconate (CHG) No-Rinse Cloths:

STAYS ON YOUR PATIENTS' SKIN TO FIGHT MDROs

They achieve compliance to your SSI prevention protocol and mirror current clinical guidelines:

"To gain the maximum antiseptic effect of chlorhexidine, it must be allowed to dry completely and not be washed off."

—SHEA Compendium of Strategies To Prevent Healthcare-Associated Infection in Acute Care Hospitals

"Patients undergoing open class I surgical procedures below the chin should have two (2) preoperative showers with chlorhexidine gluconate (CHG) before surgery, when appropriate."²

-AORN Guidelines for Preoperative Skin Antisepsis

O Call 1-800-323-2220 for a free sample.



Proven results

One facility saw a 66% reduction in SSIs and a cost avoidance of \$349,000 over a 10-month period when using Sage 2% CHG Cloths.³





WHAT MAKES THE CLAVE DIFFERENT?

The CLAVE has been engineered with fail-safe features which help mitigate bacterial transfer into the patient's catheter.



Administration Syringe

Outside luer of syringe is never in contact with the fluid path

Dynamic seal between tip of syringe and splitseptum closes the fluid path

Dedicated internal fluid path of the blunt cannula

Catheter Hub

CLAVE® Connector Technology



Don't be fooled by the sales gimmicks, look to the evidence.

- CLAVE supported a statistically significant lower BSI rate compared to another connector. (Moore, 2009)
 - CLAVE demonstrates the best barrier to bacterial transfer compared to all connectors. (Ryder, 2007)
 - CLAVE was proven to support a lower occurrence of bloodstream infections when compared to a positive pressure device. (Maragakis, 2006)
 - CLAVE showed a lower occurrence of intraluminal catheter colonization in a randomized clinical trial. (Bouza, 2003)



Simple. Safe. Secure.