


LASER AND PARTICLE BEAMS

PULSE POWER AND HIGH ENERGY DENSITIES

SPECIAL ISSUE: 7th International Workshop
on Atomic Processes in Ion-Driven Fusion



CAMBRIDGE
UNIVERSITY PRESS

Laser and Particle Beams

Pulse Power and High Energy Densities

Editor in Chief:

G. H. MILEY
 Director, Fusion Studies Laboratory,
 University of Illinois,
 103 S. Goodwin Ave,
 Urbana, IL 61801, USA

Emeritus Editor in Chief:

HEINRICH HORA
 Professor Emeritus
 University of New South Wales
 Kensington 2033, Australia

Associate Editors:

R. DAUTRAY (for Europe)
 Haut Commissaire
 Commissariat à l'Energie Atomique
 31-33 Rue de la Fédération
 75752 Paris Cedex 15, France

J.P. QUINTENZ (for Pulse Power)
 Sandia National Laboratories
 P.O. Box 5800, MS 1195
 Albuquerque, NM 87185-1195

C. YAMANAKA (for Japan)
 Director, Institute for Laser Technology,
 Osaka University, Suita,
 565 Osaka, Japan

Editorial Board

- N. G. Basov (P.N. Lebedev Physical Inst.)
- E. M. Campbell (Lawrence Livermore Nat. Lab.)
- A. Caruso (ENEA Frascati)
- M. Decroisette (Centre d' Etudes de Limeil-Valenton)
- S. Eliezer (SOREQ)
- A. A. Hauer (Los Alamos National Laboratory)
- W. B. Herrmannsfeldt (Stanford Linear Accelerator Center)
- D. H. H. Hoffmann (Universität Erlangen-Nürnberg)
- G. Kessler (Forschungszentrum Karlsruhe)
- M. H. Key (Rutherford Appleton Lab.)
- M. Kristiansen (Texas Tech)
- R. L. McCrory (Laboratory for Laser Energetics)
- G. A. Mesyats (Institute for Electrophysics, RAS)
- J. Meyer-ter-Vehn (Max-Planck-Institut für Quantenoptik)
- P. Mulser (Technische Hochschule Darmstadt)
- S. Nakai (Institute for Laser Engineering)
- A. Ng (U. British Columbia)
- K. Niu (Teikyo Univ. of Tech.)
- A. A. Offenberger (Univ. of Alberta)
- A. M. Prokhorov (General Physics Institute, RAS)
- D. D. Ryutov (Budker Inst. of Nuclear Phys.)
- A. S. Shikanov (P.N. Lebedev Physical Inst.)
- V. F. Tarasenko (High Current Electronics Inst.)
- A. V. Zrodnikov (Inst. of Phys. and Power Eng.)

Laser and Particle Beams is an international journal that covers the generation, and the interaction with matter, of high intensity laser and particle beams. It also covers the physics of systems with high energy densities. Specific fields of interest include nuclear fusion, especially inertial confinement, magnetic confinement, diagnostics, material treatment, laboratory astrophysics, plasmas and spectroscopy at extreme conditions, physical properties of hot dense matter and intense particle beams and optical (laser) beams from the microwave to the X-ray region. The exploration of these fields and their new physics, including nonlinear and nonclassical phenomena, should find a forum in this journal.

As well as publishing original articles the journal also publishes occasional review articles, surveys of research at particular laboratories and reviews of recent books.

© Cambridge University Press 1996

Copying: This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per copy fee of \$11.00 + .10. This consent does not extend to multiple copying for promotional or commercial purposes. Code 5/0263-0346/96 \$11.00 + .10.

ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only.

For all other use, permission must be sought from Cambridge University Press.

Subscriptions: *Laser and Particle Beams* (ISSN 0263-0346) is published quarterly. The subscription price for institutions (which includes postage) of Volume 14, 1996 is US \$359 for the US, Mexico, and Canada (UK £194+VAT elsewhere). Individual rates: US \$99 in the US, Mexico, and Canada; UK £65+VAT elsewhere. Single parts cost US \$90 for the US, Mexico, and Canada (UK £55+VAT elsewhere) plus postage. Four parts form a volume. Orders, which must be accompanied by payment, may be sent to a bookseller, subscription agent, or direct to the publishers: Cambridge University Press, Journals Department, 40 West 20th Street, New York, NY 10011-4211, USA; orders outside the US, Canada, or Mexico may be sent to Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU, England. Claims for missing issues should be made immediately after receipt of the next issue. **POSTMASTER:** Send address changes in the US, Mexico, and Canada to *Laser and Particle Beams*, Cambridge University Press, 110 Midland Avenue, Port Chester, NY 10573-9864.

Periodicals Postage paid at New York, NY and at additional mailing offices.

Special Issue

LASER AND PARTICLE BEAMS
Pulse Power and High Energy Densities

7th International Workshop on Atomic Processes
in Ion-Driven Fusion

Guest Editors
G. Velarde and E. Minguez



LASER AND PARTICLE BEAMS

Pulse Power and High Energy Densities

Volume 14, Number 4, 1996

SPECIAL ISSUE

7th International Workshop on Atomic Processes in Ion-Driven Fusion

G.H. Miley: Preface 531

G. Velarde and E. Minguez, Guest Editors' Preface 533

T. Sonegawa, C. Grigoriu, K. Masugata, K. Yatsui, Y. Shimotori, S. Furuuchi, and H. Yamamoto (Lab. of Beam Tech., Nagaoka Univ. of Tech., Nagaoka, Niigata, Japan): Low temperature preparation of BaTiO₃ thin films by intense, pulsed, ion beam evaporation 537

J.E. Bailey, A.B. Filuk, A.L. Carlson, D.J. Johnson, P. Lake, E.J. McGuire, T.A. Mehlhorn, T.D. Pointon, T.J. Renk, W.A. Stygar (Sandia Nat. Lab., Albuquerque, New Mexico, USA), Y. Maron, and E. Stambulchik (Weizmann Inst. of Sci., Rehovot, Israel): Basic and applied atomic spectroscopy in high-field ion diode acceleration gaps 543

D.L. Foulis, T.D. Beynon (School of Physics, Birmingham Univ., Birmingham, UK), and S.J. Rose (Rutherford Appleton Lab., Chilton, Didcot, UK): Multicenter wavefunctions in opacity calculations for dense plasmas 555

C. Stöckl, O. Boine-Frankenheim, M. Roth, W. Süß, H. Wetzler, W. Seelig (TH-Darmstadt, Darmstadt, Germany), M. Kulish (Inst. for Chem. Phys., Chernogolovka, Russia), M. Dornik, W. Laux, P. Spiller, M. Stetter, S. Stöwe (GSI-Darmstadt, Darmstadt, Germany), J. Jacoby, and D.H.H. Hoffmann (Universität Erlangen, Erlangen, Germany): Interaction of heavy ion beams with dense plasmas 561

S. Mabong, G. Maynard, and K. Katsonis (Lab. de Physique des Gaz et des Plasmas, CNRS-Université de Paris XI, Orsay Cedex, France): Parametric potential for modelling of highly charged heavy ions 575

G. Maynard, S. Mabong, and K. Katsonis (Lab. de Physique des Gaz et des Plasmas, CNRS-Université de Paris XI, Orsay Cedex, France): Photons emission and charge-exchange contributions to the energy loss of swift heavy ions in dense matter 587

R. Kowalewicz, E. Boggasch, D.H.H. Hoffmann, J. Jacoby (Univ. Erlangen-Nürnberg, Erlangen, Germany), W. Laux, C. Stöckl, K. Weyrich (GSI-Darmstadt, Darmstadt, Germany), and S. Miyamoto (Inst. of Laser Eng., Osaka, Japan): Enhanced energy loss of heavy ions passing a fully ionized hydrogen plasma 599

Z. Zinamon and E. Nardi (Weizmann Inst. of Sci., Rehovot, Israel): Electronic and ionic structure of dense plasmas 605

K. Morawetz (Max-Planck-Gesellschaft, AG Theoretische Vierteilchenphysik an der Universität Rostock, Rostock, Germany): Stopping power in nonideal plasmas 611

A. Baer, J.L. Schwob (Racah Inst. of Phys.), S. Eliezer, Z. Henis (Plasma Phys., Soreq Nuclear Research Center, Yavne, Israel), and S. Eliezer (Instituto de Fusión Nuclear, Universidad Politécnica de Madrid, Madrid, Spain): An X-ray laser scheme driven by two laser pulses 625

P. Martel, J.M. Gil, R. Rodríguez, L. Doreste (Dept. de Física, Universidad de Las Palmas de Gran Canaria, Las Palmas de Gran Canaria), P. Martel, J.M. Gil, and E. Minguez (Instituto de Fusión Nuclear, Universidad Politécnica de Madrid, Madrid, Spain): Opacity calculations of plasmas by using parametric potentials 631

(Contents continued on next page)

Balbir Goel (Forschungszentrum Karlsruhe, Karlsruhe, Germany) and Oleg Yu. Vorobiev (Inst. of Chem. Phys.): Equation of state information from beam-target interaction Experiments at KALIF 637

H. Bluhm, G. Keßler (Forschungszentrum Karlsruhe, Institut für Neutronenphysik und Reaktortechnik, Karlsruhe, Germany), and R.R. Petersen (Fusion Tech. Inst., Univ. of Wisconsin-Madison, Madison, Wisconsin, USA): Light ion beam driven inertial confinement fusion: Requirements and achievements 655

P.M. Velarde, J.M. Martinez-Val, S. Eliezer, M. Piera, and L. Chacon (Inst. of Nuclear Fusion, Madrid Polytechnic Univ., Spain): Conical targets and pinch confinement for inertial fusion 665

T. Wagner, E. Eberl, and D.H.H. Hoffmann (Univ. Erlangen-Nürnberg, Erlangen, Germany): Evidence for recombination XUV lasing at 52.0 nm and 49.8 nm in a fast, compact Z-pinch discharge 679

M.A. Amato (Dept. de Física, Universidade de Brasília, Brasília, Brazil) and N.H. March (Univ. of Oxford, Oxford, England): Structure and equation of state of metallic plasmas 685

Claude Deutsch, Patrice Fromy and Günter Zwicknagel (L.P.G.P. and GDR-CNRS-918, Université Paris XI, Orsay, France): Correlated ion stopping in a classical dense plasma 699

C.F. Hooper, Jr., D.A. Haynes, Jr., D.T. Garber (Univ. of Florida, Gainesville, Florida, USA), R.C. Mancini (Univ. of Nevada, Reno, Nevada, USA), Y.T. Lee (Lawrence Livermore National Laboratory, Livermore, California, USA), D.K. Bradley, J. Delettrez, R. Epstein, and P.A. Jaanimagi (Lab. for Laser Energetics, Univ. of Rochester, Rochester, New York, USA): Spectroscopic analysis of hot dense plasmas: A focus on ion dynamics 713

F. Perrot (Centre d'Etudes de Limeil-Valenton, Villeneuve St-Georges Cedex, France): A new approximation for calculating free-free absorption in hot dense plasmas 731

Günter Zwicknagel and Claude Deutsch (Lab. de Physique des Gaz et des Plasmas, Université Paris XI, Orsay, France): Basic features of correlated ion stopping in plasmas 749

A.F. Nikiforov, V.G. Novikov, and A.D. Solomyannaya (M.V. Keldysh Inst. of Applied Math., Moscow, Russia): Analytical wave functions in self-consistent field models for high-temperature plasma 765

O. Boine-Frankenheim (Theoretische Quantenelektronik (TQE), TH Darmstadt, Darmstadt, Germany) and C. Stöckl (Institut für angewandte Physik (IAP) TH Darmstadt, Darmstadt, Germany): Charge state and nonlinear stopping power of heavy ions in a fully ionized plasma 781

V.E. Fortov, K.S. Dyabilin, M.E. Lebedev, V.P. Smirnov and E.V. Grabovskij (High Energy Density Research Center, Moscow, Russia): Shock wave excitation by soft X rays 789

E.F. Fill, Conference Summary: Fifth International Conference on X-ray Lasers, Lund, Sweden 793

Book Review by Ronald M. Gilgenbach 797

Index 799