

## NOTES FOR AUTHORS

Papers to be considered for publication should be sent to the Editorial Secretary, The Royal Society of Edinburgh, 22 George Street, Edinburgh EH2 2PQ, Scotland.

A paper by more than one author must be submitted with a statement, signed by each author, to the effect that the paper in its entirety is approved by the joint authors and naming the author who will be responsible for correspondence with the Society.

Authors will receive fifty (50) offprints free of charge, this number to be shared between joint authors. Additional offprints may be obtained, in units of fifty, at a fixed scale of prices given on a form which will be attached to the proof.

In view of the high cost of publication, authors must prepare their papers as concisely as possible. Manuscripts should be submitted in triplicate and preferably should be typewritten on one side of A4 paper, double spaced with adequate margins. Authors are advised to retain a copy of their papers as the Society cannot accept responsibility for any loss.

Every paper must be accompanied by a Synopsis, in general not exceeding two hundred words, which will be printed in small type at the beginning of the paper.

References within the text should be indicated by bold numbers in square brackets, e.g. [2] or [3, p. 167]. For style of references at end of text, see recent issues of *Proceedings A*.

Authors should ensure that punctuation carries through the mathematics in the proper manner. The use of hyphens should be consistent. In the text avoid such abbreviations as: *iff*, *w.r.t.*, *a.e.*,  $\forall$ ,  $\exists$ , and *thm*.

Footnotes should be avoided. Headings should not be underlined. Every effort should be made to avoid complicated subscripts, superscripts, ranges of summation and integration. Horizontal fraction signs should normally be avoided: use either solidus signs / or negative exponents. Replace  $e^{(\dots)}$  by  $\exp[. . .]$  if the expression in parenthesis is complicated. Simple formulae should *not* be displayed unless they require a formula number. Use the prime ' or  $d/dx$ , but preferably not a dot, to denote ordinary differentiation. If possible use subscripts to denote partial differentiation of  $\partial/\partial x$  etc. Bars reaching over several letters should be avoided: use  $\sqrt{()}$  or the exponent 1/2 for the square root. Sub-subscripts and super-superscripts should be avoided if possible: bars and other devices over indices cannot be supplied.

Note that confusion very often arises between 1 (one) and *l* (ell); 0 (zero) and *O* (Capital oh);  $\circ$  (composition) and *o* (lower case oh);  $x$  and  $\times$ ; *U* and  $\cup$ ; *c* and  $\subset$ ;  $\in$  (belongs to) and  $\epsilon$  (epsilon);  $\emptyset$  (empty set) and  $\phi$  (phi);  $;$  and comma  $,$ ; prime ' and  $^1$ ; *K* and  $\kappa$ ;  $p$  and  $\rho$ ;  $w$  and  $\omega$ ;  $\sum$  (summation) and  $\Sigma$  (capital sigma);  $\prod$  (product) and  $\Pi$  (capital pi); *v* (lower case vee) and  $\nu$  (Greek nu); *a* (lower case a) and  $\alpha$  (Greek alpha); *y* (lower case y) and  $\gamma$  (Greek gamma). Please provide pencilled indicators in the margin where necessary. Where capitals and lower case of the same shape have to be printed, please indicate accordingly. Show italics by single underlining (except in the formulae which are set up normally in italics), bold face/Clarendon by wavy underlining and Greek by red underlining.

The statement of theorems, lemmas, et cetera, will be printed in italics and should be underlined. In definitions key words only should be in italics.

Equations should be indicated by numbers in parentheses in the right-hand margin.

Proofs of papers will be sent to the author. The cost of *authors' corrections in excess of five per cent* of the printers' charge for the setting of a particular paper *will be charged to the author*.

### Copyright

© 1981 The Royal Society of Edinburgh and the authors of individual papers.

It is the policy of the Royal Society of Edinburgh not to charge any royalty for the production of a single copy of any one article made for private study or research. Requests for the copying or reprinting of any article for any other purpose should be sent to the Royal Society of Edinburgh, 22/24 George Street, Edinburgh EH2 2PQ

CONTENTS

J. M. CORON		
Solution périodique d'une équation d'évolution		175
DAVID COLTON and ANDREAS KIRSCH		
Stable methods for solving the inverse scattering problem for a cylinder		181
EVA WESFREID		
Asymptotic behaviour of an elastoviscoplastic material submitted to a cyclic load		189
RICHARD DATKO		
The uniform exponential stability of a class of linear differential-difference equations in a Hilbert space		201
RÜDIGER LANDES		
On the existence of weak solutions for quasilinear parabolic initial-boundary value problems		217
J. ANSELL, A. BENDELL and S. HUMBLE		
Generalisation of Dedekind's problem of the enumeration of coherent structures		239
J. I. DÍAZ and M. A. HERRERO		
Estimates on the support of the solutions of some nonlinear elliptic and parabolic problems		249
N. G. KAZAKOVA and D. D. BAINOV		
On the convergence of the method of finite differences applied to the solution of the initial value problem for functional-differential neutral type equations		259
RICHARD C. GILBERT		
Integrable-square solutions of a singular ordinary differential equation		267
E. MÜLLER-PFEIFFER		
Existence of conjugate points for second and fourth order differential equations		281
M. K. KWONG and A. ZETTL		
Norm inequalities of product form in weighted $L^p$ spaces		293
HUBERT KALF		
Non-existence of eigenvalues of Dirac operators		309
PAUL BINDING		
Multiparameter definiteness conditions		319
R. GEH		
Nonlinear initial value problems with a singular perturbation of hyperbolic type		333
LU-SAN CHEN and CHEH-CHIH YEH		
Some integrodifferential inequalities in $n$ -independent variables		347
J. FLECKINGER		
Estimate of the number of eigenvalues for an operator of Schrödinger type		355
INDEX/CONTENTS		v