The Journal of General Microbiology

Volume 94, Part 1, May 1976

DEVELOPMENT AND STRUCTURE

Isolation and Composition of an Alkali-soluble Glucan from the Cell Walls of Saccharomyces cerevisae-By G. H. FLEET and D. J. MANNERS

Some Ultrastructural Features of Micronuclei during Conjugation and Autogamy in Paramecium aurelia. By A. JURAND

The Isolation of Nuclei from the Filamentous Fungus Aspergillus nidulans. By M. A. GEALT, G. SHEIR-Neiss and N. R. Morris

PHYSIOLOGY AND GROWTH

Accumulation and Storage of Zn3+ by Candida utilis. By M. L. FAILLA, D. C. BENEDICT and E. D. WEIN-

Antimicrobial Activities and Antagonists of Bacilysin and Anticapsin. By M. Kenig and E. P. Abraham
The Mode of Action of Bacilysin and Anticapsin and Biochemical Properties of Bacilysin-resistant
Mutants. By M. Kenig, E. Vandamme and E. P. Abraham

Synchronous Growth of Rhodopseudomonas palustris from the Swarmer Phase. By D. WESTMACOTT and S. B. PRIMROSE

Regulatory Properties of an Inducible Aliphatic Amidase in a Thermophilic Bacillus. By B. THALENFELD and N. GRossowicz

Phototactic Response of Aerobically Cultivated Rhodospirillus rubrum. By S. HARAYAMA and T. IINO

Identification of β-Lactamases by Analytical Isoelectric Focusing: Correlation with Bacterial Taxonomy.
 By M. MATTHEW and A. M. HARRIS
 Adenine Nucleotide Pool and Energy Charge During Growth of a Tyrothricin-producing Strain of Bacillus brevis.
 By G. H. Fynn and J. A. Davison
 Uptake of Galactose into Escherichia coli by Facilitated Diffusion.
 By H. L. Kornberg and C. Riordan Stability of Enzymes in Starving Arthrobacter crystallopoietes.
 By R. MEGANATHAN and J. C. Ensign Isolation of Lipoteichoic Acids from Butyrivibrio fibrisolvens.
 By M. J. Hewett, A. J. Wicken, K. W. Knox and M. E. Sharre
 Chloramphenicol Acetylation in Strentomyces.
 Ry W. V. Shaw and D. A. Hopwood.

Chloramphenicol Acetylation in *Streptomyces*. By W. V. Shaw and D. A. Hopwood Decreased Permeability in a Mechanism of Resistance to Methyl Benzimidazol-2-yl Carbamate (MBC) in *Sporobolomyces roseus*. By A. Nachmias and I. Barash

Highly Specific Bacteriophage-associated Polysaccharide Hydrolases for Klehsiella aerogenes type 8. By I. W. Sutherland

GENETICS AND MOLECULAR BIOLOGY

Biochemical and Genetic Characterization of a Carbamyl Phosphate Synthetase Mutant of Escherichia coli K12. By F. Bolivar, M. Galván and J. Martuscelli

MEDICAL MICROBIOLOGY

Relationship of Structure to Function in Bacterial Endotoxins: Serologically Cross-reactive Components and their Effect on Protection of Mice against some Gram-negative Injections. By A. K. Ng, C. H. CHEN, C. M. CHANG and A. NOTWOTNY

Peptococcus heliotrinreducans, sp.nov., a Cytochrome-producing Anaerobe which Metabolizes Pyrrolizidine Alkaloids. By G. W. Lanigan
A Taxonomic Study of the Aeromonas hydrophila-Aeromonas punctata Group. By M. Popoff and

M. Véron

Classification of Micrococci on the Basis of Deoxyribonucleic Acid Homology. By N. Ogasawara-FUJITA and K. SAKAGUCHI

Specificity of Cytoplasmic and Cell-wall Antigens from Four Species of Phytophthora. By D. M. HALSALL

SHORT COMMUNICATIONS

Chromosomal Location of the ϕ C-Prophage in *Nocardia erythropolis*. By G. H. Brownell Effect of Glucose, Ammonium and Media Maintenance on the Time of Condiophore Initiation by Surface Colonies of *Aspergillus nidulans*. By M. Pastushok and D. E. Axelrod Arabinose with LL-Diamnopimelic Acid in the Cell Wall of an Aerobic Cornyeform Organism Isolated

from Human Skin. By D. G. PITCHER

Agar as a Carbon Source and its Effect on the Utilization of Other Carbon Sources by Acetate Non-utilizing (acu) Mutants of Aspergillus nidulans. By M. PAYTON, W. McCullough and C. F. Roberts

Volumes 92-97 (1976) £13.00 (\$42.00 U.S.A. and Canada) each.

Single Parts £8.00 (\$26.00 U.S.A. and Canada) each.

CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London NW1 2DB 32 East 57th Street, New York, N.Y. 10022

INDIAN JOURNAL OF DAIRY SCIENCE

Volume 29, No. 1

March, 1976

Articles

- Head space carbonyls in fresh and stored designee by K. L. Gaba and M. K. Jain.
 Studies on buffalo ghee Part I Seasonal variation in fatty acid composition and other properties of ghee by C. H. Joshi and S. H. Vyas.
- Studies on buffalo ghee Part II Various conditions affecting the granulation of ghee by C. H. Joshi and S. H. Vyas.
 Studies on Provolone cheese Part I Chemical
- Composition by M. A. EL-Soda, I. S. EL HAGARAWY, S. E. RAKSHY and A. ABOU DONIA
- Role of lipolytic bacteria in degradation of fat in experimental cheddar cheese during ripening by AJIT SINGH, R. A. SRINIVASAN and A. T. DUDANI.
- 6. Studies on nutritive value of guara (Cyamopsis
- Studies on nutritive value of guara (Cyamopsis tetragonoloba) by Kripal Singh, P. C. Gupta, Randhir Singh and K. Pradhan.
 Effect of formaldehyde treatment on protein protection of groundnut and linseed cakes by A. P. Sinha, N. K. Prasad and A. K. Tripathi.
- 8. Milk production efficiency in Brown Swiss×
 Sahiwal crossbred and Sahiwal cows by V. S.
 RAINA, D. S. BHATNAGAR and M. V. N. RAO.

 9. Milking behaviour of Murrah buffaloes by
 P. C. DASH, S. B. BASU, K. N. S. SHARMA
 and P. A. SHARMA.
- Studies on estimation of body surface area of Indian cattle Part II Body surface area

from body weight together with a linear measurement by S. N. Pani, S. Guha and P. BHATTACHARYA.

- 11. Prediction of lactation yield from colostrum. peak and 45 days' cumulative yield in dairy cattle by R. S. Chauhan, R. R. Mishra and D. S. Bhatnagar.
- Mortality in crossbred calves vis-a-vis Zebu calves by K. N. S. SHARMA and D. K. JAIN.

Short communications

- Studies on leucocyte counts of buffalo milk by B. R. Malhotra, D. R. Ghodekar and V. K. N. Nambudripad.
 Activity of microbial lipases at low tempera-
- ture by AJIT SINGH, R. A. SRINIVASAN and A. T. DUDANI.
- A note on bacteriological quality of market milk in Rewa city by R. G. DWIVEDI.
 A note on the nutritive value of crop residues –
- green gram (moong) and black gram (urd) by Kripal Singh, P. C. Gupta, Randhir Singh and K. Pradhan.
- 5. Type of udders and teats in relation to milk production and udder health in Sahiwal cows by D. W. Khire, V. R. Thatte, M. S. KADU and P. M. BELORKAR.
- 6. A note on some production and reproduction traits of a Jersey herd at Bassi, Rajasthan by B. S. MALIK, SHRI RAM and A. L. CHAUD-HARY.

Price Rs. 40/- (\$10.00 or £4.00) per annum

Published by: Indian Dairy Science Association, IDSA House, Sector IV, R. K. Puram, New Delhi 110 022, INDIA

DIRECTIONS TO CONTRIBUTORS

GENERAL

Two copies of manuscripts should be sent to Dr M. E. Sharpe (*The Journal of Dairy Research*), National Institute for Research in Dairying, Shinfield, Reading, RG2 9AT, England. Submission of a paper will be held to imply that it reports unpublished original work, that it is not under consideration for publication elsewhere, and that if accepted for the *Journal* it will not be published elsewhere in any language, without the consent of the Editors.

FORM OF PAPERS

The author should follow these directions carefully, and consult a current issue of the *Journal* for guidance on details of typographical and other conventions.

Every paper should be headed with its title, the names and initials of the authors (women supplying one given name) and the name and address of the laboratory where the work was done.

Papers should be in English, using the spelling of the Shorter Oxford English Dictionary. They should be typed with double spacing, on one side only of the sheets, and with ample margins for editorial annotations.

Papers should in general be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements without a heading; (g) References. With some types of material headings other than (c), (d) and (e) may be preferable.

The use of footnotes should be avoided if possible. Underlining should be used only to indicate italics. Proper nouns, including trade names, should be given a capital initial letter. Wherever possible numerals should be used unless this leads to ambiguity. The typescript should carry the name and address of the person to whom the proofs are to be sent, and give a shortened version of the paper's title, not exceeding 45 letters and spaces, suitable for a running title in the *Journal*.

TABLES

Tables should be numbered and should carry headings describing their content. They should be comprehensible without reference to the text. They should be typed on separate sheets and their approximate positions in the text indicated. To minimize the cost of printing, the number and size of tables should be kept to an absolute minimum.

ILLUSTRATIONS

Line drawings, which must be originals, should be numbered as Figures and photographs as Plates, in Arabic numerals. Drawings should be in Indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized piece of tracing paper, or translucent graph paper faintly lined in *blue* or *grey*, folded down the centre with the drawing on one half and the other half acting as a flyleaf.

Attached to every figure and plate there should be a translucent flyleaf cover on the outside of which should be written legibly: (a) title of paper and name of author; (b) figure or plate number and explanatory legend;

(c) the figures and lettering, which are intended to appear on the finished block, in the correct positions relative to the drawing underneath. Each paper should have a separate typed sheet listing figure and plate numbers with their legends, and the approximate positions of illustrations should be indicated in the text.

The photographs and diagrams should be about twice the size of the finished block and not larger overall than the sheets on which the paper itself is typed. For a figure measuring 250 mm \times 150 mm all lines, axes and curves should be 0.4 mm thick, thus Graph symbols in order of preference are \bigcirc \bullet , \triangle \bullet , \square \square , \times +, and for a 250 mm \times 150 mm graph the circles should be 3 mm in diam. The triangles should be equilateral of 3 mm side, and the squares also of 3 mm side. The crosses should have lines 3 mm long at right angles. Scale marks on the axes should be on the inner side of each axis and should be 3 mm long.

SHORT COMMUNICATIONS

Short communications or notes of not more than 2500 words or the equivalent space in print and without a summary will also be published.

REFERENCES

In the text, references should be quoted by whichever of the following ways is appropriate: Arnold & Barnard (1900); Arnold & Barnard (1900a); Arnold & Barnard (1900a, b); (Arnold & Barnard, 1900). Give all the surnames of 3 authors at the first mention, but in subsequent citations and in all cases where there are more than 3 authors give only the first surname (e.g. Brown et al.) provided that there is no possible ambiguity.

References should be listed alphabetically at the end of the paper. Titles of journals should be given in full, authors' initials should be included, and each reference should be punctuated in the typescript thus: Arnold, T. B., Barnard, R. N. & Compound, P. J. (1900). Journal of Dairy Research 18, 158. References to books should include names of authors, year of publication, title, names of editors, town of publication and name of publisher in that order, thus: Arnold, T. B. (1900). Dairying. London: Brown and Chester.

It is the duty of the author to check all references.

UNITS, SYMBOLS AND ABBREVIATIONS

SI units must be used, as explained in British Standards Institution publication PD 5686:1972, *The use of SI units*. Until SI units are widely understood, it is permissible to give the equivalent value in other units in parenthesis. Symbols and abbreviations used are those of British Standard 1991: Part 1: 1967. *Letter Symbols, Signs and Abbreviations*.

DESCRIPTIONS OF SOLUTIONS

Normality and molarity should be indicated thus: N-HCl, $0.1 \text{ M-NaH}_2\text{PO}_4$. The term '%' means g/100 g solution. For ml/100 ml solution the term '% (v/v)' should be used and for g/100 ml solution the correct abbreviation is '% (w/v)'.

REPRINTS

Order forms giving quotations for reprints are sent to authors with their proofs.

Journal of Dairy Research Volume 43, Number 2, June 1976

CONTENTS

Retirement of DR C. C. THEIL	ages 195–196
ORIGINAL ARTICLES Acetate utilization by the isolated perfused guinea-pig mammary gla T. B. MEPHAM, S. R. DAVIS and J. R. HUMPHREYS	nd 197–203
Variations in the susceptibility of lactating and non-lactating bovine udders to infection when infused with <i>Escherichia coli</i>	197-203
A. J. BRAMLEY Effect of feeding fat to dairy cows receiving a fat-deficient basal	205-211
diet: I. Milk yield and composition W. BANKS, J. L. CLAPPERTON, M. E. FERRIE and A. G. WILSON	213–218
Effect of feeding fat to dairy cows receiving a fat-deficient basal diet: II. Fatty acid composition of the milk fat	
W. BANKS, J. L. CLAPPERTON and M. E. FERRIE Carotene and immunoglobulin concentrations in the colostrum and milk of pasture-fed cows	219–227
D. F. NEWSTEAD Autoxidation in milk rich in linoleic acid: II. Modification of the	229-237
initiation system and control of oxidation	239–250
G. S. SIDHU, M. A. BROWN and A. R. JOHNSON Enzymic methods for estimation of the somatic cell count in bovine milk: I. Development of assay techniques and a study of	239-230
their usefulness in evaluating the somatic cell content of milk B. J. KITCHEN	251-258
The quantitative measurement of whey proteins using polyacrylamide-gel electrophoresis R. M. HILLIER	259–265
Heat stability of forewarmed milks; influence of κ -casein, serum proteins and divalent cations	
P. A. MORRISSEY and F. O'MAHONY	267-274
Autolysis of Streptococcus cremoris L. MOU, J. J. SULLIVAN and G. R. JAGO	275–282
Cytochemical observations on the extracellular carbohydrate produced by <i>Streptococcus cremoris</i> B. E. BROOKER	283–290
Amino acid nutrition of some commercial cheese starters in relation to their growth in peptone-supplemented whey media	
B. A. LAW, EMEL SEZGIN and M. E. SHARPE The contribution of starter streptococci to flavour development in	291–300
Cheddar cheese B. A. LAW, M. J. CASTAÑÓN and M. E. SHARPE	301–311
The production of sulphur compounds in Cheddar cheese and their significance in flavour development	
D. J. MANNING, H. R. CHAPMAN and Z. D. HOSKING SHORT COMMUNICATIONS	313–320
Influence of temperature on the electrical conductivity of buffalo in G. S. SHARMA and N. K. ROY	milk 321–323
Composition of ewe's milk A. P. WILLIAMS, D. R. BISHOP, J. E. COCKBURN and K. J. SCOT	
The role of α -lactalbumin in the primary phase of chymosin actio on heated casein micelles	n
S. I. SHALABI and J. V. WHEELOCK	331–335
Reviews of the progress of Dairy Science: continuous cheese-mak N. J. BERRIDGE	337–356

© Proprietors of The Journal of Dairy Research 1976

Printed in Great Britain at the University Printing House, Cambridge