

PARASITOLOGY

PARASITOLOGY

(*Founded by G. H. F. Nuttall, F.R.S.*)

EDITORS

D. W. T. CROMPTON and B. A. NEWTON

EDITORIAL ASSISTANT

M. ELISABETH PAINTER, Ph.D.

ADVISORY BOARD

L. G. GOODWIN, F.R.S. (*Chairman*)

R. ANDERSON	D. I. GIBSON	J. F. RYLEY
D. R. ARTHUR	L. P. JOYNER	G. SALT, F.R.S.
J. R. BAKER	C. R. KENNEDY	S. R. SMITHERS
J. BARRETT	ANN M. LACKIE	K. VICKERMAN
ELIZABETH U. CANNING	D. L. LEE*	D. WAKELIN
L. H. CHAPPELL	R. J. LINCOLN	P. F. V. WARD
S. COHEN, F.R.S.	J. LLEWELLYN	P. J. WHITFIELD
R. R. A. COOMBS, F.R.S.	S. H. P. MADDRELL	H. H. WILLIAMS
F. E. G. COX	BRIDGET M. OGILVIE	R. A. WILSON
G. A. M. CROSS	M. ELAINE ROSE	C. A. WRIGHT
D. A. ERASMUS	J. H. ROSE	

* Representing the British Society for Parasitology

VOLUME 84, 1982

CAMBRIDGE UNIVERSITY PRESS

C A M B R I D G E

L O N D O N N E W Y O R K N E W R O C H E L L E
M E L B O U R N E S Y D N E Y

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press, 1982

Printed in Great Britain at the
University Press, Cambridge

CONTENTS

(All rights reserved)

PART 1 FEBRUARY 1982

	PAGE
SINDEN, R. E. Gametocytogenesis of <i>Plasmodium falciparum</i> <i>in vitro</i> : an electron microscopic study	1
MILLARD, B. J. and LAWN, A. M. Parasite-host relationships during the development of <i>Eimeria dispersa</i> Tyzzer 1929, in the turkey (<i>Meleagris gallopavo gallopavo</i>) with a description of intestinal intra-epithelial leucocytes	13
MCDONALD, V., BALLINGALL, S. and SHIRLEY, M. W. A preliminary study of the nature of infection and immunity in chickens given an attenuated line of <i>Eimeria acervulina</i>	21
SOLANGI, M. A., OVERSTREET, R. M. and FOURNIE, J. W. Effect of low temperature on development of the coccidium <i>Eimeria funduli</i> in the Gulf killifish	31
GORDON, D. M. and RAU, M. E. Possible evidence for mortality induced by the parasite <i>Apateomon gracilis</i> in a population of brook sticklebacks (<i>Culaea inconstans</i>)	41
SMITH, GARY. An analysis of variations in the age structure of <i>Fasciola hepatica</i> populations in sheep	49
MAILLARD, C., GONZALEZ, J. and NOISY, D. A scanning electron microscope study of the male copulatory sclerite of the monogenean <i>Diplectanum aequans</i>	63
TAYLOR, D. W. and BUTTERWORTH, A. E. Monoclonal antibodies against surface antigens of schistosomula of <i>Schistosoma mansoni</i>	65
SMITH, M. A., CLEGG, J. A., SNARY, D. and TREJDOSIEWICZ, A. J. Passive immunization of mice against <i>Schistosoma mansoni</i> with an IgM monoclonal antibody	83
HARRISON, R. A., BICKLE, Q. and DOENHOFF, M. J. Factors affecting the acquisition of resistance against <i>Schistosoma mansoni</i> in the mouse. Evidence that the mechanisms which mediate resistance during early patent infections may lack immunological specificity	93
BICKLE, Q. D. Studies on the relationship between the survival of <i>Schistosoma mansoni</i> larvae in mice and the degree of resistance produced	111
TORPIER, G., HIRN, M., NIRDE, P., DE REGGI, M. and CAPRON, A. Detection of ecdysteroids in the human trematode, <i>Schistosoma mansoni</i>	123
VANOVERSCHELDE, R. Studies on the life-cycle of <i>Himasthla militaris</i> (Trematoda: Echinostomatidae); influence of temperature and salinity on the life-span of the miracidium and the infection of the first intermediate host, <i>Hydrobia ventrosa</i>	131

MAKI, JUN, FURUHASHI, ASAMI and YANAGISAWA, TOSHIO. The activity of acid proteases hydrolysing haemoglobin in parasitic helminths with special reference to interspecific and intraspecific distribution	137
COOMBS, G. H. Proteinases of <i>Leishmania mexicana</i> and other flagellate protozoa	149
KEYMER, ANNE. The dynamics of infection of <i>Tribolium confusum</i> by <i>Hymenolepis diminuta</i> : the influence of exposure time and host density	157
SINNIAH, B. Daily egg production of <i>Ascaris lumbricoides</i> : the distribution of eggs in the faeces and the variability of egg counts	167
<i>Trends and Perspectives</i>	
WARD, P. F. V. Aspects of helminth metabolism	177

PART 2 APRIL 1982

ALLEN, J. R. and KEMP, D. H. Observations on the behaviour of <i>Dermacentor andersoni</i> larvae infesting normal and tick resistant guinea-pigs	195
CHAPMAN, H. D., FERNANDES, D. L. and DAVISON, T. F. A comparison of the effects of infection with <i>Eimeria maxima</i> and dietary restriction on weight gain, plasma metabolites and liver glycogen in the immature fowl, <i>Gallus domesticus</i>	205
SHIRLEY, M. W., BELLATTI, M. A. and MILLARD, B. J. An egg-adapted (attenuated) line of <i>Eimeria necatrix</i> : further studies on its reproduction, pathogenicity and immunogenicity	215
TURNER, D. P. and GREGSON, N. A. The cell surface of <i>Plasmodium gallinaceum</i> sporozoites: microelectrophoretic and lectin-binding characteristics	227
VAN PIJKEREN, THEA A., TAVARES, C. A. P. and GAZZINELLI, G. <i>Schistosoma mansoni</i> : ability of Con A to protect <i>in vitro</i> mechanically transformed schistosomula against the lethal effect of immune serum plus complement	239
TENNISWOOD, M. P. R. and SIMPSON, A. J. G. The extraction, characterization and <i>in vitro</i> translation of RNA from adult <i>Schistosoma mansoni</i>	253
GEORGI, JAY R. <i>Schistosoma mansoni</i> : quantification of skin penetration and early migration by differential external radioassay and autoradiography	263
ERASMUS, D. A., POPIEL, I. and SHAW, J. R. A comparative study of the vitelline cell in <i>Schistosoma mansoni</i> , <i>S. haematobium</i> , <i>S. japonicum</i> and <i>S. mattheei</i>	283
MOLOO, S. K. Cyclical transmission of pathogenic <i>Trypanosoma</i> species by gamma-irradiated sterile male <i>Glossina morsitans morsitans</i>	289
TABBARA, K. F., SAKURAGI, S. and O'CONNOR, G. R. Minocycline in the chemotherapy of murine toxoplasmosis	297
FINLAYSON, JANET E. The alleged alternation of sexual phases in <i>Kuhnia scombri</i> , a monogenean of <i>Scomber scombrus</i>	303

MACKINNON, BARBARA M. The structure and possible function of the ventral papillae of <i>Notocotylus triserialis</i> Diesing, 1839	313
SCOTT, MARILYN E., RAU, M. E. and McLAUGHLIN, J. D. Comparative migration, growth and development of <i>Typhlocoelum cucumerinum sisowi</i> in dabbling ducks and <i>Typhlocoelum cucumerinum cucumerinum</i> in diving ducks	333
McMANUS, D. P. and SMYTH, J. D. Intermediary carbohydrate metabolism in protoscoleces of <i>Echinococcus granulosus</i> (horse and sheep strains) and <i>E. multilocularis</i>	351
BUENO, L., DAKKAK, A. and FIORAMONTI, J. Gastro-duodenal motor and transit disturbances associated with <i>Haemonchus contortus</i> infection in sheep	367
FRIED, B. and LEIBY, D. A. Intraspecific and interspecific pairing of <i>Haematoloechus medioplexus</i> (Trematoda) and <i>Echinostoma revolutum</i> (Trematoda) adults <i>in vitro</i> , and observations on <i>H. medioplexus</i> lipophilic excretory-secretory products	375
LEE, T. D. G., GRENCIS, R. K. and WAKELIN, D. Specific cross-immunity between <i>Trichinella spiralis</i> and <i>Trichuris muris</i> : immunization with heterologous infections and antigens and transfer of immunity with heterologous immune mesenteric lymph node cells.	381
PAPPAS, P. W. and NARCISSI, ELIZABETH M. A comparison of membrane-bound enzymes of the isolated brush border plasma membranes of the cestodes <i>Hymenolepis diminuta</i> and <i>H. microstoma</i>	391
<i>Trends and Perspectives</i>	
MACKIEWICZ, J. S. Caryophyllidea (Cestoidea): perspectives	397

PART 3 JUNE 1982

POJMAŃSKA, TERESA. The co-occurrence of three species of <i>Diorchis</i> Clerc, 1903 (Cestoda: Hymenolepididae) in the European coot, <i>Fulica atra</i> L.	419
CHO, C. H. and METTRICK, D. F. Circadian variation in the distribution of <i>Hymenolepis diminuta</i> (Cestoda) and 5-hydroxytryptamine levels in the gastro-intestinal tract of the laboratory rat	431
WILSON, P. A. G. and SIMPSON, NORMA E. <i>Strongyloides ratti</i> : studies of ⁷⁵ Se-labelled larvae of the homogonic strain in female hosts	443
WHARTON, D. A. The survival of desiccation by the free-living stages of <i>Trichostrongylus colubriformis</i> (Nematoda: Trichostrongylidae)	455
POCOCK, DOROTHY and MEEROVITCH, EUGENE. The anti-neoplastic effect of trichinellosis in a syngeneic murine model	463
PEURA, RAIJA, VALTONEN, E. T. and CROMPTON, D. W. T. The structure of the mature oocyte and zygote of <i>Corynosoma semerme</i> (Acanthocephala)	475
NEWPORT, G. R. and WELLER, T. H. Miracidia infective for snails derived from eggs laid by adult <i>Schistosoma mansoni</i> <i>in vitro</i>	481

	PAGE
THOMPSON, S. N. Effects of parasitization by the insect parasite <i>Hyposoter exiguae</i> on the growth, development and physiology of its host <i>Trichoplusia ni</i>	491
WILLIAMS, G. T. and HUDSON, L. Growth of <i>Trypanosoma cruzi</i> <i>in vitro</i> : development and application of a continuous-flow culture system	511
TELFORD, SAM R. JR. Re-discovery of <i>Haemoproteus kopki</i> (De Mello, 1916) in two geckoes from the Afghan border of Pakistan	527
LOSOS, G. J., McMILLAN, I., MINDER, CH. E. and SOULSBY, K. Quantitative methods in the study of the pathogenesis of haemoprotzoal diseases	537
PALMER, D. A., BUENING, G. M. and CARSON, C. A. Cryopreservation of <i>Babesia bovis</i> for <i>in vitro</i> cultivation	567
 <i>Trends and Perspectives</i>	
KEYMER, ANNE. Density-dependent mechanisms in the regulation of intestinal helminth populations	573

PARASITOLOGY

SUBSCRIPTIONS may be sent to any bookseller or subscription agent or direct to Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU. Subscriptions in the U.S.A. and Canada should be sent to Cambridge University Press, 32 East 57th Street, New York, N.Y. 10022. All orders must be accompanied by payment. The subscription price of volume 84, 1982, is £47.00 net (including postage) for a volume of four parts (US \$129.00 in the U.S.A. and Canada) and for volume 85, 1982, £35.00 net (including postage) for a volume of three parts (US \$96.00 in the U.S.A. and Canada) payable in advance (£82.00 or US \$225.00 per year); separate parts cost £13.00 net or US \$36.00 each (plus postage).

BACK VOLUMES. Vols. 1-39: Inquiries should be addressed to Wm. Dawson & Sons Ltd, Cannon House, Folkestone, Kent. Vols. 40 onwards: quotations for parts still in print may be obtained from the Cambridge or New York offices of the Cambridge University Press.

COPYING. This journal is registered with the Copyright Clearance Center, 21 Congress Street, Salem, Mass. 01970. Organizations in the U.S.A. who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of U.S. copyright law) subject to payment to C.C.C. of the per-copy fee of \$02.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0031-1820/82/0080-0001 \$02.00.

ISI TEAR SERVICE, 3501 Market Street, Philadelphia, Pennsylvania 19104, U.S.A., is authorized to supply single copies of separate articles for private use only.

FOR ALL OTHER USE, permission should be sought from the Cambridge or New York offices of the Cambridge University Press.

CLAIMS for missing issues can only be considered if made immediately after receipt of the subsequent issue.

ADVERTISING. Details of advertising in *Parasitology* may be obtained from the publisher.

The previous part was published on 26 March 1982.

PARASITOLOGY

Volume 84, Part 3, June 1982

CONTENTS

	PAGE
POJMAŃSKA, TERESA. The co-occurrence of three species of <i>Diorchis</i> Clerc, 1903 (Cestoda: Hymenolepididae) in the European coot, <i>Fulica atra</i> L.	419
CHO, C. H. and METTRICK, D. F. Circadian variation in the distribution of <i>Hymenolepis diminuta</i> (Cestoda) and 5-hydroxytryptamine levels in the gastro-intestinal tract of the laboratory rat	431
WILSON, P. A. G. and SIMPSON, NORMA E. <i>Strongyloides ratti</i> : studies of ^{75}Se -labelled larvae of the homogonic strain in female hosts	443
WHARTON, D. A. The survival of desiccation by the free-living stages of <i>Trichostrongylus colubriformis</i> (Nematoda: Trichostrongylidae)	455
POCOCK, DOROTHY and MEEROVITCH, EUGENE. The anti-neoplastic effect of trichinellosis in a syngeneic murine model	463
PEURA, RAIJA, VALTONEN, E. T. and CROMPTON, D. W. T. The structure of the mature oocyte and zygote of <i>Corynosoma semerme</i> (Acanthocephala)	475
NEWPORT, G. R. and WELLER, T. H. Miracidia infective for snails derived from eggs laid by adult <i>Schistosoma mansoni</i> <i>in vitro</i>	481
THOMPSON, S. N. Effects of parasitization by the insect parasite <i>Hyposoter exiguae</i> on the growth, development and physiology of its host <i>Trichoplusia ni</i>	491
WILLIAMS, G. T. and HUDSON, L. Growth of <i>Trypanosoma cruzi</i> <i>in vitro</i> : development and application of a continuous-flow culture system	511
TELFORD, SAM R. JR. Re-discovery of <i>Haemoproteus kopki</i> (De Mello, 1916) in two geckoes from the Afghan border of Pakistan	527
LOSOS, G. J., McMILLAN, I., MINDER, CH. E. and SOULSBY, K. Quantitative methods in the study of the pathogenesis of haemoprotzoal diseases	537
PALMER, D. A., BUENING, G. M. and CARSON, C. A. Cryopreservation of <i>Babesia bovis</i> for <i>in vitro</i> cultivation	567
<i>Trends and Perspectives</i>	
KEYMER, ANNE. Density-dependent mechanisms in the regulation of intestinal helminth populations	573

© Cambridge University Press 1982

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022

Printed in Great Britain at the University Press, Cambridge