

A list of the
JOURNALS

*Published by the
Cambridge University
Press, may be had
from*

THE MANAGER
CAMBRIDGE UNIVERSITY PRESS
BENTLEY HOUSE
200 EUSTON ROAD
LONDON, N.W. 1

EDWARD GURR, LTD.
MICHROME STAINS

Dyes for scientific and technological purposes:

| | | |
|-----------------|---------------|--------------------|
| Aquamount | Giemsa Stain | Optoil |
| Celloidin | Janus Green B | Sudan Black |
| *Chromosome Red | Laktoseal | *Trifalgic Acid |
| Fluoroil | Lipid Crimson | Waterwax |
| Fluormount | Nile Blue | Wright Stain, etc. |

A New and Unique DIAGNOSTIC REAGENT:

***FALG STAIN** (B. T. Squires' modification), for indicating **Protein-malnutrition**; **General state of health** in Man and Animals; **Malingering**, etc.

***RHODANILE BLUE**: an entirely new kind of basic dye conceived and synthesized for the first time by Dr Edward Gurr with the object of providing a new research tool.

*Information leaflets and catalogue on request

EDWARD GURR, LTD.
42 Upper Richmond Road West
LONDON, S.W. 14

Cables: Micromlabs, London

Publications issued by

COMMONWEALTH INSTITUTE OF ENTOMOLOGY
56 Queen's Gate, London, S.W. 7

BULLETIN OF ENTOMOLOGICAL RESEARCH

Published quarterly and containing original articles on economic entomology. *Post free.*
Annual subscription (payable in advance) 150s. od.
Prices of back parts and volumes on application.

REVIEW OF APPLIED ENTOMOLOGY

Consisting of abstracts or reviews of current literature on economic entomology throughout the world. Published monthly in two series:

Series "A" dealing with insect and other arthropod pests of cultivated plants, forest trees and stored products of animal and vegetable origin.

Series "B" dealing with insects, ticks, etc. conveying disease or otherwise injurious to man and animals. *Post free.*

Series "A" Series "B"
Annual subscription (payable in advance) 180s. od. 80s. od.
Prices of back parts and volumes on application.

ZOOLOGICAL RECORD, part INSECTA

Published annually and containing as complete a record as possible of the literature of the previous year, chiefly from the systematic standpoint.

Annual subscription 130s. od. *Post free.*
Prices of back volumes on application.

The Journal of General Microbiology

Editors: B. C. J. G. KNIGHT AND A. F. B. STANDFAST

Contents of Vol. 47, No. 1, April 1967

- A. H. REISNER and H. MACINDOE. Incorporation of Amino Acid into Protein by Utilizing a Cell-Free System from Paramecium.
- M. HUTCHINSON, K. I. JOHNSTONE and D. WHITE. Taxonomy of Anaerobic Thiobacilli.
- M. FELTON JR., J. J. COONEY and W. G. MOORE. A Quantitative Study of the Bacteria of a Temporary Pond.
- B. JARVIS. Resistance to Nisin and Production of Nisin-Inactivating Enzymes by Species of the Genus *Bacillus*.
- J. D. ANDERSON and G. T. CROUCH. A New Principle for the Determination of Total Bacterial Numbers in Populations Recovered from Aerosols.
- P. N. HOBSON and R. SUMMERS. The Continuous Culture of Anaerobic Bacteria.
- S. G. WILKINSON. The Sensitivity of Pseudomonads to Ethylenediaminetetraacetic Acid.
- P. WEGLENSKI. The Mechanism of Action of Proline Suppressors in *Aspergillus nidulans*.
- W. J. BRAMMAR, P. H. CLARKE and A. J. SKINNER. Biochemical and Genetic Studies with Regulator Mutants of the *Pseudomonas aeruginosa* 8602 Amidase System.
- A. AFSHAR. The Growth of *Mycoplasma bovis genitalium* in Cell Cultures.
- A. B. HARRIS. Inhibition of Growth and Nucleic Acid Synthesis in Iron-Deficient *Mycobacterium smegmatis*.
- W. A. HAMILTON and J. M. STUBBS. Comparison of the Germination and Outgrowth of Spores of *Bacillus cereus* and *Bacillus polymyxa*.
- J. T. SMITH. Production of Thymineless Mutants in Gram-Negative Bacteria (Aerobacter, Proteus).
- H. U. JOSHI, A. J. H. CARR and D. G. JONES. Effect of Clover Phyllody Virus on Nodulation of White Clover (*Trifolium repens* L.) by *Rhizobium trifolii*: Clover Phyllody Virus-induced Ineffectiveness in Sterile Culture.
- H. WILLIAMS SMITH and S. HALLS. The Transmissible Nature of the Genetic Factor in *Escherichia coli* that Controls Haemolysin Production.

The subscription rate is £5 net per volume of 3 parts. Single parts 45s. each plus postage. Four volumes will be issued each year. Orders should be sent to

CAMBRIDGE UNIVERSITY PRESS
BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. 1

NOTES FOR CONTRIBUTORS

CONTRIBUTIONS will be welcomed from scientists of all nationalities, but must be written in English. Papers should be sent to the Editor, Dr P. Tate, The Molteno Institute, Downing Street, Cambridge.

GENERAL. Submission of a paper will be taken to imply that it is unpublished and is not being considered for publication elsewhere. Papers published in *Parasitology* may not be reprinted or published in translation without permission from the Editorial Board. Papers should be as concise as clarity permits, and illustrations kept as few as possible. Attention to the following instructions will assist rapid publication:

TYPESCRIPTS. Papers should be typewritten with double spacing, on one side only of quarto paper, leaving a margin of about 4 cm. on the left-hand side of each sheet. Sheets should be numbered consecutively. Heavily corrected typescripts may have to be returned to the author for retyping. Papers should state the name of the author and the address to which proofs are to be sent. The address of the laboratory at which the work was carried out will be printed with the authors' names at the head of the paper. A short title, not exceeding 44 letters, should be supplied for running headlines.

The general arrangement of the paper should be as follows: Introduction; Methods; Results; Discussion; Summary of results; References. Tables, explanations of text-figures or plates, and keys to the abbreviations used on figures should be on separate sheets (see below).

PLATES should only be included where they are absolutely essential, as in the reproduction of photomicrographs and similar illustrations demanding very fine detail. Plates are expensive and authors may be required to bear part of the cost if an unduly large number is required. Photographs should be sharp glossy prints, trimmed and mounted on white card and grouped and numbered as they are required to appear in print (overseas contributors may prefer to submit unmounted prints with a sketch to indicate the proposed grouping, in order to reduce postage costs). Please remember that the area of a group cannot exceed 20 by 12.5 cm., after reduction (if any). Lettering is best indicated on an overlay or separate sketch.

TEXT FIGURES should not be more than about twice the size of the finished block, and the thickness of lines and size of points, stipples, etc. determined accordingly. The maximum size of any one group of figures, after reduction, is 20 by 12.5 cm. They must be drawn in Indian ink on white Bristol Board, heavy drawing paper, tracing paper or tracing linen; graph paper ruled in pale blue (but not other colours) is also acceptable. Explanatory lettering should be lightly inserted in blue pencil, with tally lines showing the position of the feature to which it refers, so that the printer may put in the finished lettering. Properly prepared scraperboard drawings may be suitable for reproduction as line drawings, but drawings with gradations of shading (e.g. washdrawings) are not. Please try to avoid creasing or folding illustrations. Legends to illustrations must be given on a separate sheet of paper, but scales of magnification are preferably given alongside the illustrations. Each illustration must have the name of the author and figure number pencilled on the back. Plates and

diagrams should be numbered separately and their approximate positions indicated in the margin of the typescript. It is very convenient if photographs of illustrations are sent with the papers in addition to the original figures; they are essential when the originals are very large, so that they may be sent through the post to referees.

TABLES should be kept to a minimum and the duplication of information in tables and graphs avoided. They should be typed on separate sheets of paper and their approximate positions indicated in the margin of the typescript. Each table should be numbered and be designed to be printed in the normal orientation of the text with the data so grouped as to make the use of rules unnecessary, whenever possible.

NOMENCLATURE. Authors should follow the *International Rules of Nomenclature* in the names of organisms. When new names are introduced the recommendations of the *International Code of Zoological Nomenclature*, 1961, should be strictly adhered to, especially with regard to the designation of types and statements as to where such types are deposited.

REFERENCES should be given only when cited in the text and should be listed in alphabetical order at the end of the paper, in the following form:

Surname of author(s), initials; year of publication; title of paper; title of journal (abbreviated according to the *World List of Scientific Periodicals* and underlined); volume number; first and last page numbers of the work cited. When books are listed, the title of the book should be underlined and it should be followed by the town of publication and the name of the publisher.

Where there is more than one reference to a particular author or group of authors with the same date, references should be distinguished by letters placed after the date, the letter *a* being used for the first reference cited and so on.

PROOFS sent to authors are already in page form and only essential corrections should be made on them. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author; they are in any case liable to delay publication. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958 (British Standards Institution, 2 Park Street, London, W. 1). After correction, the printers' marked proof should be returned to the Editor.

OFFPRINTS. Fifty offprints of each paper are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

MORE DETAILED INFORMATION on the preparation of manuscripts for publication is to be found in the following:

NUTTALL, G. H. F. (1940). Notes on the Preparation of Papers for Publication in the *Journal of Hygiene* and in *Parasitology*, *Parasitology* 32, 1-62 and *J. Hyg.* 40, 1-62. (Now out of print and also out of date in some respects.)

The Journal of Physiology (1960). Suggestions to Authors 150, 1-33, Cambridge University Press. THE ROYAL SOCIETY published a second edition of *General Notes on the Preparation of Scientific Papers* in 1965.

PARASITOLOGY

Volume 57, Part 2 May 1967

CONTENTS

| | PAGE |
|---|------|
| DOBSON, COLIN. Changes in the protein content of the serum and intestinal mucus of sheep with reference to the histology of the gut and immunological response to <i>Oesophagostomum columbianum</i> infections. (With 7 Figures in the Text) | 201 |
| CANNON, L. R. G. <i>Caryospora demansiae</i> sp.nov. (Sporozoa: Eimeriidae) from the Australian snake <i>Demansia psammophis</i> (Elapidae). (With 1 Figure in the Text) | 221 |
| CANNON, L. R. G. New coccidia from Australian lizards I. <i>Isospora</i> . (With 3 Figures in the Text) | 227 |
| CANNON, L. R. G. New coccidia from Australian lizards. II. <i>Eimeria</i> . (With 5 Figures in the Text) | 237 |
| STEBBENS, W. E. and JOHNSTON, M. R. L. The ultrastructure of a haemogregarine parasitic in <i>Gehyra variegata</i> (Duméril & Bibron, 1836). (With 4 Plates) | 251 |
| DONALD, A. D. Population studies on the infective stage of some nematode parasites of sheep. I. The frequency distribution of strongyloid infective larvae in random samples of pasture. (With 1 Figure in the Text) | 263 |
| BOWERS, E. A. and JAMES, B. L. Studies on the morphology, ecology and life-cycle of <i>Meiogymnophallus minutus</i> (Cobbold, 1859) comb. nov. (Trematoda: Gymnophallidae). (With 20 Figures in the Text) | 281 |
| ARME, C. and OWEN, R. WYNNE. Infections of the three-spined stickleback, <i>Gasterosteus aculeatus</i> L., with the plerocercoid larvae of <i>Schistocephalus solidus</i> (Müller, 1776), with special reference to pathological effects. (With 2 Plates and 3 Figures in the Text) | 301 |
| YINON, U., SHULOV, A. and MARGALIT, J. The hygroreac-tion of the larvae of the Oriental rat flea <i>Xenopsylla cheopis</i> Rothsch. (Siphonaptera: Pulicidae). (With 2 Figures in the Text) | 315 |
| JEFFRIES, L. and HARRIS, MARGARET. Observations on the maintenance of <i>Trichomonas vaginalis</i> and <i>Trichomonas foetus</i> ; the effects of cortisone and agar on enhancement of severity of subcutaneous lesions in mice | 321 |
| OGILVIE, BRIDGET M. and JONES, VALERIE E. Reaginic antibodies and immunity to <i>Nippostrongylus brasiliensis</i> in the rat. I. The effect of thymectomy, neonatal infections and splenectomy. (With 4 Figures in the Text) | 335 |
| LONG, P. L. Studies on <i>Eimeria praecox</i> Johnson, 1930, in the chicken. (With 1 Plate and 1 Figure in the Text) | 351 |
| ROSE, M. ELAINE. Immunity to <i>Eimeria brunetti</i> and <i>Eimeria maxima</i> infections in the fowl. (With 1 Plate) | 363 |
| DOWDING, VALERIE M. The function and ecological significance of the pharyngeal ridges occurring in the larvae of some cyclorrhaphous Diptera. (With 7 Figures in the Text) | 371 |
| CROMPTON, D. W. T. Studies on the haemocytic reaction of <i>Gammarus</i> spp., and its relationship to <i>Polymorphus minutus</i> (Acanthocephala). (With 18 Figures in the Text) | 389 |