

Subject index

- Absolute responsivity, 161, 164
- Absorption cross section, 81–3
- Absorption length, 81–3, 275
- Accelerator, 93–102
- Acceptance, 26, 328
- Accidentals, 139, 307
- Acoustic radiation, 74–5
- Active target, 129
- Aerogel, 193
- Afterpulsing, 164–5
- Albedo events, 299
- Alignment, 19
- Analog/digital converter (ADC) (*see also* Flash ADC), 143–4, 171, 248, 316
- Analog methods for wire chambers, 228
- Analyzing power, 373
- Angular distribution, 87–91
- Annihilation, 46, 53–4
- Anti-(veto) counter, 167–8, 304, 337
- Antineutron, 315
- Antiparticle, 4, 5, 10
- Antiproton
 - beam, 102, 107
 - interactions, 82, 85, 87
 - multiple scattering, 71
 - trigger, 312
- Antiproton–proton collider, 101–2, 115
- Arrival time method, 231
- Atomic properties of common materials, 84
- Atomic properties of elements, 83
- Atomic shell, 42, 56
- Attachment in gases, 211, 215, 223, 253, 268, 290
- Attenuation coefficient, 392
- Attenuation length, 155, 159
- Auger electron, 56
- Axial field magnet, 331–2, 346
- Axial field spectrometer (AFS), 346–7
- Background, 17, 307, 374
- Bargmann–Michel–Telegdi equation, 362
- Barium flouride, 333–4
- Barn, 391
- Baryon, 3, 9
- Baryon quantum number, 7
- Beam–beam events, 367
- Beam dump, 120, 130
- Beam monitor, 74, 115, 207
- Beam profile, 113–14
- Beam transport, 108–15, 329
- Bending magnet (*see* Dipole magnet)
- Betatron oscillation, 97
- Bethe–Bloch formula, 35–41
- BGO, 149–50, 333–4
- Bhabha scattering, 46, 65–6, 115, 299
- Binding energy, 274–5
- Binomial distribution, 389
- Biological effectiveness, 120
- Booster, 97
- Bragg peak, 33
- Branching ratio, 10, 366
- Bremsstrahlung
 - coherent, 73–4
 - ordinary, 47–53, 59, 260
- Brookhaven, AGS, 95, 376
- Bubble chamber, 4, 16, 23, 25, 129, 285–8, 333, 367
- Burst guard discriminator, 136–7
- Calibration, 17, 19
- Calorimeter
 - continuous, 259, 266, 333–4
 - electromagnetic, 266–74, 337–9, 341–5, 347–8, 379
 - hadron, 74, 278–9, 315–6, 337–9, 342–7, 379–80
 - liquid argon, 268–71, 275, 277–8, 316

- particle identification, 280
- PWC, 268–9, 272, 349–50
- readout, 266–8
- resolution, 269–72, 279–81
- scintillator, 152, 267–9, 273, 315–16
- uranium, 278–81
- CAMAC, 19, 141–2, 227–8
- Cascade particle, 9, 312–15, 365
- Cathode pad (strip), 228–30, 256
- Center of momentum (CM) frame, 11–13
- Central detector, 333, 379
- Cerenkov angle vs velocity, 180
- Cerenkov counter
 - absorption, 201–3
 - aerogel, 193–6, 346
 - differential, 184, 196–201, 349
 - efficiency, 191–2, 194–5
 - gas, 186–90, 193–5
 - intensity monitor, 115
 - particle identification, 335
 - radiator, 183
 - threshold, 184, 190–6, 310–1, 346, 377
 - total internal ref, 190–1
 - (*see also* DISC, Lead-glass, Ring imaging counters)
- Cerenkov effect, 42, 178–83
- CERN
 - ISR, 100–2
 - LEAR, 102
 - LEP, 102–3
 - PS, 95, 102
 - SPS, 95, 100, 102, 107
- Channeling (radiation), 73–4
- Characteristic energy, 238
- Characteristic length, 113
- Charge, measurement of, 358–9
- Charge coupled device (CCD), 248, 257
- Charge division, 230–1, 346
- Charge exchange in gases, 211
- Charged current interaction, 88
- Charged hadron beam, 107
- CHARM spectrometer, 246, 337–8, 340
- Chord, 326
- Clearing field, 290
- Clipping, 146
- Clusters, ionization, 255, 296–7
- Coaxial cable, 144–6
- Cockcroft–Walton accelerator, 94
- Coincidence curve, 138, 140, 329–30
- Coincidence overlap, 137
- Coincidence unit, 137–41
- Coincidence width, 137–8
- Colliding beam accelerator, 99–102
- Collimator, 103
- Collision length, 81
- Collision time, 32, 395
- Compton effect, 56–8
- Computer, online, 17, 352
- Constant fraction discriminator, 136
- Constants, physical, 385
- Cooling, phase space, 101–2
- Coplanarity, 305, 307
- Cornell, CESR, 100
- Cosmic rays, 14, 74, 118–19, 349
- Coulomb interference cross section, 370
- Coulomb scattering, 64–7, 370
- Coupling, electronic, 134–5
- Crate controller, 141
- Crazing, 153
- Critical angle
 - channeling, 72–3
 - internal reflection, 157
- Critical energy, 52–3, 260
- Critical pressure, 187–8
- Critical temperature, 187–8
- Cross section and probability, 391–2
- Cryogenic liquids, 126
- Crystal Ball spectrometer, 347–9
- Curvature, 23, 326
- Cyclotron frequency, 363
- Dalitz plot, 26
- Dark current, 165
- Data acquisition, 351–4
- Data analysis, 18–26
- Deadtime, 15, 316
- Decay length, 7
- dE/dx
 - in liquid or solid, 35–6, 286, 288
 - in gases, 41, 239, 254
 - measurement of, 167, 169, 252–5, 286, 288, 359
 - particle identification, 252–7, 335
- Delay curve (*see* Coincidence curve)
- Delay line, 230, 249
- Delta ray (knock-on electron), 42, 44–5, 192–3, 208, 224, 288
- Density effect, 40–1, 44
- Depolarizing resonance, 99
- DESY
 - DORIS, 100
 - HERA, 102–3
 - PETRA, 100–1
- Detailed balance, 362
- Detector uses, 17
- Differential cross section, 392
- Diffraction scattering, 85, 368
- Diffusion, 212–13, 236–9, 249–50, 256
- Dipole magnet, 96, 108–11, 331–2, 339, 344
- Dirac theory, 37, 59, 362
- Direct pair production, 53
- Direct photon, 309–10, 315
- DISC Cerenkov counter, 197–9, 314

- Discriminator, 134–7
- Dispersion, 178–9, 197
- Distribution function, 388
- Double nuclear scattering, 129, 372
- Double pulse resolution, 135
- Drift chamber
 - construction, 241–6, 251
 - cylindrical, 18, 242–5
 - dE/dx , 252–7
 - degradation, 252
 - efficiency, 239, 245
 - electronics, 247–9, 251, 341
 - gas, 234–40, 243, 256, 345
 - high voltage, 245
 - magnetic field, 235–7
 - monitor, 249
 - planar, 241–2, 345
 - principle, 234–5
 - space-time relation, 234, 242, 252
 - spatial resolution, 234, 236–7, 239, 249–52
 - time response, 333
 - tubes (PDT), 245–6, 340–1
 - (*see also* Time projection chamber)
- Drift space, 108, 110
- Drift velocity, 212–13, 235–40
- Duty cycle, 93

- $E \times B$ correction, 20, 225, 235, 241
- Effective mass, 6, 7, 320–1, 365
- Elastic scattering
 - coherent, 81–2
 - electromagnetic, 64–7
 - hadronic, 80, 368–72
 - luminosity, 115
 - quasi-, 81–2
 - spectrometer, 328–9, 371–2
 - TOF, 172
 - trigger, 305–7, 318
- Electromagnetic shower, 14, 16, 46, 259–66, 270–1, 273
- Electromagnetic shower detector (*see* Calorimeter)
- Electron
 - annihilation, 53–4
 - beam, 96, 106, 330, 375
 - bremsstrahlung, 47–53
 - channeling, 74
 - detection, 201–2, 266–74, 279, 286, 294, 335, 375–80
 - energy loss to radiation, 51–3
 - energy spectrum, 270–1, 273
 - ionization loss, 41, 46–7
 - magnetic moment, 8, 9, 363
 - mass, 8, 9
 - multiple scattering, 71
 - pair production, 59–63
 - polarized scattering, 88, 374
 - pulse height spectrum, 45
 - radius, 38
 - range, 47
 - relativistic rise, 47
 - shower, 259–66
 - spectrometer, 375, 377, 380
 - spin, 362
 - trigger, 308, 310–11
- Electron affinity, 211
- Electron–positron collider, 100–2, 115
- Electron–electron interactions, 85, 87
- Electroweak interaction, 3
- EMC spectrometer, 246, 249, 319, 336, 340
- Emittance, 113
- Empty target correction, 72, 369, 372
- Emulator, 317, 352
- Emulsion, 16–17, 288–9
- Energy deposition of 10 GeV proton, 275
- Energy loss (*see* dE/dx , Ionization energy loss)
- Energy transfer, maximum, 13–14
- European Hybrid Spectrometer (EHS), 202
- Excitation, 208
- Expectation value, 388
- External muon identifier, 286

- Fan in/out, 142–3
- FASTBUS, 142
- Fermi momentum, 126, 128
- Fermi plateau, 40–1
- Fermilab
 - main ring, 95, 97–8, 106–7, 130
 - Tevatron I, 102–3
- Filter, event, 20
- Fission compensation, 278–81
- Fixed target accelerator, 94–9
- Flash ADC, 248, 255
- Flash tube detector, 266, 298, 333
- Flat top, 98
- Fluorescence, 56, 148
- Fluorescent converter, 157
- Flux monitors, 115–17
- Foam limit, 287
- Foil, radioactive, 115–17
- Form factor, 370
- Forward particle, 10–11, 87–8
- Four-vector, 6
- Frank–Condon principle, 151
- FREJUS spectrometer, 349–50
- Frequency function, 388

- g factor, 362
- g factor anomaly, 362
- g -2 experiments, 359
- Gas Cerenkov radiator, 188, 193
- Gas jet target, 15, 130–1

- Gases, fundamental processes, 208–15
- Gate generator, 143
- Gauge boson, 3, 5, 8, 89
- Gaussian distribution, 389–90
- Geiger mode, 206–7, 268
- Geometrical fitting, 22–4
- Giant resonance, 55
- Gluon, 5
- Gravitational force, 2, 5
- Graviton, 5

- Hadron, 3, 79
- Hadronic shower, 274–8, 281
- Hall probe, 328
- Heavy ions, 74, 120
- Helical trajectory, 22–4, 325
- High voltage system, 165–6
- Hodoscope, 168–9
- Holography, 288
- Horn, neutrino, 105–6
- Huyghens construction, Cerenkov, 181
- Hybrid bubble chamber, 286
- Hydrogen atom, radius, 49
- Hydrogen, liquid, 36, 101, 125–7, 287
- Hydrophone, 74
- Hyperon, 3
 - beam, 108
 - decay, 90–1

- Impact parameter, 30–2
- Inclusive production, 85–7
- Index of refraction, 178–9, 182–3, 187–8, 190, 193, 202
- Inefficiency, 22, 307
- Interaction length, 392
- Interferometer, 190
- Ionization chamber, 115, 206–7
- Ionization energy loss
 - classical, 30–4
 - fluctuations, 42–6
 - quantum, 34–42
- Ionization in gases, 208–10
- Ionization potential, 37–41, 208–9

- J particle, 376–9
- Jet, 4, 316, 381

- K⁺ detector, 298
- Kaon
 - beam, 107
 - detection, 298
 - interactions, 82, 85
 - ionization loss, 35–6
 - mass, 8, 359
 - multiple scattering, 71
 - production, 86–7
 - properties, 8
 - range, 35–6, 298
 - TOF, 172–4
 - trigger, 306, 308, 312, 318
- Kaonic atom, 359
- KEK
 - synchrotron, 95
 - TRISTAN, 102–3
- Kinematic fitting, 25–6

- Laboratory (LAB) frame, 10–12
- Lagrangian multiplier, 26
- Lambda particle
 - decay distribution, 363
 - magnetic moment, 9, 363–4
 - polarization, 363
 - precession angle, 364
 - production, 86–7
 - properties, 9
 - trigger, 309, 313
- Landau distribution, 43–4, 53, 210
- Large pt production, 88, 309, 316, 346
- Larmor precession frequency, 236
- Lead–glass counter, 156, 202–3, 315
- Leading particle, 88
- Left–right ambiguity, 241, 318
- Lepton, 3, 8
- Lepton number, 88
- Lifetime, 364–6
- Light collection, 156–61, 185–6, 197
- Light guide, 157, 159–60
- Limited streamer mode, 268
- Linear accelerator (Linac), 94–6
- Linear attenuation coefficient, 54, 63
- Linear energy transfer, 120
- Liouville theorem, 112, 160
- Liquid hydrogen (*see* Hydrogen, liquid)
- Logic levels, 134
- Lookup table, 317
- Lorentz invariant, 11–12
- Lorentz transformation, 5, 6
- Lorenz–Lorentz law, 187
- Luminosity, 99, 101

- Magic gas, 216, 220
- Magnetic field
 - configurations, 331–3
 - measurement, 328, 360, 364
- Magnetic moment, 10, 362–4
- Magnetic shield, 165
- Magnetostriction, 293
- MARK III spectrometer, 175
- Mark-J spectrometer, 341, 345
- Marx generator, 293
- Mass, measurement of, 359–61
- Mass attenuation coefficient, 63
- Mean free path, 81
- Meson, 3, 8

- Minimum bias trigger, 304
- Minimum ionization, 38
- Missing mass, 26
- Mobility, 212
- Moliere radius, 264
- Moliere theory of multiple scattering, 69–73
- Moller scattering, 46, 65, 375
- Momentum resolution, 326–7, 329, 332
- Momentum transfer, 14
- Monitoring, 17, 169, 175, 202, 249, 351, 354
- Monte Carlo technique, 26
- Motion of ions in E and B fields, 235–7, 394–5
- Mott scattering, 65, 375
- Multiparticle spectrometer (BNL), 241–2, 320
- Multiple scattering, 67–73, 197, 239, 327
- Multiplication, charge, 214–20, 268
- Multiplicity, 85–7, 89
- Multistep avalanche chamber, 225
- Multiwire Proportional Chamber (MWPC)
 - construction, 218–22
 - deadtime, 224
 - efficiency, 220–4, 226, 295
 - electronics, 225–31
 - electrostatic force, 219–20
 - energy resolution, 220
 - field distribution, 218–9
 - gas, 221, 268, 295
 - in magnetic field, 224–5
 - spatial resolution, 218, 223, 228, 231, 268
 - time resolution, 224, 337
 - trigger, 226
 - wire clusters, 223, 227
 - (see also Proportional chamber)
- Muon
 - beam, 107, 336
 - bremsstrahlung, 47
 - decay, 8, 361
 - detection, 279, 298, 332, 336, 341, 359
 - ionization loss, 35–6
 - lifetime, 8, 10
 - magnetic moment, 8, 363
 - mass, 8, 359
 - momentum in pion decay, 359–61
 - production, 85, 88
 - range, 35–6, 298
 - trigger, 298, 308, 311–12, 315, 319–21, 337
- NA1 spectrometer, 230
- NA3 spectrometer, 222, 227
- NaI scintillator, 149–50, 167, 333–4, 348
- Neutral current interaction, 88–9
- Neutral hadron beam, 107–8
- Neutrino
 - beam, 105–6, 341
 - detection, 129, 279, 282–3, 285, 336, 379
 - fission, 118
 - interactions, 88–91, 201
 - mass, 10, 359–61
 - solar, 118, 349
 - trigger, 303, 341
- Neutron
 - beam, 107–8
 - detection, 152, 167, 201, 280–2, 313–14
 - interactions, 79–83
 - lifetime, 9, 10
 - production, 55
 - properties, 9
 - trigger, 306, 308, 313
- NIM electronics, 133–4, 142
- Noise, 22
- Novosibirsk, VEPP-4, 100
- Nuclear magnetic resonance (NMR), 131–2, 328, 360–1, 364, 375
- Nuclear shadowing, 129
- Nucleon, 3
- Nucleon decay, 3, 14, 117, 193, 349–51
- Nucleus, radius, 83
- Offline analysis chain, 19
- Omega particle, 3, 4, 9, 313–15, 365–6
- Omega spectrometer, 104, 318
- Optical theorem, 370
- Pair production, 42, 59–63, 260
- Parity, 88, 363
- Particle identification, 16–17, 25, 252–7, 280, 335
- Particle physics, 1, 2
- Pattern recognition, 20–2, 318, 381
- Pedestal, 144
- Penning effect, 210
- Periodic table, 387
- Phase space ellipse, 113–14
- Phosphorescence, 148
- Photoelectric effect, 54–6
- Photomultiplier tube (PMT), 159, 161–5, 172, 174, 182, 186, 193–4
- Photon
 - annihilation, 53–4
 - beam, 104–5, 115
 - bremsstrahlung, 47–52
 - channeling, 73–4
 - Compton effect, 55–8
 - detection, 152, 167, 200–3, 266–74, 279, 286, 341, 347
 - hadronic interactions, 84–5
 - pair production, 55, 59–63
 - photoelectric effect, 55–6
 - shower, 259–66
 - trigger, 308–10, 349

- Photonuclear absorption, 55
- Physics analysis, 26
- Pickup electrode, 115
- Pileup, 270, 336
- Pion
 - beam, 107, 360, 369
 - channeling, 72–3
 - decays, 8, 202, 360, 366, 378
 - detection, 279, 315
 - energy spectrum, 273
 - interactions, 82, 85–6
 - ionization loss, 35–6, 41
 - mass, 8, 359
 - multiple scattering, 71–3
 - production, 86–8, 107
 - range, 35–6, 298
 - shower, 273–5
 - spin, 362
 - TOF, 172–4
 - trigger, 308–11
- Pionic atom, 359
- Plasma frequency, 41
- Poisson distribution, 389
- Polarization, 12, 372–6
- Polarized target, 15, 131–2, 337, 374–6
- Positron
 - annihilation, 53–4
 - bremsstrahlung, 48
 - channeling, 74
 - ionization loss, 46–7
 - pair production, 59–63
 - shower, 259–66
- Positronium, 54
- Potential energy vs atomic spacing, 151
- Preprocessing, 19–20
- Pretrigger, 304
- Primary ionization, 208–9
- Primary ionization rate, 43
- Probability, 388–92
- Projected space angle, 69, 70
- Proper time, 6
- Proportional chamber
 - gases, 45, 216–18, 281
 - principles, 16, 205–8
 - pulse height, 45
 - (*see also* Drift chamber, Multiwire Proportional Chamber)
- Proton
 - beam, 93–4, 107
 - channeling, 72–3
 - detection, 279
 - hadronic energy loss, 274–5
 - interactions, 80–2, 85–7
 - ionization loss, 35–6, 41, 45
 - magnetic moment, 9, 363
 - mass, 9
 - multiple scattering, 71, 73
 - range, 33–6, 298
 - recoil mass distribution, 372
 - spin, 9, 362
 - TOF, 173
 - trigger, 308, 312–13
 - (*see also* Nucleon decay)
- Proton–proton collider, 100–1, 115
- Proton–proton interactions, 367
- Punch through, 311
- Quadrupole magnet, 94, 97, 109–15
- Quality factor, 120
- Quantum chromodynamics (QCD), 4, 5, 376
- Quantum efficiency, 161, 163–4
- Quantum electrodynamics (QED) 3, 29, 48, 59, 65, 85, 107
- Quark model, 4, 91, 117, 359
- Quasistable particle, 8, 10
- Quenching
 - gases, 211, 239
 - scintillator, 150–2
- Radiation length, 52, 260
- Radiation protection, 120–2
- Radiation sickness, 121
- Radiative corrections, 372
- Radio frequency quadrupole (RFQ), 94
- Radioactive source, 119
- Radioactivity, 115–17, 119, 122
- Raether criterion, 215, 290
- Range, 33–6, 45–6
- Rayleigh scattering, 55
- Recoil particle, 10–11
- Recombination in gases, 206–7, 210–11, 293
- Reflection, 157–9, 184–5
- Register (latch), 143
- Relativistic rise, 39–41, 253–5
- Relativity, 5
- Residual, 19
- Resolving time, 137–8
- Resonance, 3, 4, 80, 85, 89
- Response time, 15
- RF cavity, 94, 96
- RF structure, 93–4
- Ring imaging Cerenkov counter (RICH), 193, 198–200
- Risetime method, 231
- Rossi–Greisen equation, 69
- Rutherford scattering, 64–6
- Sagitta, 326
- Sample mean, 388
- Sampling calorimeter, 16, 259
- Saturated avalanche mode, 268
- Scaler, 143
- Scattering, 10–14
- Scintillation, 148

- Scintillation counter
 construction, 16, 148
 deadtime, 333
 dE/dx , 167, 341, 360
 efficiency, 167–8
 energy resolution, 168
 intensity monitor, 115
 response time, 333
 spatial resolution, 168–9
 timing, 169–75
 trigger, 165, 341
 Scintillation efficiency, 150
 Scintillator
 decay time, 150–2
 fibers, 155
 glass, 156
 inorganic, 148–9
 liquid, 152
 noble gas, 155–6
 organic, 149–55
 plastic, 153–5, 167, 174–5
 Screening, 40, 48–50, 59–61
 Secondary beams, 103–8
 Secondary emission monitor, 115
 Self-absorption, 151
 Semiconductor detector, 16, 129–30,
 296–8, 360–1
 Separated beam, 112–3
 Separator, electrostatic, 103–4
 Serpukov, 95, 103
 Shower (*see* Electromagnetic or Hadronic
 shower)
 Sigma particle, 9, 10, 313–14
 Silicon detector (*see* Semiconductor)
 SLAC
 linac, 94–6, 115, 286, 374
 SLC, 102–3
 SPEAR, 100, 347
 Slewing, 135–6
 Sokolov–Ternov effect, 99
 Solenoid magnet, 331–2
 Source, accelerator, 93–4, 99
 Space, charge repulsion, 213–14, 217
 Space–time relation, 234, 252
 Spark chamber, 289–93
 Spark counter, 298–300
 Spatial resolution, 15
 Spectrometer
 colliding beam, 329, 341–9, 367, 379–80
 design criteria, 329–36
 fixed target, 328–9, 336–41, 360,
 363–5, 369, 371, 375–7
 magnetic relations, 325–7
 nucleon decay, 349–50
 Spin
 measurement of, 361–2
 quantum number, 3, 38
 Spline fit, 24
 Split field magnet, 331–2
 Standard deviation, 389
 Statistics, 388–90
 Straggling, 45
 Strangeness quantum number, 3, 7
 Streamer chamber, 16, 210, 293–4, 336–7
 Strong interaction, 2, 3, 79–88
 Structural materials, 397
 SU(3) model, 3
 Synchrotron, 96
 Synchrotron oscillation, 97
 Synchrotron radiation, 47, 98–9, 335
 t distribution, 12, 26
 Target, 125–32
 TASSO spectrometer, 174, 193–6, 244–5,
 268
 Termination, cable, 145–6
 Thin lens approximation, 111
 Thomas–Fermi model of atom, 39, 49, 65
 Thomson cross section, 58
 Thyatron, 290
 Time/digital convertor (TDC), 144, 171,
 247–8
 Time dilation, 6, 7, 363
 Time of flight (TOF), 172–5, 298–300, 335
 Time projection chamber (TPC), 242,
 256–7
 Toroidal magnet, 331–2, 337–40
 Total cross section, 79–85, 89, 367–9,
 391–2
 Total specific ionization, 208–9
 Townsend's ionization coefficient, 214
 Track length, 262
 Track sensitive target, 286
 Tracking, 15, 19, 333
 Transition radiation, 42, 294–7, 335
 Transmission, optical, 185–6
 Transmission measurement, 368–9
 Transport coefficient, 237–8
 Transverse momentum, 88
 Trigger
 beam, 303–4
 data acquisition, 336, 351–3
 deposited energy, 315–7, 379
 final state, 304–7
 general properties, 16–17, 303–7
 higher level, 316–21, 371
 identified particle, 307–15
 multiplicity, 305
 Truncated mean technique, 253–4
 Two body scattering, LAB frame, 393
 UA1 spectrometer, 18, 379–80
 Ultraviolet light, (UV), 159, 161, 179,
 183–6, 200–1

- Updating discriminator, 136
- Uranium calorimeter, 279–81, 347

- Vacuum, beam, 101, 130
- Van de Meer method, 368
- Variance, 388–9
- Vee, 25
- Velocity, measurement of, 172, 196
- Vertexing, 25

- Villari effect, 293
- Virtual particle, 11

- W gauge boson, 3, 5, 18, 88, 379–81
- Waist, 113–14
- Wavelength shifter, 153–4, 157, 186, 267
- Weak interaction, 2, 3, 88–91
- Winston cone, 160–1

- Z gauge boson, 3, 5, 89

