

Intelligence Briefing

Cite this article: Ortiz AMD, de Leon AM, Torres JNV, Guiao CTT, La Viña AGM (2021). Implications of COVID-19 on progress in the UN Conventions on biodiversity and climate change. *Global Sustainability* 4, e11, 1–10. <https://doi.org/10.1017/sus.2021.8>

Received: 30 July 2020
Revised: 16 February 2021
Accepted: 18 February 2021

Key words:
biodiversity; COVID-19; climate change; Paris Agreement; policy

Author for correspondence:
Andrea Monica D. Ortiz,
E-mail: m.ortiz@ucl.ac.uk

Implications of COVID-19 on progress in the UN Conventions on biodiversity and climate change

Andrea Monica D. Ortiz^{1,2} , Alaya M. de Leon², Justine Nicole V. Torres², Cecilia Therese T. Guiao² and Antonio G. M. La Viña^{3,4}

¹Institute for Sustainable Resources, The Bartlett School of Environment, Energy and Resources, University College London, London, UK; ²Parabukas Pte. Ltd., Singapore, Singapore; ³Energy Collaboratory, Manila Observatory, Quezon City, Philippines and ⁴Department of Environmental Science, Ateneo de Manila University, Quezon City, Philippines

2020 was to be a landmark year for setting targets to stop biodiversity loss and prevent dangerous climate change. However, COVID-19 has caused delays to the 15th Conference of the Parties (COP) of the UN Convention on Biological Diversity and the 26th COP of the UN Framework Convention on Climate Change. Negotiations on the Global Biodiversity Framework and the second submission of Nationally Determined Contributions under the Paris Agreement were due to take place at these COPs. There is uncertainty as to how the COVID-19 disruption will affect the negotiations, whether parties will pursue more ambitious actions or take a weaker stance on issues. Our policy analysis shows there are broad opportunities for climate and biodiversity frameworks to better respond to COVID-19, by viewing future pandemics, biodiversity loss, and climate change as interconnected problems. Importantly, there needs to be greater focus on agriculture and food systems in discussions, establishing safeguards for carbon markets, and implementing nature-based solutions in meeting the Paris Agreement goals. We can no longer delay action to address the biodiversity and climate emergencies, and accelerating sustainable recovery plans through virtual spaces may help keep discussions and momentum before the resumption of in-person negotiations. **Non-technical summary:** High ambition needed at UN biodiversity and climate conferences to address pandemics, biodiversity, climate change, and health.

1. Introduction

2020 was touted as a ‘super-year for the environment’ (The Lancet Planetary Health, 2020) for setting ambitious policies and targets for global conservation and greenhouse gases (GHG) for future decades. However, due to the COVID-19 pandemic, the 15th Conference of the Parties (COP) of the United Nations Convention on Biological Diversity (UNCBD) and the 26th COP of the UN Framework Convention on Climate Change (UNFCCC), which were due to take place in October and November 2020 were eventually postponed (Figure 1). There remains much uncertainty as the world continues to grapple with the ‘twin pandemic’ of COVID-19 and its economic recession (Mayhew & Anand, 2020).

Amid this uncertainty, 2021 is a critical time to set forward-thinking environmental policies to overcome the failure to meet previous biodiversity and climate targets. The Aichi Biodiversity Targets remain largely unrealized a decade since their adoption, and millions of species and their habitats will be lost if transformative action is not taken (IPBES, 2019; Secretariat of the Convention on Biological Diversity, 2020a; The Lancet Planetary Health, 2020). Emissions reduction pledges in Nationally Determined Contributions (NDCs) are also insufficient to meet the ‘well below 2°C’ target of the Paris Agreement. Warming is projected to exceed 3°C with the conservative national targets currently represented in the first round of submitted NDCs (Peters et al., 2017; UNEP, 2019).

There are opportunities to address these setbacks and raise ambition at the upcoming COPs, but the uncertainty caused by the pandemic, fueled by the economic downturn, could trigger shifts away from global priorities to more immediate domestic concerns. Some national governments and politicians may argue that environmental action is less pressing, as they turn inward to focus on investments for health services, the economy, and welfare while undermining environmental protections (Hanna et al., 2020; Helm, 2020; McKee & Stuckler, 2020). Indeed, only a limited number of countries have included climate or biodiversity measures in their recovery packages, and a number have introduced measures that reduce environmental taxes or regulatory enforcement (McElwee et al., 2020). Developing countries may be particularly affected, as budgets for climate and biodiversity programs are cut or realigned to COVID-19 response.

© The Author(s), 2021. Published by Cambridge University Press. This is an Open Access article, distributed under the terms of the Creative Commons Attribution licence (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted re-use, distribution, and reproduction in any medium, provided the original work is properly cited.




Figure 1. Adjusted timeline of the main United Nations Convention on Biological Diversity (UNCBD) and the Framework Convention on Climate Change (UNFCCC) meetings and conferences postponed due to COVID-19 restrictions.

Despite these challenges and continued disruption, the delays in the international negotiations could still be providential and result in positive outcomes if they lead to transformative environmental policies that reflect the important connections between climate, biodiversity, health, and human communities. Importantly, global biodiversity and climate policies must heed the urgent message from science: without preventative strategies, pandemics will emerge more often and spread more rapidly, causing more human deaths and crippling the global economy at devastating levels (IPBES, 2020a). There is much research to be carried out, but we share the optimism that the pandemic could serve as a wake-up call to catalyze political decisions and lead to more aggressive action at UNCBD COP 15 and UNFCCC COP 26, with countries and stakeholders demonstrating a greater willingness to tackle biodiversity loss, accelerate the transition to a green economy, and create more integrated environmental policies (Barbier, 2020; Hanna *et al.*, 2020; Helm, 2020; Turney *et al.*, 2020). Hopes are particularly high for enhanced cooperation due to the renewed commitments from the United States to the Paris Agreement and the World Health Organization.

Here, we highlight where progress is needed in both Conventions to address the COVID-19 crisis and the climate and biodiversity emergencies. We emphasize the important interlinkages between biodiversity and climate based on a critical analysis of recent studies and the framework agreements from a global perspective.

2. Interlinkages among climate, biodiversity, health, and effective policy

The COVID-19 pandemic is just the tip of the iceberg, preceding complex issues of an ongoing economic recession, climate change, and biodiversity loss (Figure 2). COVID-19 is itself an environmental problem brought by unsustainable human practices. The transmission of most known zoonotic diseases happens indirectly, and is interlinked with the biodiversity crisis and food systems (Everard *et al.*, 2020; UNEP & ILRI, 2020). The major drivers of zoonotic disease transmission are: (1) increasing human demand for animal protein, (2) unsustainable agricultural intensification, (3) increased use and exploitation of wildlife, (4)




Figure 2. COVID-19 is the tip of the iceberg of interconnected environmental challenges. The pandemic-fueled economic recession caused by COVID-19 is only surpassed by other global challenges like climate change and biodiversity loss.

unsustainable utilization of natural resources accelerated by urbanization, land-use change, and extractive industries, (5) increased travel and transportation, (6) changes in food supply, and (7) climate change (UNEP & ILRI, 2020).

Indeed, the underlying causes of pandemics are the same global environmental changes that drive biodiversity loss and climate change: land-use change, agricultural expansion and intensification, and wildlife trade and consumption (IPBES, 2020a). Among these, land-use change driven by agricultural expansion and intensification accounts for the most significant impacts on biodiversity in terrestrial and freshwater ecosystems (IPBES, 2019; Newbold *et al.*, 2015, 2019). The drivers of increased land-use change arise from the demands of a growing world population with increased affluence (Godfray *et al.*, 2018; Myers & Kent,

2003; Weinzettel et al., 2013). International trade has also enabled the spatial decoupling of food consumption and production systems, with significant impacts on developing nations with high biodiversity (Fader et al., 2013; Lenzen et al., 2012; MacDonald et al., 2015; Meyfroidt et al., 2013). This makes it imperative to find ways to feed the global population and transform food systems to minimize harm to biodiversity, not only to prevent the next COVID-19, but also for food security (Baudron & Liégeois, 2020).

Climate change exacerbates these impacts on biodiversity, human and ecosystem health, livelihoods, infrastructure, and food systems (IPCC, 2019). Climate change also affects the abundance and distribution of pathogens, host species, and wildlife (Casadevall, 2020; Mills et al., 2010; Ogden, 2018) and is projected to lead to more human-wildlife conflicts in ecologically disturbed habitats (Aryal et al., 2014; Johnson et al., 2018; König et al., 2020; Yurco et al., 2017). Climate change will likely cause substantial future pandemic risk by driving changes in the movement of people, wildlife, disease reservoirs, and vectors (IPBES, 2020a).

Using systems thinking (Figure 3), we show the interconnections among the seven drivers of zoonotic diseases, climate change, and biodiversity along with factors that influence the transmission of COVID-19 and other zoonotic diseases, such as urbanization (Connolly et al., 2020), population density (Simpson et al., 2020), and international trade, which has been linked to invasive species introductions (Gallardo et al., 2015). Causal loop diagrams and systems thinking are useful for representing interconnections, causes, and effects in complex systems (Lezak & Thibodeau, 2016; Palmberg et al., 2017) and have

been used to represent the connections in the interacting domains of the environment, agriculture, climate change, and international trade (Ortiz et al., 2021). This diagram will undoubtedly simplify the complex and nuanced connections between these domains. For example, although increased yields from improved practices may have helped agriculture become more carbon efficient, this efficiency has not necessarily led to decreases in resource use (Burney et al., 2010; Pellegrini & Fernández, 2018), in what is known as Jevon’s paradox. Nevertheless, we use the diagram’s simplicity to emphasize that effectively implemented policies are critical to mitigating emissions, protecting biodiversity, and addressing and managing zoonotic diseases such as the COVID-19 pandemic.

Effective public health programs are important in addressing and managing the current pandemic (Legido-Quigley et al., 2020) and approaching the nexus of food safety, zoonoses, and health, such as through the World Health Organization’s One Health program (Gibbs, 2014). Emphasizing the connections between health and biodiversity, a key recommendation of the IPBES pandemic report is to support the institutionalization of One Health programs nationally (IPBES, 2020a). Already, the One Health framework has been adopted by government agencies in ASEAN Member States, namely Vietnam and the Philippines, but increased support, particularly for developing countries, is needed to continue the work of national governments toward early warning systems, wildlife surveillance, education and public awareness campaigns, and inter-agency coordination (Philippine Information Agency, 2020). The drivers of zoonotic diseases can also be addressed through effective biodiversity and climate




Figure 3. Interconnections between the seven main drivers (in bold) of zoonotic diseases (UNEP & ILRI, 2020), food systems, land use, climate change, and opportunities for policy intervention related to the UNCBD and UNFCCC. An arrow indicates a positive feedback loop (+), for example, more income has been shown to drive greater demands for animal-based protein. Red arrows indicate policy interventions which can in turn limit (–) some of the drivers related to increased opportunities for zoonotic disease transmission. For example, achieved mitigation targets mean that emissions are reduced, and this reduction could also mean a reduction in climate change that drives the changes in distribution and abundance of pathogens, host species, and other wildlife. Although this causal loop diagram does not sufficiently represent the complexity of relationships between these dynamic variables, it aims to communicate the important role of effective policies.

policies. The establishment of protected areas and other site-based conservation measures can reduce the number of overexploited species, ensure the persistence of biodiversity, and limit opportunities for zoonotic disease transmission (Geldmann *et al.*, 2019; Sokolow *et al.*, 2019). At present, protected areas have insufficient global coverage and face many practical challenges, leading to variation in the extent to which they prevent extinctions (Butchart *et al.*, 2015; Le Saout *et al.*, 2013) and provide other ecosystem services.

'Effective' is the key word for the role of policy in reducing the negative effects of anthropogenic activity on the environment, and its feedbacks to human communities. It is not the mere existence of biodiversity and climate policies, but their implementation, monitoring and evaluation against targets that demonstrate effectiveness. Measuring effectivity for biodiversity targets means evaluating whether an intervention produces the conservation benefits as desired *ex ante* (Doremus, 2003); this can be interpreted in terms of biodiversity conserved or ecosystem functions and services maintained (Maestre Andrés *et al.*, 2012). Climate policy can similarly be evaluated in terms of its environmental effectiveness, its cost-effectiveness, and consideration of carbon leakage (Steininger *et al.*, 2016).

Although decisive leadership and strong public health policy are needed during the pandemic, biodiversity and climate policies will be key to transitioning societies to truly sustainable economies. Amid the limited resources and competing priorities of a post-COVID world, it is imperative to devote efforts to setting ambitious targets and monitoring progress comprehensively, to ensure that resources are strategically deployed.

3. Opportunities to better consider interactions in the UNCBD and UNFCCC

We analyzed the UNCBD and UNFCCC frameworks to investigate how these integrate the drivers of zoonotic disease transmission, which are the same drivers of biodiversity loss and climate change. Many drivers of zoonotic diseases, biodiversity loss, and climate change are already addressed in the conventions and their activities (Table 1). The Zero Draft of the post-2020 Global Biodiversity Framework (GBF) names the 'safety and security in use of biodiversity to prevent spillover of zoonotic diseases, spread of invasive alien species and illegal trade in wildlife' as an enabling condition to the implementation of the framework (Secretariat of the Convention on Biological Diversity, 2020b). However, for post-pandemic recovery, we find significant gaps in the Conventions and their programs to address climate change and biodiversity. In particular, more focus on agricultural impacts, including those facilitated by international trade (see Table 1, Items 1, 2 and 6) and carbon markets, including trading and offsetting through nature-based solutions (NbS), are needed. Although more efforts to bridge one Convention to the other are key, it is encouraging that joint work and programs between the Intergovernmental Panels on Climate Change and Biodiversity and Ecosystem Services (IPCC and IPBES, respectively) are taking place, including a high-level agreement that links human and animal health and the environment sectors (IPBES, 2020b).

3.1. Gaps in addressing agricultural production and food systems

Agriculture is a cross-cutting theme across conventions, because of its role in food security, sustainable development, and climate change adaptation and mitigation. However, despite agriculture

being established as the leading cause of biodiversity loss (Kehoe *et al.*, 2017), it is not comprehensively addressed in the Zero Draft of the GBF (Secretariat of the Convention on Biological Diversity, 2020b). Agriculture has also historically struggled to find prominence in the climate negotiations. At present, the Koronivia Joint Work on Agriculture (KJWA), co-managed by the Subsidiary Bodies on Scientific Advice and Implementation, addresses the vulnerabilities of agriculture to climate change and approaches to food security. As COVID-19 is linked to food systems, and many pandemics are from zoonotic spill-overs (e.g. from wildlife and livestock), it would be key for the future of the KJWA – to be negotiated at COP 26 – to consider pandemic risk and preventative strategies in agriculture that also benefit mitigation and/or adaptation.

The pandemic has highlighted the interconnections between the exploitation and unsustainable consumption of wildlife and human health, and how these are exacerbated by socio-economic drivers, especially in developing countries, where communities face food insecurity, lack of access to clean water, and limited economic opportunities (IPBES, 2019). There has been a disproportionate focus on calls for wildlife bans on Africa and Asia, whereas a reduction in global meat consumption, and increased efforts to combat the illegal wildlife trade would be more beneficial than banning small-scale animal husbandry (Petrikova *et al.*, 2020). Additionally, many countries routinely outsource their biodiversity threats to other nations (Eskew & Carlson, 2020; Lenzen *et al.*, 2012). The international food trade must be more clearly acknowledged as a facilitator of biodiversity loss in the post-2020 agenda.

Another gap is the absence of scientific targets for achieving healthy diets from sustainable food systems, which hinders efforts to transform the global food system (Willett *et al.*, 2019). Evidence shows that meeting the Paris Agreement is not possible without widespread dietary change, and as such, these issues should be considered in Agriculture, Forestry and Other Land Use negotiations at the UNFCCC (Gralak *et al.*, 2020). Developing targets for sustainable diets can potentially address the interactions between biodiversity, livestock, human health, as well as climate change and sustainable development. Although some NDCs address agriculture and food systems, it is urgent that food systems are seen as whole rather than in separate parts; this includes diets and food waste (Schulte *et al.*, 2020). There is thus great value in addressing food systems, and using the advantages of systems thinking, to bridge more coordinated work across the Conventions through national pledges in NDCs.

3.2. Gaps in safeguards for meeting the Paris Agreement through carbon markets and nature-based solutions

Rules and guidelines on voluntary carbon markets and a Sustainable Development Mechanism being negotiated under Article 6 of the Paris Agreement should reflect strong environmental and social safeguards. Article 6 remains an outstanding negotiation item under the Paris Agreement 'Rulebook', a major sticking point for parties at COP 25. Aside from questions around accounting and the integrity of offsets, inclusion of human rights considerations was controversial and the final draft text from Madrid excluded rights-related language, much to the dismay of NGOs and indigenous peoples groups (Evans & Gabbatis, 2019; Timperley, 2019). Safeguards in Article 6 are crucial to ensure that future actions afford protections for communities and ecosystems where large-scale climate projects are to take place, as well as

Table 1. Drivers of zoonotic disease that are closely linked to biodiversity loss and climate change, current consideration in framework agreements and programs, and references to the drivers in the post-2020 agenda of the UNCBD and/or UNFCCC

Drivers of zoonotic disease (UNEP & ILRI, 2020)	Current consideration in the biodiversity and climate conventions, programs, and activities	Opportunities for enhanced action in the post-2020 agenda
1. Increasing human demand for animal protein	<ul style="list-style-type: none"> • ‘Sustainable wildlife management’ in the UNCBD refers to the sustaining of wildlife populations and habitat over time, considering the socio-economic needs of people.ⁱ • Aichi Biodiversity Target 12 sought to prevent the extinction of known threatened species, and to improve the status of species in decline. In 2018, the COP recommended that prevention of species loss should focus on regions where most species diversity exists and/or where they are the most threatened.ⁱⁱ • The Voluntary Guidelines for a Sustainable Wild Meat Sectorⁱⁱⁱ aim to manage the demand of meat along the entire value chain, and create the enabling conditions for legal, sustainable management of terrestrial wild meat in tropical and subtropical habitats, taking into account the traditional use by indigenous peoples and local communities without adversely affecting their livelihoods. 	<ul style="list-style-type: none"> • Currently, the Zero Draft of the post-2020 GBF includes a target on ensuring that ‘harvesting, trade and use of wild species is legal and at sustainable levels’. The evidence-based determination of what these ‘sustainable levels’ are, should be of high significance in the discussion of this target at the upcoming COP. • There are opportunities to consider dietary change and a shift toward less meat-intensive and GHG-intensive diets in NDCs. Although many countries mention the agriculture sector in their NDCs, very few set targets in relation to other stages of the food system, such as food loss and waste reduction, sustainable diets, or food consumption. Only 11 countries currently mention food loss in their NDCs, and not one country makes reference to food waste, a significant contributor to emissions from food systems (Schulte et al., 2020). • There is thus great scope for higher ambition and consideration of diets in line with national ‘Net Zero’ goals and NDCs.
2. Unsustainable agricultural intensification	<ul style="list-style-type: none"> • Aichi Biodiversity Target 7 sought to address direct drivers of loss by promoting the sustainable management of areas under agriculture, aquaculture and forestry. In 2018, the COP placed emphasis on soil biodiversity and the need to improve enforcement and monitoring in sustainable forest management actions and the timber trade.^{iv} • The UNFCCC addresses agriculture and forestry among the sectors considered as sources of anthropogenic emissions, along with energy, transport, industry, and waste management.^v • The Koronivia Joint Work on Agriculture (KJWA) work program established in 2017 under the UNFCCC takes into consideration the vulnerabilities of agriculture to climate change and approaches to addressing food security. 	<ul style="list-style-type: none"> • There is an opportunity to emphasize the role of the ecosystem services provided to agriculture in the Zero Draft of the post-2020 GBF, under the target on conserving and enhancing biodiversity in agricultural and other managed ecosystems to improve productivity,^{vi} including supporting cropland biodiversity, providing biodiversity corridors in agricultural land, and adopting agro-ecological practices. • At COP 26, negotiations on the future of the KJWA work program roadmap^{vii} will take place. This is an important opportunity to integrate the knowledge on the interconnections between the pandemic, biodiversity, and food systems. As agriculture is a fundamental component of mitigation and adaptation strategies, the KJWA should be revisited with a pandemic lens.
3. Increased use and exploitation of wildlife	<ul style="list-style-type: none"> • In its Preamble, Parties to the Paris Agreement ‘[note] the importance of ensuring the integrity of all ecosystems, including oceans, and the protection of biodiversity, recognized by some cultures as Mother Earth ... when taking action to address climate change’. They must ‘promote environmental integrity’, among other factors when accounting for their nationally determined contributions.^{viii} 	<ul style="list-style-type: none"> • High ambition is needed for the target in the Zero Draft of the GBF, which seeks active management actions to enable wild species of fauna and flora recovery and conservation, and the reduction of human–wildlife conflict by a yet-to-be negotiated percentage. This has implications for reducing pandemics, which are driven by increased human–wildlife interactions.
4. Unsustainable utilization of natural resources accelerated by urbanization, land-use change, and extractive industries	<ul style="list-style-type: none"> • Aichi Biodiversity Target 5 sought to reduce the rate of habitat loss, degradation, and fragmentation by at least half. In 2018, the COP recognized that while the annual rate of net forest loss had been halved, but more regional action was needed to address deforestation and forest degradation, and loss of other ecosystems.^{ix} • Aichi Biodiversity Target 11 aimed to establish additional systems of protected areas or other area based conservation measures. In 2018, although noting that many countries had established new protected areas, many of these were not connected. Additionally Parties had not assessed the management effectiveness of their protected areas (see footnote 9). • Taking into account common but differentiated responsibilities and national and regional development priorities, objectives, and circumstances, Parties to the UNFCCC must ‘[p]romote sustainable management, and promote and cooperate in the conservation and enhancement, as appropriate, of 	<ul style="list-style-type: none"> • High ambition is needed in the Zero Draft of the Post-2020 GBF targets on (1) addressing land- and sea-use change in terrestrial, marine, and freshwater ecosystems and (2) protecting biodiversity-rich sites as Protected Areas or other area-based conservation measures.^{xii} • Parties to the Paris Agreement are expected to communicate the second iteration of their NDCs leading to COP26.^{xiii} which presents an opportunity for countries to include mitigation and adaptation approaches and targets that integrate climate change, biodiversity/ecosystems, and health. • Although the second commitment period of the Kyoto Protocol, which includes LULUCF-related interventions by developed countries, ended in 2020, conservation of forest sinks and reservoirs in developing countries through REDD+ and alternative policy approaches continues post-2020. These approaches require the application of environmental and social safeguards and a holistic treatment of ecosystems, and could consider pandemic prevention explicitly.

(Continued)

Table 1. (Continued.)

Drivers of zoonotic disease (UNEP & ILRI, 2020)	Current consideration in the biodiversity and climate conventions, programs, and activities	Opportunities for enhanced action in the post-2020 agenda
	<p>sinks and reservoirs of all greenhouse gases not controlled by the Montreal Protocol, including biomass, forests and oceans as well as other terrestrial, coastal and marine ecosystems'.^x</p> <ul style="list-style-type: none"> The UNFCCC, bolstered by the Paris Agreement, set out the mechanism and guidelines for incentivizing reducing emissions from deforestation and forest degradation in developing countries, through Reducing Emissions from Deforestation and Forest Degradation-Plus (REDD+), alternative policy approaches such as joint mitigation and adaptation, and non-carbon benefits associated with these approaches.^{xi} The Kyoto Protocol and Marrakech Accords address Land Use, Land Use Change and Forestry (LULUCF) as areas for mitigation interventions by developed countries. 	
5. Increased travel and transportation	<ul style="list-style-type: none"> The UNFCCC addresses transport among the sectors considered as sources of anthropogenic emissions, along with energy, industry, agriculture, forestry, and waste management (Article 4.1). The Katowice Partnership for E-Mobility, which is a dedicated framework for encouraging technological and organizational changes in the sector to further develop zero-emission transport. 	<ul style="list-style-type: none"> Emissions from transport and travel are determined by parties in their independent NDCs; high ambition in their second review (or for some countries, the first NDC submission) is needed. Connectivity through travel and transportation proved to be key factors in the rapid spread of COVID-19 and they should be better considered in the context of climate change, where ongoing discussions on accounting for emissions from international aviation and maritime transport are already taking place. However, there are significant gaps in addressing international aviation and maritime transport in the Paris Agreement (Romera, 2016).
6. Changes in food supply	<ul style="list-style-type: none"> The UNCBD does not address the international trade of agricultural products and its impacts on biodiversity directly (United Nations Convention on Biological Diversity, 2017), and instead relies on overlapping mechanisms from the World Trade Organization or the UN Conference on Trade and Development (e.g. BioTrade initiative). 	<ul style="list-style-type: none"> Although the IPBES recognizes the globalized food system and its impacts on biodiversity, it stops short of including the role of international trade in its latest pandemic report (IPBES, 2020a), rather focuses on the wildlife trade. Opportunities should be created to better recognize the impacts of the spatial decoupling of production and consumption, key considerations in land-use change for agriculture and forestry, on biodiversity.
7. Climate change	<ul style="list-style-type: none"> 197 Parties have ratified the UNFCCC, whose ultimate aim is to prevent 'dangerous' human interference with the climate system. Although 'climate change' cannot be found in the 1992 UNCBD framework text, the UNCBD seeks to address all threats to biodiversity and ecosystem services, including threats from climate change. Under the UNCBD, Voluntary Guidelines have been adopted on ecosystem-based approaches to climate change adaptation and disaster risk reduction.^{xiv} 	<ul style="list-style-type: none"> There are opportunities to emphasize the role of NbS in the Zero Draft of the post-2020 GBF, which includes a target for biodiversity's contribution to Climate Change Adaptation, Mitigation and Disaster Risk Reduction.^{xv} Ecosystem-based approaches to disaster risk reduction and management can contribute significantly to hazard mitigation, including flood or storm surge protection (Chong, 2014; Munroe <i>et al.</i>, 2012) while also increasing carbon sequestration and creating/providing habitat for species.

ⁱCollaborative Partnership on Sustainable Wildlife Management 2015, cited in Decision 14/7.ⁱⁱUNCBD, Decision 14/1.ⁱⁱⁱUNCBD, Decision 14/7.^{iv}UNCBD, Decision 14/1.^vUNCBD/WG2020/REC/2/1, 25.^{vi}UNFCCC, Article 4.1(c).^{vii}UNFCCC/SBI/2018/9.^{viii}UNFCCC Paris Agreement, Article 4.13.^{ix}UNCBD, Decision 14/1.^xUNFCCC, Article 4.1(d).^{xi}UNCBD/WG2020/REC/2/1, 8, 10.^{xii}UNFCCC Paris Agreement, Article 4.9.^{xiii}REDD+ Decision Booklet; Article 5, Paris Agreement.^{xiv}UNCBD/WG2020/REC/2/1, 19.^{xv}UNCBD Decision 14/5.

align with countries' obligations under other human rights and environmental agreements. Mistakes in the implementation of the Clean Development Mechanism (Ervine, 2015; Obergassel

et al., 2017) must be avoided while maintaining the gains on safeguards in the negotiations on Reducing Emissions from Deforestation and Forest Degradation-Plus (REDD+).

NbS have been featured as cross-cutting interventions for biodiversity and climate change. They include a wide range of adaptation and mitigation responses, such as preserving and restoring natural ecosystems, biodiversity conservation, and other risk management options (Griscom et al., 2017; IPCC, 2019). NbS can potentially provide 37% of the mitigation needed to meet the Paris Agreement (IPBES, 2019). However, this figure may also be overestimated as its success is highly dependent on many factors, including governance and financing capacity (Griscom et al., 2020; Seddon et al., 2020). Although there is much optimism for NbS, binding social and environmental safeguards are vital for their implementation. Advocates are concerned that private sector- and fossil fuel industry-driven forest restoration initiatives will be veiled substitutes for more progressive actions to reduce GHG emissions and address land-use change. It is expected that civil society will keep a close eye on the discussions on Article 6 and NbS to ensure that they are carried out with due regard for human rights – particularly the rights of indigenous peoples and local communities – and ecosystems integrity.

4. Moving discussions and actions forward in the pandemic

There is a herculean task of building the momentum for positive change, and preventing the global community from falling back to ineffective and insufficient climate and biodiversity actions. Calls for sustainable recovery should be enhanced at the COPs, in setting the principles and criteria for these sustainable recovery plans, and seeking that they are compatible with the Paris Agreement (Oberghassel et al., 2020). Apart from the need for frameworks to cover the gaps we outline, there are opportunities to regain lost momentum and move the delayed discussions forward in a pandemic/post-pandemic environment.

The increased use of virtual spaces during the pandemic should be taken advantage of to streamline discussions leading up to the resumption of in-person conferences. Virtual spaces may be useful in overcoming the typical pace of international negotiations, which take place over 2 weeks with many breakthroughs at the 11th hour. Major decisions are not being made in these online spaces – and rightly so, due to differences between developed and developing nations' internet connectivity and technological capacity, as well as practical considerations such as regional time zones. In-person negotiations are also affected by the politics of internal discussions and huddles, and calls from civil society. However, virtual spaces present an important, low-cost, and low-emissions opportunity to accelerate the anticipated in-person discussions. Online dialogues in 2020, including the first joint workshop between the IPCC and IPBES and the UNFCCC climate dialogues in late 2020, have set an important tone to maintain science and policy momentum.

Well-considered post-pandemic recovery policies and programs can potentially deliver a 'quadruple-win' on economic, biodiversity, climate, and health goals through programs achieved with incentives that make conservation schemes economically viable. For example, community forestry and conservation programs and climate-smart agriculture have been implemented successfully in many parts of the world, generating livelihood opportunities, building resilience and fostering empowerment in local communities where interactions and conflicts between humans and nature often occur. Investments to prevent tropical deforestation and to limit wildlife trade can not only prevent and control future pandemics, but also bring the benefits of sequestering carbon and preventing more deforestation (Dobson

et al., 2020). Green recovery packages that align with NDCs can continue to decouple economic growth from GHG emissions and ecosystem degradation, and this is needed in particular for developing nations, which are hotspots of risk for biodiversity loss, pandemics, and climate change. Well-planned interventions can reduce existing welfare inequalities exacerbated by the pandemic in the short-term, and climate change in the long-term (Hepburn et al., 2020).

Compared to the losses caused by COVID-19 – approximately \$15.8T with a high mortality forecast – pandemic prevention is a fraction of the cost at \$31B (Dobson et al., 2020). However, there are two significant obstacles to sustaining long-term green structural transformation after the COVID-19 crisis, which require deep, systemic change: removing fossil fuel subsidies and employing carbon taxes to re-allocate support toward green innovation and investment (Barbier, 2020). Key for the post-pandemic recovery are high political ambition, evidence-based interventions, realized climate and conservation finance pledges, and continued international collaboration under the enshrined principles of the UNCBD and UNFCCC.

5. Conclusions

COVID-19 and the responses thereto continue to reveal systemic weaknesses in policy and governance related to health, social services, and the environment. These are the same systems that affect action on climate and biodiversity and reinforce existing inequalities. However, post-pandemic recovery need not be a zero-sum game between returning to 'normal' in terms of economic recovery and restoration of social services on one hand, and protecting the environment on the other.

The pandemic presents opportunities to 'build back better' and achieve multiple targets – on climate, biodiversity, sustainable development, and health – with cross-cutting actions that increase resilience. Although there have been efforts in this direction, significant areas, such as agriculture, food systems, carbon markets, and NbS present important opportunities. Ultimately, it is critical for the global community to demand, and work to meet, the higher ambition needed to address the biodiversity and climate emergencies. The pandemic must not be an excuse for further failure but a reason for accelerated and ambitious actions. Achieving the global climate and biodiversity goals while ensuring an equitable recovery may require more than what policy solutions can deliver. Nevertheless, clear, ambitious, and grounded international policy is an important first step.

Acknowledgements. The authors gratefully acknowledge the *Global Sustainability* team, and feedback from the editors and the anonymous reviewer in the development and revision of this manuscript. The authors acknowledge the help of Adrian Ortiz with the original graphics of Figure 2.

Author contributions. AMDO and AMDL conceived the study. AMDO, AMDL, JNVT, CTTG, and AGMLV co-wrote the manuscript. AMDO designed the causal loop diagram with feedback from co-authors.

Financial support. AMDO is supported by UK Natural Environment Research Council grant (NE/R010811/1).

Conflict of interest. The authors declare no conflicts of interest.

References

Aryal, A., Brunton, D., & Raubenheimer, D. (2014). Impact of climate change on human-wildlife-ecosystem interactions in the Trans-Himalaya region of

- Nepal. *Theoretical and Applied Climatology*, 115(3–4), 517–529. <https://doi.org/10.1007/s00704-013-0902-4>
- Barbier, E. B. (2020). Greening the Post-pandemic Recovery in the G20. *Environmental and Resource Economics*, 76(4), 685–703. <https://doi.org/10.1007/s10640-020-00437-w>
- Baudron, F., & Liégeois, F. (2020). Fixing our global agricultural system to prevent the next COVID-19. *Outlook on Agriculture*, 49(2), 111–118. <https://doi.org/10.1177/0030727020931122>
- Burney, J. A., Davis, S. J., & Lobell, D. B. (2010). Greenhouse gas mitigation by agricultural intensification. *Proceedings of the National Academy of Sciences of the United States of America*, 107(26), 12052–12057. <https://doi.org/10.1073/pnas.0914216107>
- Butchart, S. H. M., Clarke, M., Smith, R. J., Sykes, R. E., Scharlemann, J. P. W., Harfoot, M., Buchanan, G. M., Angulo, A., Balmford, A., Bertzky, B., Brooks, T. M., Carpenter, K. E., Comeros-Raynal, M. T., Cornell, J., Fisetola, G. F., Fishpool, L. D. C., Fuller, R. A., Geldmann, J., Harwell, H., ... Burgess, N. D. (2015). Shortfalls and solutions for meeting national and global conservation area targets. *Conservation Letters*, 8(5), 329–337. <https://doi.org/10.1111/conl.12158>
- Casadevall, A. (2020). Climate change brings the specter of new infectious diseases. *Journal of Clinical Investigation*, 130(2), 553–555. <https://doi.org/10.1172/JCI135003>
- Chong, J. (2014). Ecosystem-based approaches to climate change adaptation: Progress and challenges. *International Environmental Agreements: Politics, Law and Economics*, 14(4), 391–405. <https://doi.org/10.1007/s10784-014-9242-9>
- Connolly, C., Keil, R., & Ali, S. H. (2021). Extended urbanisation and the spatialities of infectious disease: Demographic change, infrastructure and governance. *Urban Studies*, 58(2), 245–263. <https://doi.org/10.1177/0042098020910873>
- Dobson, A. P., Pimm, S. L., Hannah, L., Kaufman, L., Ahumada, J. A., Ando, A. W., Bernstein, A., Busch, J., Daszak, P., Engelmann, J., Kinnaird, M. F., Li, B. V., Loch-Temzelides, T., Lovejoy, T., Nowak, K., Roehrdanz, P. R., & Vale, M. M. (2020). Ecology and economics for pandemic prevention. *Science (New York, N.Y.)*, 369(6502), 379–381. <https://doi.org/10.1126/science.abc3189>
- Doremus, H. (2003). A policy portfolio approach to biodiversity protection on private lands. *Environmental Science and Policy*, 6(3), 217–232. [https://doi.org/10.1016/S1462-9011\(03\)00036-4](https://doi.org/10.1016/S1462-9011(03)00036-4)
- Ervine, K. (2015). Trading Carbon: Offsets, Human Rights, and Environmental Regulation. In *Beyond Free Trade* (pp. 247–266). Palgrave Macmillan UK. https://doi.org/10.1057/9781137412737_14
- Eskew, E. A., & Carlson, C. J. (2020). Overselling wildlife trade bans will not bolster conservation or pandemic preparedness. *The Lancet Planetary Health*, 4(6), e215–e216. [https://doi.org/10.1016/S2542-5196\(20\)30123-6](https://doi.org/10.1016/S2542-5196(20)30123-6)
- Evans, S., & Gabbatis, J. (2019). COP25: Key outcomes agreed at the UN climate talks in Madrid. Carbon Brief. <https://www.carbonbrief.org/cop25-key-outcomes-agreed-at-the-un-climate-talks-in-madrid>
- Everard, M., Johnston, P., Santillo, D., & Staddon, C. (2020). The role of ecosystems in mitigation and management of COVID-19 and other zoonoses. *Environmental Science and Policy*, 111(May), 7–17. <https://doi.org/10.1016/j.envsci.2020.05.017>
- Fader, M., Gerten, D., Krause, M., Lucht, W., & Cramer, W. (2013). Spatial decoupling of agricultural production and consumption: quantifying dependences of countries on food imports due to domestic land and water constraints. *Environmental Research Letters*, 8(1), 014046. <https://doi.org/10.1088/1748-9326/8/1/014046>
- Gallardo, B., Zieritz, A., & Aldridge, D. C. (2015). The importance of the human footprint in shaping the global distribution of terrestrial, freshwater and marine invaders. *PLoS ONE*, 10(5), 1–17. <https://doi.org/10.1371/journal.pone.0125801>
- Geldmann, J., Manica, A., Burgess, N. D., Coad, L., & Balmford, A. (2019). A global-level assessment of the effectiveness of protected areas at resisting anthropogenic pressures. *Proceedings of the National Academy of Sciences of the United States of America*, 116(46), 23209–23215. <https://doi.org/10.1073/pnas.1908221116>
- Gibbs, E. P. J. (2014). The evolution of one health: A decade of progress and challenges for the future. *Veterinary Record*, 174(4), 85–91. <https://doi.org/10.1136/vr.g143>
- Godfray, H. C. J., Aveyard, P., Garnett, T., Hall, J. W., Key, T. J., Lorimer, J., ... Jebb, S. A. (2018). Meat consumption, health, and the environment. *Science*, 361(6399), eaam5324. <https://doi.org/10.1126/science.aam5324>
- Gralak, S., Spajic, L., Blom, I., Omrani, O. El, Bredhauer, J., Uakkas, S., Mattijssen, J., Ali, A. O., Iturregui, R. S., Ezzine, T., Alqodmani, L., & Singh, S. (2020). COVID-19 and the future of food systems at the UNFCCC. *The Lancet Planetary Health*, 4(8), e309–e311. [https://doi.org/10.1016/S2542-5196\(20\)30163-7](https://doi.org/10.1016/S2542-5196(20)30163-7)
- Griscom, B. W., Adams, J., Ellis, P. W., Houghton, R. A., Lomax, G., Miteva, D. A., Schlesinger, W. H., Shoch, D., Siikamäki, J. V., Smith, P., Woodbury, P., Zganjar, C., Blackman, A., Campari, J., Conant, R. T., Delgado, C., Elias, P., Gopalakrishna, T., Hamsik, M. R., ... Fargione, J. (2017). Natural climate solutions. *Proceedings of the National Academy of Sciences of the United States of America*, 114(44), 11645–11650. <https://doi.org/10.1073/pnas.1710465114>
- Griscom, B. W., Busch, J., Cook-Patton, S. C., Ellis, P. W., Funk, J., Leavitt, S. M., ... Worthington, T. (2020). National mitigation potential from natural climate solutions in the tropics. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 375(1794), 20190126. <https://doi.org/10.1098/rstb.2019.0126>
- Hanna, R., Xu, Y., & Victor, D. G. (2020). After COVID-19, green investment must deliver jobs to get political traction. *Nature*, 582(7811), 178–180. <https://doi.org/10.1038/d41586-020-01682-1>
- Helm, D. (2020). The environmental impacts of the coronavirus. *Environmental and Resource Economics*, 76(1), 21–38. <https://doi.org/10.1007/s10640-020-00426-z>
- Hepburn, C., O'Callaghan, B., Stern, N., Stiglitz, J., & Zenghelis, D. (2020). Will COVID-19 fiscal recovery packages accelerate or retard progress on climate change? *Oxford Review of Economic Policy*, 36(20), 1–48. <https://doi.org/10.1093/oxrep/gra015>
- IPBES. (2019). Summary for policymakers of the global assessment report on biodiversity and ecosystem services of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. S. Díaz, J. Settele, E. S. Brondizio E.S., H. T. Ngo, M. Guèze, J. Agard, A. Arneeth, P. Balvanera, K. A. Brauman, S. H. M. Butchart, K. M. A. Chan, L. A. Garibaldi, K. Ichii, J. Liu, S. M. Subramanian, G. F. Midgley, P. Miloslavich, Z. Molnár, D. Obura, A. Pfaff, S. Polasky, A. Purvis, J. Razzaque, B. Reyers, R. Roy Chowdhury, Y. J. Shin, I. J. Visseren-Hamakers, K. J. Willis, and C. N. Zayas (eds.). IPBES secretariat, Bonn, Germany. 1–56. <https://doi.org/10.5281/zenodo.3553579>
- IPBES. (2020a). *Workshop report on biodiversity and pandemics of the intergovernmental platform on biodiversity and ecosystem services*. In Workshop Report on Biodiversity and Pandemics of the Intergovernmental Platform on Biodiversity and Ecosystem Services. <https://doi.org/10.5281/zenodo.4147317>
- IPBES. (2020b). Workshop report on biodiversity and pandemics of the intergovernmental platform on biodiversity and ecosystem services. <https://doi.org/10.5281/zenodo.4147317>
- IPCC. (2019). Summary for Policymakers. In: Climate Change and Land: an IPCC special report on climate change, desertification, land degradation, sustainable land management, food security, and greenhouse gas fluxes in terrestrial ecosystems [P.R. Shukla, J. Skea, E. Calvo Buendia, V. Masson-Delmotte, H.-O. Pörtner, D. C. Roberts, P. Zhai, R. Slade, S. Connors, R. van Diemen, M. Ferrat, E. Haughey, S. Luz, S. Neogi, M. Pathak, J. Petzold, J. Portugal Pereira, P. Vyas, E. Huntley, K. Kissick, M. Belkacemi, J. Malley, (eds.)]. In press.
- Johnson, H. E., Lewis, D. L., Verzuh, T. L., Wallace, C. F., Much, R. M., Willmarth, L. K., & Breck, S. W. (2018). Human development and climate affect hibernation in a large carnivore with implications for human–carnivore conflicts. *Journal of Applied Ecology*, 55(2), 663–672. <https://doi.org/10.1111/1365-2664.13021>
- Kehoe, L., Romero-Muñoz, A., Polaina, E., Estes, L., Kreft, H., & Kuemmerle, T. (2017). Biodiversity at risk under future cropland expansion and intensification. *Nature Ecology & Evolution*, 1(8), 1129–1135. <https://doi.org/10.1038/s41559-017-0234-3>
- König, H. J., Kiffner, C., Kramer-Schadt, S., Fürst, C., Keuling, O., & Ford, A. T. (2020). Human–wildlife coexistence in a changing world. *Conservation Biology*, 00(0), 1–9. <https://doi.org/10.1111/cobi.13513>

- Le Saout, S., Hoffmann, M., Shi, Y., Hughes, A., Bernard, C., Brooks, T. M., Bertzky, B., Butchart, S. H. M., Stuart, S. N., Badman, T., & Rodrigues, A. S. L. (2013). Protected areas and effective biodiversity conservation. *Science (New York, N.Y.)*, 342(6160), 803–805. <https://doi.org/10.1126/science.1239268>
- Legido-Quigley, H., Asgari, N., Teo, Y. Y., Leung, G. M., Oshitani, H., Fukuda, K., Cook, A. R., Hsu, L. Y., Shibuya, K., & Heymann, D. (2020). Are high-performing health systems resilient against the COVID-19 epidemic? *The Lancet*, 395(10227), 848–850. [https://doi.org/10.1016/S0140-6736\(20\)30551-1](https://doi.org/10.1016/S0140-6736(20)30551-1)
- Lenzen, M., Moran, D., Kanemoto, K., Foran, B., Lobefaro, L., & Geschke, A. (2012). International trade drives biodiversity threats in developing nations. *Nature*, 486(7401), 109–112. <https://doi.org/10.1038/nature11145>
- Lezak, S. B., & Thibodeau, P. H. (2016). Systems thinking and environmental concern. *Journal of Environmental Psychology*, 46, 143–153. <https://doi.org/10.1016/j.jenvp.2016.04.005>
- MacDonald, G. K., Brauman, K. A., Sun, S., Carlson, K. M., Cassidy, E. S., Gerber, J. S., & West, P. C. (2015). Rethinking agricultural trade relationships in an era of globalization. *BioScience*, 65(3), 275–289. <https://doi.org/10.1093/biosci/biu225>
- Maestre Andrés, S., Calvet Mir, L., van den Bergh, J. C. J. M., Ring, I., & Verburg, P. H. (2012). Ineffective biodiversity policy due to five rebound effects. *Ecosystem Services*, 1(1), 101–110. <https://doi.org/10.1016/j.ecoser.2012.07.003>
- Mayhew, K., & Anand, P. (2020). COVID-19 and the UK labour market. *Oxford Review of Economic Policy*, 36(Supplement_1), S215–S224. <https://doi.org/10.1093/oxrep/graa017>
- McElwee, P., Turnout, E., Chiroleu-Assouline, M., Clapp, J., Isenhour, C., Jackson, T., Kelemen, E., Miller, D. C., Rusch, G., Spangenberg, J. H., Waldron, A., Baumgartner, R. J., Bleys, B., Howard, M. W., Mungatana, E., Ngo, H., Ring, I., & Santos, R. (2020). Ensuring a post-COVID economic agenda tackles global biodiversity loss. *One Earth*, 3(4), 448–461. <https://doi.org/10.1016/j.oneear.2020.09.011>
- McKee, M., & Stuckler, D. (2020). If the world fails to protect the economy, COVID-19 will damage health not just now but also in the future. *Nature Medicine*, 26(5), 640–642. <https://doi.org/10.1038/s41591-020-0863-y>
- Meyfroidt, P., Lambin, E. F., Erb, K. H., & Hertel, T. W. (2013). Globalization of land use: Distant drivers of land change and geographic displacement of land use. *Current Opinion in Environmental Sustainability*, 5(5), 438–444. <https://doi.org/10.1016/j.cosust.2013.04.003>
- Mills, J. N., Gage, K. L., & Khan, A. S. (2010). Potential influence of climate change on vector-borne and zoonotic diseases: A review and proposed research plan. *Environmental Health Perspectives*, 118(11), 1507–1514. <https://doi.org/10.1289/ehp.0901389>
- Munroe, R., Roe, D., Doswald, N., Spencer, T., Möller, I., Vira, B., Reid, H., Kontoleon, A., Giuliani, A., Castelli, I., & Stephens, J. (2012). Review of the evidence base for ecosystem-based approaches for adaptation to climate change. *Environmental Evidence*, 1(1), 1–11. <https://doi.org/10.1186/2047-2382-1-13>
- Myers, N., & Kent, J. (2003). New consumers: The influence of affluence on the environment. *Proceedings of the National Academy of Sciences of the United States of America*, 100(8), 4963–4968. <https://doi.org/10.1073/pnas.0438061100>
- Newbold, T., Adams, G. L., Albaladejo Robles, G., Boakes, E. H., Braga Ferreira, G., Chapman, A. S. A., ... Williams, J. J. (2019). Climate and land-use change homogenise terrestrial biodiversity, with consequences for ecosystem functioning and human well-being. *Emerging Topics in Life Sciences*, 3(2), 207–219. <https://doi.org/10.1042/ETLS20180135>
- Newbold, T., Hudson, L. N., Hill, S. L. L., Contu, S., Lysenko, I., Senior, R. A., Börger, L., Bennett, D. J., Choimes, A., Collen, B., Day, J., De Palma, A., Diaz, S., Echeverria-Londoño, S., Edgar, M. J., Feldman, A., Garon, M., Harrison, M. L. K. K., Alhussaini, T., ... Purvis, A. (2015). Global effects of land use on local terrestrial biodiversity. *Nature*, 520(7545), 45–50. <https://doi.org/10.1038/nature14324>
- Obergassel, W., Hermwille, L., & Oberthür, S. (2020). Harnessing international climate governance to drive a sustainable recovery from the COVID-19 pandemic. *Climate Policy*, 0(0), 1–9. <https://doi.org/10.1080/14693062.2020.1835603>
- Obergassel, W., Peterson, L., Mersmann, F., Schade, J., Hofbauer, J. A., & Mayrhofer, M. (2017). Human rights and the clean development mechanism: Lessons learned from three case studies. *Journal of Human Rights and the Environment*, 8(1), 51–71. <https://doi.org/10.4337/jhre.2017.01.03>
- Ogden, L. E. (2018). Climate change, pathogens, and people. *BioScience*, 68(10), 733–739. <https://doi.org/10.1093/biosci/biy101>
- Ortiz, A. M. D., Outhwaite, C. L., Dalin, C., & Newbold, T. (2021). A review of the interactions between biodiversity, agriculture, climate change, and international trade: Research and policy priorities. *One Earth*, 4(1), 88–101. <https://doi.org/10.1016/j.oneear.2020.12.008>
- Palmberg, I., Hofman-Bergholm, M., Jeronen, E., & Yli-Panula, E. (2017). Systems thinking for understanding sustainability? Nordic student teachers' views on the relationship between species identification, biodiversity and sustainable development. *Education Sciences*, 7(3), 72. <https://doi.org/10.3390/educsci7030072>
- Pellegrini, P., & Fernández, R. J. (2018). Crop intensification, land use, and on-farm energy-use efficiency during the worldwide spread of the green revolution. *Proceedings of the National Academy of Sciences of the United States of America*, 115(10), 2335–2340. <https://doi.org/10.1073/pnas.1717072115>
- Peters, G. P., Andrew, R. M., Canadell, J. G., Fuss, S., Jackson, R. B., Korsbakken, J. I., Le Quéré, C., & Nakicenovic, N. (2017). Key indicators to track current progress and future ambition of the Paris Agreement. *Nature Climate Change*, 7(2), 118–122. <https://doi.org/10.1038/nclimate3202>
- Petrikova, I., Cole, J., & Farlow, A. (2020). COVID-19, wet markets, and planetary health. *The Lancet Planetary Health*, 4(6), e213–e214. [https://doi.org/10.1016/S2542-5196\(20\)30122-4](https://doi.org/10.1016/S2542-5196(20)30122-4)
- Philippine Information Agency. (2020). ASEAN's 'One Health' approach: cost of preventing pandemics is 2% of COVID-19 damage. <https://pia.gov.ph/news/articles/1060631>
- Romera, B. M. (2016). The Paris agreement and the regulation of international bunker fuels. *Review of European, Comparative and International Environmental Law*, 25(2), 215–227. <https://doi.org/10.1111/reel.12170>
- Schulte, I., Bakhtary, H., Siantidis, S., Haupt, F., Fleckenstein, M., & O'Connor, C. (2020). *Enhancing NDCs for food systems: recommendations for decision-makers*. WWF Germany & WWF Food Practice. Berlin. Retrieved from https://wwfeu.awsassets.panda.org/downloads/wwf_ndc_food_final_low_res.pdf
- Secretariat of the Convention on Biological Diversity. (2020a). Global biodiversity outlook 5. Summary for Policymakers.
- Secretariat of the Convention on Biological Diversity. (2020b). Update of the zero draft of the post-2020 global biodiversity framework. CBD/POST2020/PREP/2/1.
- Seddon, N., Chausson, A., Berry, P., Girardin, C. A. J., Smith, A., & Turner, B. (2020). Understanding the value and limits of nature-based solutions to climate change and other global challenges. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 375(1794), 20190120. <https://doi.org/10.1098/rstb.2019.0120>
- Simpson, S., Kaufmann, M. C., Glozman, V., & Chakrabarti, A. (2020). Disease X: Accelerating the development of medical countermeasures for the next pandemic. *The Lancet Infectious Diseases*, 20(5), e108–e115. [https://doi.org/10.1016/S1473-3099\(20\)30123-7](https://doi.org/10.1016/S1473-3099(20)30123-7)
- Sokolow, S. H., Nova, N., Pepin, K. M., Peel, A. J., Pulliam, J. R. C., Manlove, K., Cross, P. C., Becker, D. J., Plowright, R. K., McCallum, H., & De Leo, G. A. (2019). Ecological interventions to prevent and manage zoonotic pathogen spillover. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 374(1782), 1–10. <https://doi.org/10.1098/rstb.2018.0342>
- Steininger, K. W., Lininger, C., Meyer, L. H., Munöz, P., & Schinko, T. (2016). Multiple carbon accounting to support just and effective climate policies. *Nature Climate Change*, 6(1), 35–41. <https://doi.org/10.1038/nclimate2867>
- The Lancet Planetary Health. (2020). A 'super-year' for the environment. *The Lancet Planetary Health*, 4(1), e1. [https://doi.org/10.1016/S2542-5196\(20\)30007-3](https://doi.org/10.1016/S2542-5196(20)30007-3)
- Timperley, J. (2019). Carbon offsets have patchy human rights record. Now UN talks erode safeguards. Climate Home News. <https://www.climate-change.news.com/2019/12/09/carbon-offsets-patchy-human-rights-record-now-un-talks-erode-safeguards/>
- Turney, C., Ausseil, A. G., & Broadhurst, L. (2020). Urgent need for an integrated policy framework for biodiversity loss and climate change. *Nature*

- Ecology and Evolution*, 4(August), 2020. <https://doi.org/10.1038/s41559-020-1242-2>
- UNEP. (2019). Emissions gap report. <https://www.unenvironment.org/resources/emissions-gap-report-2019>
- UNEP, & ILRI. (2020). Preventing the next pandemic: zoonotic diseases and how to break the chain of transmission. <https://www.unenvironment.org/resources/report/preventing-future-zoonotic-disease-outbreaks-protecting-environment-animals-and>
- United Nations Convention on Biological Diversity. (2017). Biodiversity and international trade. In Economics, trade and incentive measures. <https://www.cbd.int/incentives/int-trade.shtml>
- Weinzettel, J., Hertwich, E. G., Peters, G. P., Steen-Olsen, K., & Galli, A. (2013). Affluence drives the global displacement of land use. *Global Environmental Change*, 23(2), 433–438. <https://doi.org/10.1016/j.gloenvcha.2012.12.010>
- Willett, W., Rockström, J., Loken, B., Springmann, M., Lang, T., Vermeulen, S., Garnett, T., Tilman, D., DeClerck, F., Wood, A., Jonell, M., Clark, M., Gordon, L. J., Fanzo, J., Hawkes, C., Zurayk, R., Rivera, J. A., De Vries, W., Majele Sibanda, L., ... Murray, C. J. L. (2019). Food in the Anthropocene: The EAT–lancet commission on healthy diets from sustainable food systems. *The Lancet*, 393(10170), 447–492. [https://doi.org/10.1016/S0140-6736\(18\)31788-4](https://doi.org/10.1016/S0140-6736(18)31788-4)
- Yurco, K., King, B., Young, K. R., & Crews, K. A. (2017). Human–wildlife interactions and environmental dynamics in the Okavango Delta, Botswana. *Society and Natural Resources*, 30(9), 1112–1126. <https://doi.org/10.1080/08941920.2017.1315655>