

ERRATUM

A BRIDGE TOO FAR: Practice Guidelines in the New ALI Medical Malpractice Restatement – ERRATUM

Larry S. Stewart¹ and Robert S. Peck²

¹American Law Institute Council, Emeritus; Advisor to the Medical Malpractice Restatement; and ²President, Center for Constitutional Litigation; Members Consultative Group to the Medical Malpractice Restatement
DOI: [10.1017/amj.2025.16](https://doi.org/10.1017/amj.2025.16); published online by Cambridge University Press 8 May 2025.

In the initial publication of Stewart and Peck (2025), Larry S. Stewart's affiliation was omitted from the article, Robert S. Peck's affiliation was partially incorrect, and a portion of the abstract was misidentified as part of the body of the article. The article has been updated to correct these errors.

Reference

Stewart, L.S., and Peck, R.S. (2025). "A BRIDGE TOO FAR: Practice Guidelines in the New ALI Medical Malpractice Restatement," *American Journal of Law & Medicine* 51(1): pp. 1–26.

Cite this article: Stewart, L.S. and Peck, R.S. (2025), 'A BRIDGE TOO FAR: Practice Guidelines in the New ALI Medical Malpractice Restatement – ERRATUM', *American Journal of Law & Medicine*, 51, pp. 392. <https://doi.org/10.1017/amj.2025.10064>

© 2025 The Author(s). Published by Cambridge University Press on behalf of American Society of Law, Medicine & Ethics and Trustees of Boston University.