



"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

# LISTERINE

*A safe, non-poisonous, unirritating  
antiseptic solution*

**LISTERINE** is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

**LISTERINE** in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

**LISTERINE** embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

**LISTERINE** is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

**LISTERINE** in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhœa, occurring in infants and adults.

**LISTERINE** literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

## LAMBERT PHARMACAL COMPANY

2101 Locust Street

St Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

# The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

ASSISTED BY

DOUGLAS GUTHRIE AND IRWIN MOORE

---

1. Original Articles are accepted on the condition that they have not been published elsewhere.
2. Manuscripts should be typewritten, on one side only of the paper, and well spaced
3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.
4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.
5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
6. Editorial Communications should be addressed to "EDITORS, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."
7. The Annual Subscription is Forty Shillings or Ten Dollars, and is payable in advance.
8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings (One Dollar) each.
9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings (One Dollar) each.

# CENTRAL LONDON THROAT AND EAR HOSPITAL

## GRAY'S INN ROAD

(Near King's Cross Stations)

### DAILY CLINICS.

OVER 11,000 NEW PATIENTS LAST YEAR. 50,000 ATTENDANCES.

IN-PATIENT DEPARTMENT, 43 BEDS.

LECTURES AND DEMONSTRATIONS.—Tuesdays and Fridays at 4 p.m.

### CLINICAL ASSISTANTS

Are appointed from among those gentlemen who have enrolled themselves for attendance on the practice of the Hospital.

### ATTENDANCE OF STAFF

	O.-P. CLINIC.	I.-P. OPERATIONS.
Dr ABERCROMBIE .. .. .	Thursday, 2 P.M.	Wednesday, 2 P.M.
Dr WYLIE .. .. .	Wednesday, 2 P.M.	Thursday, 2.30 P.M.
Dr ATKINSON .. .. .	Tuesday, 5 P.M.	Wednesday, 3 P.M.
Dr DAN M'KENZIE .. .. .	Monday, 2 P.M.	Tuesday, 2.30 P.M.
Mr HAROLD KISCH .. .. .	Friday, 2 P.M.	Monday, 2 P.M.
Mr NICOL RANKIN .. .. .	Saturday, 2 P.M.	.. .. .
Mr ARCHER RYLAND .. .. .	Saturday, 2 P.M.	.. .. .
Dr SALISBURY-SHARPE .. .. .	Wednesday, 2 P.M.	.. .. .
Mr WATKYN-THOMAS .. .. .	Thursday, 2 P.M.	.. .. .

### FEEs

For attendance on the practice of the Hospital—

Three months . . . . .	5 guineas	Perpetual ticket . . . . .	10 guineas
Six months . . . . .	8 guineas	Operative Surgery Class . . . . .	5 guineas

Further particulars on application to

HAROLD KISCH, F.R.C.S.,  
Dean.

RICHARD KERSHAW,  
Secretary Superintendent.

## DEAF CHILDREN

Fully-qualified, experienced teacher receives a few deaf children into her house in Delamere Forest, for oral education, and happy country life.

Miss R. HERFORD

Summertrees, Kelsall, Cheshire

4TH EDITION.

REVISED AND ENLARGED.

LEWIS'S PRACTICAL SERIES.

### DISEASES OF THE NOSE AND THROAT

By HERBERT TILLEY, B.S.(Lond.), F.R.C.S.(Eng.), Surgeon, Ear and Throat Department, University College Hospital; Teacher of Laryngology and Otology, University of London.

With numerous illustrations, including 74 Plates. Demy 8vo.

28s. net. Postage 1s., abroad 1s. 3d.

Extracts from Press Notices.

"The work is so comprehensive that it should be a valuable book of reference, whilst it is not too large to serve as an ordinary text-book."—*British Medical Journal*.

"We have no hesitation in recommending his book to the practitioner as well as to the prospective specialist."—*Lancet*.

"The author is to be congratulated upon his work; as a text-book it is one of the best upon the subject; . . . displays the master mind of an accomplished teacher."—*Medical Press*.

LONDON: H. K. LEWIS & CO. LTD., 136 Gower Street, and 24 Gower Place, W.C. 1.

Telegrams: "Publicavit, Eusroad, London."

Telephone: Museum 1072.

# The STERILIZED MILK CO. Ltd.

ESTABLISHED 1896

178 CULFORD ROAD, KINGSLAND, N. 1.

Telephone—No. 2078 Dalston.

Telegrams—Swallowing, Kinland, London

**A CLEAN, SAFE AND CONVENIENT MILK SUPPLY**  
Delivered in Glass Bottles.

**WARRANTED PURE WITH ALL ITS CREAM**  
and free from disease germs.

**Suitable for all purposes. DELIVERED ONCE A WEEK**

**SOME OF THE ADVANTAGES:**

1. Our milk is clean because it is clarified by centrifugal force, which long experience has proved to be the best method.
2. Our milk is safer to use than even the best raw milk, because all germs of TUBERCULOSIS, SCARLET FEVER, DIPHThERIA, and TYPHOID FEVER are destroyed.
3. Our milk is convenient, because customers have only to take it in once a week, and they have a constant supply of sweet wholesome milk always in the house.
4. No chemical or preservative used.
5. No colouring matter used.
6. It is more easily digested than ordinary raw milk.

Second (Revised) Edition.

## A GUIDE TO DISEASES OF THE NOSE AND THROAT AND THEIR TREATMENT

By CHARLES A. PARKER, F.R.C.S. Edin., and  
LIONEL COLLEDGE, M.B., F.R.C.S.

xvi+588 pages. 242 Illustrations. Second and  
Revised Edition. **25s.** net.

Second (Revised) Edition.

## Operative Dental Surgery

By J. B. PARFITT, L.R.C.P., M.R.C.S., L.D.S.  
Dental Surgeon and Lecturer on Operative  
Dental Surgery at the Dental School  
of Guy's Hospital.

"A book without which no dental library will  
be complete."—*Dental Surgeon.*

**London: EDWARD ARNOLD & CO., 41 & 43 Maddox Street, W.1**

# CONTENTS

	PAGE
SOME OBSERVATIONS ON MEAT AND FISH BONES IMPACTED IN THE ESOPHAGUS. Thomas Guthrie, M.A., M.B., B.C., F.R.C.S. . . . .	229
OPERATIVE PROCEDURES IN THE TREATMENT OF STENOSIS OF THE LARYNX CAUSED BY BILATERAL PARALYSIS OF THE ABDUCTOR MUSCLES. Irwin Moore, M.Ch. . . . .	236
THE TREATMENT OF CHRONIC MIDDLE-EAR SUPPURATION BY ELECTRIC IONISATION. Stephen Young, M.B., Ch.B. . . . .	245
<b>CLINICAL RECORD :—</b>	
Two Cases of Injury to the Ear following on Operation for Acute Mastoiditis. F. G. Wrigley, M.D. . . . .	252
<b>SOCIETIES' PROCEEDINGS :—</b>	
Royal Society of Medicine—Sections of Otolaryngology . . . . .	254
<b>ABSTRACTS :—</b>	
Ear . . . . .	269
Nose and Accessory Sinuses . . . . .	272
Peroral Endoscopy . . . . .	275
Miscellaneous . . . . .	276
ENDO-BRONCHIAL MIRROR AND ENDO-LARYNGEAL MIRROR. Irwin Moore, M.Ch. . . . .	277
REVIEW OF BOOK . . . . .	278
LETTER TO THE EDITORS . . . . .	279
GENERAL NOTES . . . . .	281

## BRONCHIAL ASTHMA

Sufferers from bronchial asthma are usually infected with one or other of the microbes which are found in catarrhal conditions of the respiratory tract, though the asthmatic condition is due to hypersensitiveness to the proteins of the micro-organism, or to the products of its metabolism, rather than to the mere infection. Excellent results have been obtained in these cases by the administration of a vaccine containing relatively small numbers of the various microbes found in respiratory catarrhal infections.

The Department for Therapeutic Inoculation, St Mary's Hospital, London, issues, in ampoules of 1 c.c. and in bottles of 25 c.c., the undermentioned :—

### MIXED VACCINE FOR BRONCHIAL ASTHMA

M. catarrhalis . . . . . 5 millions	B. septus . . . . . 5 millions	} <i>in</i> <i>each</i> <i>c.c.</i>
B. pneumoniæ . . . . . 5 millions	B. influenzae . . . . . 10 millions	
Pneumococcus . . . . . 10 millions	Streptococcus . . . . . 2 millions	
Staphylococcus . . . . . 40 millions		

DOSE.—0.2 c.c., with subsequent gradual increase, every 3 to 7 days, up to 1 c.c.

*Sole Agents for the St Mary's Hospital Vaccines :*

**PARKE, DAVIS & Co.,** 50 Beak St., **LONDON, W.1.**  
Regent St.