

THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

G. D. H. BELL, B.SC., PH.D., Plant Breeding Institute, Cambridge

G. W. COOKE, PH.D., F.R.I.C., Rothamsted Experimental Station, Harpenden

R. E. EVANS, M.SC., PH.D., Glyndwr, Dolau, Llandre, Cardigan

SIR JOHN HAMMOND, C.B.E., D.SC., F.R.S., School of Agriculture,
Cambridge

PROF. SIR J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., School of Agriculture,
Cambridge

SIR BERNARD KEEN, D.SC., F.R.S., 72 Eaton Square, London, S.W. 1

H. L. PENMAN, O.B.E., PH.D., F.R.S., Rothamsted Experimental Station, Harpenden

SIR E. JOHN RUSSELL, D.SC., F.R.S., Woodstock House, Woodstock, Oxon.

E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science,
University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden



CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. 1

AMERICAN BRANCH: 32 EAST 57TH STREET, NEW YORK 22, N.Y.

Price 27s. 6d. net

(U.S.A. \$4.75)

MICHROME STAINS

and Reagents for Biology

OVER 3000 available

Magneson II	Lipid Crimson
Aquamount	Thiofluorescein
Brilliant Cresyl Blue	Sudan Black
Bromelain	Matamount
Laktoseal	Trifalgic acid
	Urease, etc.

104-page catalogue on request

New books by Edward Gurr

STAINING ANIMAL TISSUES, 637 pages, 84/-

ENCYCLOPAEDIA OF MICROSCOPIC

STAINS, 500 pages, price 95/-

Ready shortly: "Rational Use of Dyes in Biology & General Staining Methods", about 450 pages, price about 80/-.

EDWARD GURR LTD.

42 UPPER RICHMOND RD. WEST,
LONDON, S.W. 14

Telegrams: Micromlabs, London, S.W. 14
Telephones: PROspect 8228 and 8229

CROP SCIENCE

Crop breeders, plant geneticists and physiologists, and workers in related areas will find *Crop Science* a source of valuable articles in their branches of science. This bimonthly journal carries reports of research in the genetics, physiology, ecology, breeding and management of field crops, turf-grasses, pastures and ranges, and in seed technology. It is published by the Crop Science Society of America.

\$14.00 per year in U.S. and Canada.
\$15.00 per year elsewhere.

Crop Science Society of America,
677 S. Segoe Rd,
Madison 11, Wisconsin, U.S.A.

ANIMAL PRODUCTION

JOURNAL OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION


Contents of Volume 6, Part 3, October 1964

- PURSER, A. F. and YOUNG, G. B. Mortality among twin and single lambs.
- ELLIOTT, R. C. and TOPPS, J. H. Effects of various low protein diets on the distribution of ruminal nitrogen and on the nitrogen required for maintenance of African sheep.
- BRADFORD, G. E. and SPURLOCK, G. M. Effects of castrating lambs on growth and body composition.
- MAHADEVAN, P. and HUTCHISON, H. G. The performance of crosses of *Bos taurus* and *Bos indicus* cattle for milk production in the coastal region of Tanganyika.
- SMITH, W. C., ADAM, J. L. and TONKS, H. M. Effects of oxytetracycline and oleandomycin separately and together in pig diets.
- NIELSEN, H. E. Effects in bacon pigs of differing levels of nutrition to 20 kg. body weight.
- SMITH, C. and KING, J. W. B. Crossbreeding and litter production in British pigs.
- PURSER, A. F. and ROBERTS, R. C. The effect of treatment during first winter on the subsequent performance of Scottish Blackface ewes.
- VANVLECK, L. D. and BRADFORD, G. E. Heritability of milk yield at different environmental levels.
- SMITH, C. The use of specialized sire and dam lines in selection for meat production.
- BARBER, R. S., BRAUDE, R. and MITCHELL, K. G. A note on formalin-treated skim milk for sucking pigs.
- HANCOCK, J. L. and PURSER, A. F. A note on birth weight and gestation length of calves from left and from right uterine horns.
- DICKINSON, A. G., YOUNG, G. B., STAMP, J. T. and RENWICK, C. C. A note on the distribution of scrapie in sheep of different ages.

Annual Subscription 45s. (U.S.A. \$7.50)
Single Part 17s. 6d. (U.S.A. \$2.75)

OLIVER AND BOYD LTD.

Tweeddale Court, 14 High Street, Edinburgh, 1



Vapona removes insects from storage problems

Vapona is Shell's latest insecticide. It vaporises. Permeates every insect-concealing crevice up to one hundred feet from release. Easily handled. DDVP based Vapona can be simply applied by sprinkling; or it can be fogged, sprayed or metered. Effective. Vapona kills even resistant strains; and there is no reported resistance build-up to DDVP. Versatile. Vapona clears insects from warehouses; also from food-stores, dairies, livestock, aircraft, ships, beaches, rubbish dumps. In fact from almost anywhere. Yet it breaks down quickly; so it clears quickly, leaving no taint, no odour. Vapona is just one of Shell's comprehensive group of pesticides which includes aldrin, dieldrin, endrin, Phosdrin, D-D and Nemagon.

For further information and details of Shell's technical service please consult your Shell company.

VAPONA

Shell Chemicals

