

VOL. IX.—1895.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY, AND OTOTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

London:

THE REBMAN PUBLISHING COMPANY, LIMITED,

SUCCESSORS TO F. J. REBMAN, II, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS' HALL.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN.

EDITED BY

R. NORRIS WOLFENDEN, M.D. Cantab.,
JOHN MACINTYRE, M.B. Glasgow,
DUNDAS GRANT, M.A., M.D., F.R.C.S. Eng.,

WITH THE ASSISTANCE OF

DR. SANDFORD (*Cork*), DR. MILLIGAN (*Manchester*),

AND WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), R. BOTEY (*Barcelona*),
CARTAZ (*Paris*), BRYSON DELAVAN (*New York*),
DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),
HICGUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*),
VALERIUS IDELSON (*Berne*), JOAL (*Paris*), KARWOWSKI (*Warsaw*),
A. B. KELLY (*Glasgow*), LACOCARRET (*Toulouse*),
LAKE (*London*), LICHTWITZ (*Bordeaux*), JOHN N. MACKENZIE (*Baltimore*),
PROF. MASSEI (*Naples*), MEYJES (*Amsterdam*), E. MEYER (*Berlin*),
MICHAEL (*Hamburg*), HOLGER MYGIND (*Copenhagen*)
W. PORTER (*St. Louis*), ROBERTSON (*Newcastle*), SAJOUS (*Philadelphia*),
SENDZIAK (*Warsaw*), SOTA (*Seville*), ST. CLAIR THOMSON (*London*), AND
DR. ZIEM (*Dantzic*).

CONTENTS.

Original Article—	PAGE
On the Formation of Salivary Calculus over the Inferior Incisors, caused by habitual Mouth-Breathing. By PROF. GUYE (Amsterdam).....	473
Notice of Meetings—	
The British Laryngological, Rhinological and Otological Association	476
British Medical Association	477
Abstracts—	
Diphtheria, etc.	479
Mouth, Pharynx, etc.	485
Nose, etc.	489
Larynx	490
Thyroid, etc.	493
Ears	495
Reviews—	
Dr. Onodi's Atlas of the Nasal Cavity and Sinuses. ST. CLAIR THOMSON ...	496
The Direction of the Air-Current through the Nose founded on Anatomical and Experimental Researches. SCHEFF.....	496
Society Meetings—	
Proceedings of the Laryngological Society of London	496
Aertztlicher Verein in Nürnberg	513
Königliche Verein der Aerzte in Budapest	513
Wiener Laryngologische Gesellschaft	513
Obituary—	
WILHELM MEYER.....	514
Bibliography	517

GUIDE TO ADVERTISEMENTS.

	PAGE
Allen & Hanburys	iv., v.
Bullock & Co.	ix.
Burroughs, Wellcome & Co.	vi., viii., xi.
Central London Throat Hospital	xiv.
Ingram & Royle	ix., xiii.
Lambert Pharmacal Co.	ii.
Mayer & Meltzer	xii.
Rebman Publishing Company	ix., x.

Antiseptics in "Soloid" Form

FOR

Surgical, Gynæcological, and Sanitary Purposes.

THE convenience of having reliable Antiseptics in "Soloid" form is sufficiently apparent, and "Soloids" are now largely used in all work covered by the above heading. We would point out here that the term "Soloid" was specially coined to distinguish this class from "Tabloids." "Soloids" generally represent antiseptic agents of a highly toxic and dangerous character, and are intended for the instant production of strongly antiseptic solutions.

"Soloids" of **Hg Cl₂** of Mercuric Chloride enable the surgeon to produce almost instantly a solution of any strength he may desire to use. One "Soloid" dissolved in a pint of water yields a solution of one in one thousand. The Mercurial Salt is associated with a sufficient quantity of an Alkaline Chloride to prevent decomposition in hard water, and precipitation by albumen in gynæcological irrigations. In making a solution—it is always preferable to use warm water—one "Soloid" dissolved in ten pints yields a solution sufficiently strong to destroy micrococci and bacilli; but this must be increased ten times—one "Soloid" in one pint of water—for the purpose of destroying the spores of microorganisms referred to, and this is the strength usually employed in dealing with exposed surfaces, such as walls and floors of infected rooms, textile fabrics used in connection with patients, to purify the hands of operators in various surgical work, and for the proper cleansing of given skin areas whereon it is intended to make incisions.



A "SOLOID."

Easily distinguished from "Tabloids."

To secure the thoroughly antiseptic conditions of sponges, instruments, and containers and general material likely to affect or to come into contact with the wound, a sufficiently strong solution may be made with one "Soloid" in a quart of water. "Soloids" in all cases are made in a form totally unlike "Tabloids," so as to avoid their being confused with the latter, and in the case of the sublimate "Soloids" are coloured so as to make the resultant solution unlike any liquid usually associated with the operating table or the sick room.

They are supplied to the Medical Profession in bottles of 25 and 100 at 9d. and 2s. per bottle.

"Soloids" of Iodic-Hydrarg.

It is said of this combination of the Iodides of Mercury and Potassium (Mercuric-potassio-mercuric Iodide) that it possesses twice the bactericidal strength of the Mercuric Chloride, that it is not nearly so toxic, that it does not precipitate albumen, and that it is not liable to cause irritation. Each "Soloid" contains 8.75 of the double salt, so that one dissolved in a pint of water gives a solution of one to one thousand for use in the treatment of newly-exposed surfaces, in surgical operations, and to ensure the perfect asepsis of the hands, instruments, etc.

Supplied to the Medical Profession in bottles of 24 and 100 at 1s. 8d. and 5s. 8d. each.

L.G.B. "Soloids."

THE L.G.B. "Soloids" have been prepared at the kind suggestion of Dr. W. MURRELL. Two "Soloids," on being dissolved in a quart of water, make a solution of the strength and character recommended by the Local Government Board Memorandum of 1892. These L.G.B. "Soloids" are highly convenient and rapidly soluble in ordinary well water, and their peculiar but perfectly harmless colouration and terebinthine odour are safeguards against poisoning by accident or mistake. White fabrics soaked in the "Soloid" solution are stained a very light blue; but this colour is nearly discharged by merely rinsing the fabric in cold water, so that no damage is caused to linen, etc., with which it may come into contact. L.G.B. "Soloids" will be found extremely useful for disinfecting purposes in cases of epidemics.

Supplied to the Medical Profession in bottles of 100 at 2s. each.

BURROUGHS, WELLCOME & Co.,

Manufacturing Chemists,

SNOW HILL BUILDINGS, LONDON E. C.

Cable and Telegraphic Address: "BURCOME, LONDON."