

THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

G. D. H. BELL, C.B.E., PH.D., F.R.S., Plant Breeding Institute, Cambridge

K. L. BLAXTER, PH.D., N.D.A. (HONS.), D.SC., F.R.S.E.,
Rowett Research Institute, Bucksburn, Aberdeen

G. W. COOKE, PH.D., F.R.I.C., Rothamsted Experimental Station, Harpenden

JOHN HAMMOND, Jr., M.A., School of Agriculture, Cambridge

PROF. SIR J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., School of Agriculture,
Cambridge

H. L. PENMAN, O.B.E., PH.D., F.R.S., Rothamsted Experimental Station, Harpenden

H. H. ROGERS, B.SC., DIP.AG.SCI., Plant Breeding Institute, Cambridge

PROF. E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science,
University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden



CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. 1

AMERICAN BRANCH: 32 EAST 57TH STREET, NEW YORK, N.Y. 10022

Price 32s. 6d. net

(U.S.A. \$5.50)

INSTRUCTIONS TO AUTHORS

Papers intended for publication should be submitted to Dr G. D. H. Bell, C.B.E., F.R.S., Plant Breeding Institute, Cambridge, or to one of the Associate Editors. It must be understood that, if accepted by the Editorial Board, the paper will not be published elsewhere in the same form.

MANUSCRIPTS. Papers, written in English, are accepted from any country and should be typed in double-spacing on one side of the paper with a margin at least 4 cm wide on the left-hand side. Authors should instruct typists on the style of manuscript required. A top copy and one carbon copy should be submitted.

TABLES must be self-explanatory. They should be typed on separate sheets, numbered consecutively and carry an appropriate title. Wherever possible, tables should be arranged so that they can be printed in the normal orientation of the text and without the need for rules.

LINE DRAWINGS (with photocopies) should be 25 cm. wide and drawn in black waterproof ink on Bristol board, graph paper with blue lines or tracing paper. Legends should be typed on a separate copy and numbering inserted lightly and clearly in soft pencil on the drawing. Tables and figures should not reproduce the same data.

The approximate position of tables and figures should be noted in the text.

PLATES should make a definite contribution to the value of the paper and the number submitted should be kept to a minimum. They should be good quality, unmounted, glossy prints and be lightly numbered in pencil on the reverse side. If several, or coloured, plates are submitted the author may be asked to contribute to the cost of reproducing them.

TITLE. The title must be specific and suitable for indexing by the mechanical methods now being employed. The full name and address of the institution in which the research has been carried out should be stated. Change of address may be given as a footnote. A short title, not exceeding 50 characters, should be provided for the running headlines.

STYLE. Experimental details and results should be recorded in the past tense and there should be no unnecessary repetition or loose phrases. Manuscripts are likely to be returned for modification if the presentation is not clear and precise.

LAYOUT. Authors are recommended to study '*General Notes on the Preparation of Scientific Papers*'

(Royal Society, London, 2nd edn., 1965). The Editorial Board do not insist upon a rigid format but it is usually convenient to divide the paper into sections, e.g. Introduction, Materials and Methods, Results and Discussion. An excess of headings and sub-headings should be avoided. A Summary should always be included.

Authors are advised to note the following points: a detailed review of literature is not necessary; relevant details should be given of the plant or animal material, the experimental design and chemical or other techniques employed; mean results with their relevant standard errors should be presented rather than detailed data; the statistical methods used should be clearly stated; the discussion should relate the author's experiments to other work on the subject and give the author's conclusions; the summary should be factual and suitable for use in abstracting journals. Footnotes should be avoided.

REFERENCES. The bibliography must be given in the form—Surname of authors, initials, year of publication (in parentheses), title of paper, name of journal (abbreviated according to the *World List of Scientific Periodicals*, 4th edn, Butterworths, London), volume and pages of reference. References should be in alphabetical order. In the text a reference should be quoted by the author's name and date (in parentheses). Where there are more than two authors, the initial reference in the text should include the names of all authors but subsequent citations, should be in the form—first author followed by *et al.* Authors should check that all references in the text appear at the end of the paper and vice versa, and that names and dates correspond in the two places.

PROOF CORRECTION. Standard proof correction marks (British Standard 1219) should be made as legibly as possible in ink, not pencil. Directions to the printer which are not to be set up in type should be encircled. Captions to illustrations and all references should be checked. Queries marked by the printer should be answered. Proofs are provided in order that authors can check the correctness of the type-setting—excessive alterations may be charged to the author.

OFFPRINTS. Contributors will receive 25 copies of their papers free and can order others when they receive the proofs.

Failure to comply with the 'Instructions to Authors' may delay publication.

JOURNAL OF REPRODUCTION AND FERTILITY

The Journal publishes original papers, abstracts of Proceedings, and occasionally reviews and bibliographies, dealing with the morphology, physiology, biochemistry and pathology of reproduction in man and animals, and with the biological, medical and veterinary problems of fertility and lactation. Numbers are issued bimonthly to give two volumes a year.

Papers to appear in 1966 include:

- R. G. WALES and T. O'SHEA. Effect of low levels of carbon dioxide on the metabolism of ram and bull spermatozoa.
- R. G. ZIMBELMAN and L. W. SMITH. Control of ovulation in cattle with melen-gestrol acetate. 1. Effects of dosage and route of administration. 2. Effects of follicular size and activity.
- L. E. A. ROWSON and R. M. MOOR. Embryo transfer in the sheep: the signifi-cance of synchronising oestrus in the donor and recipient animal.
- H. PIGOŃ, M. MARCHUT and N. NESTOROV. Urinary oestrogens in the mature male mule.
- H. PETERS and E. LEVY. Cell dynamics of the ovarian cycle.
- C. DESJARDINS, K. T. KIRTON and H. D. HAFS. Some chemical, immunochemical and electrophoretic properties of bovine follicular fluid.
- H. P. VAN KREY, F. C. OGASAWARA and F. W. LORENZ. Distribution of sperma-tozoa in the oviduct and fertility in domestic birds. IV. Fertility of sperma-tozoa from infundibular and uterovaginal glands.
- T. O'SHEA and R. G. WALES. The aerobic metabolism of ram spermatozoa.
- G. H. KIRACOFÉ and H. G. SPIES. Length of maintenance of naturally formed and experimentally induced corpora lutea in hysterectomized ewes.
- C. V. HULET. Effects of various treatments with 6-methyl-17-acetoxypregesterone (MAP) in subsequent fertility in ewes.
- P. HEALEY and R. M. F. S. SADLEIR. The construction of rectal electrodes for electro-ejaculation.
- R. M. MOOR and L. E. A. ROWSON. Local uterine mechanisms affecting luteal function in the sheep.
- L. E. A. ROWSON and R. M. MOOR. Non-surgical transfer of cow eggs.

Editorial correspondence should be sent to Professor A. S. Parkes, Journal of Reproduction and Fertility, 8 Jesus Lane, Cambridge, England, and business correspondence to the publishers.

*The subscription rate is £6 per volume or £12 per year (two volumes).
U.S.A. and Canada \$20.00 per volume or \$40.00 per year*

**BLACKWELL SCIENTIFIC PUBLICATIONS
OXFORD**



END APHIDS, MITES, THRIPS ON VEGETABLES, COTTON, FRUIT WITH SYSTEMIC, PERSISTENT, ACTIVE BIDRIN

Bidrin is Shell's new organo-phosphorus insecticide. It is systemic and has particular advantages for many crops. For example, Bidrin's extremely wide spectrum of activity includes the easy control of aphids, mites and thrips on vegetables, citrus fruits, cotton and seed-crops. Bidrin is equally useful in dealing with stem borers and leaf hoppers on rice – scale insects on citrus crops – and even the elm bark beetle. Bidrin kills on contact then continues to control biting and sucking insects for up to two to three weeks. Bidrin may be used to within four weeks before harvest, by then it has completely broken down and crops are ready for consumption. Current trials are proving that Bidrin may have many other valuable uses.

For further details about Bidrin contact your Shell company.



ANIMAL PRODUCTION

JOURNAL OF THE BRITISH SOCIETY OF ANIMAL PRODUCTION

Contents of Volume 8, Part 2, June 1966 include

- BARKER, J. S. F. and ROBERTSON, ALAN. Genetic and phenotypic parameters for the first three lactations in Friesian cows.
- MONTEIRO, L. S. and FALCONER, D. S. Compensatory growth and sexual maturity in mice.
- MOAV, R. Specialized sire and dam lines. I. Economic evaluation of crossbreds.
- ROBERTSON, J. B., LAIRD, R., HALL, J. K. S., FORSYTH, R. J., THOMSON, J. M. and WALKER-LOVE, J. A comparison of two indoor farrowing systems for sows.
- MOAV, R. Specialized sire and dam lines. II. The choice of the most profitable parental combination when component traits are genetically additive.
- LANGLANDS, J. P. Studies on the nutritive value of the diet selected by grazing sheep. I. Differences in composition between herbage consumed and material collected from oesophageal fistulae.
- ROBERTSON, ALAN and BARKER, J. S. F. The correlation between first lactation milk production and longevity in dairy cattle.
- DONEY, J. M. and SMITH, W. F. Fleece characteristics of three strains of Scottish Blackface sheep.
- RYDER, M. L. Coat structure and seasonal shedding goats.
- EFREMOV, G. and BRAEND, M. Haemoglobin N of sheep. Age, breed and seasonal distribution.
- Proceedings of the 44th Meeting of the British Society of Animal Production, Harrogate, 21-23 March 1966.

This Journal is published three times a year in February, June and October.

ANNUAL SUBSCRIPTION 65s. (U.S.A. \$11.00)

SINGLE PART 25s. (U.S.A. \$4.00)

Orders and subscriptions may be sent to any bookseller or direct to:

OLIVER & BOYD LTD.

Tweeddale Court, 14 High Street, Edinburgh, 1

FULL PARTICULARS OF THE

JOURNALS

PUBLISHED BY THE

CAMBRIDGE
UNIVERSITY PRESS

MAY BE HAD FROM

THE MANAGER
CAMBRIDGE UNIVERSITY PRESS
BENTLEY HOUSE
200 EUSTON ROAD
LONDON, N.W. 1

CROP SCIENCE

Crop breeders, plant geneticists and physiologists, and workers in related areas will find *Crop Science* a source of valuable articles in their branches of science. This bimonthly journal carries reports of research in the genetics, physiology, ecology, breeding and management of field crops, turf-grasses, pastures and ranges, and in seed technology. It is published by the Crop Science Society of America.

\$16.00 per year in U.S. and Canada.

\$17.00 per year elsewhere.

Crop Science Society of America
677 S. Segoe Rd,
Madison, Wisconsin, U.S.A., 53711

EXPERIMENTAL AGRICULTURE

Contents of Volume 2, No. 2, April 1966

- J. Oliver.** The Origin, Environment and Description of the Mashona Cattle of Rhodesia.
- A. R. Sen and Asim K. Biswas.** Some Techniques of Experimentation with Tea in North-East India.
- Adeboyejo A. Fayemi.** Effects of Time of Nitrogen Application on Yield of Maize in the Tropics.
- R. I. Leather.** Studies on the Reaction of Some Cacao Varieties to *Phytophthora Palmivora* (Butl.) Butl. in Jamaica.
- C. L. Mabey and R. Rose Innes.** Studies on Browse Plants in Ghana. 11. Digestibility. (d) Digestibility of *Grewia carpinifolia* from the Accra Plains, using local cattle as Experimental Animals.
- J. Oliver.** The Productivity of Mashona Cattle in Rhodesia.
- E. G. B. Gooding.** Climatic Factors and Potato Growth.
- Book Review:** Nutritional Values in Crops and Plants: Problems for Producers and Consumers. Werner Schuphan.
- D. A. Lawes.** Rainfall Conservation and the Yields of Sorghum and Groundnuts in Northern Nigeria.
- A. J. Kirkman.** Preparing Papers for Scientific Journals

Experimental Agriculture is a quarterly journal published by Cambridge University Press. It is the successor to *The Empire Journal of Experimental Agriculture*.

The subscription price is £3. 15s. (U.S.A. \$13.50) including postage; single parts are available at £1. 5s. each (U.S.A. \$4.50). Orders may be sent to any bookseller or subscription agent, or direct to Cambridge University Press.

CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1

American Branch: 32 East 57th Street, New York, N.Y. 10022, U.S.A.