

ERRATUM

J. agric. Sci., Camb (1967), **68**, 179–185.

The first two lines of p. 184 are incorrectly positioned and should be read after the first line of column 2, p. 183.

THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

G. D. H. BELL, C.B.E., PH.D., F.R.S., Plant Breeding Institute, Cambridge

K. L. BLAXTER, PH.D., N.D.A. (HONS.), D.SC., F.R.S.E., F.R.S.,
Rowett Research Institute, Bucksburn, Aberdeen

G. W. COOKE, PH.D., F.R.I.C., Rothamsted Experimental Station, Harpenden

JOHN HAMMOND, Jr., M.A., School of Agriculture, Cambridge

PROF. SIR J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., School of Agriculture,
Cambridge

H. L. PENMAN, O.B.E., PH.D., F.R.S., Rothamsted Experimental Station, Harpenden

H. H. ROGERS, B.SC., DIP.AG.SCI., Plant Breeding Institute, Cambridge

PROF. E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science,
University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden

VOLUME LXVIII 1967

CAMBRIDGE
AT THE UNIVERSITY PRESS
1967

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS
Bentley House, 200 Euston Road, London, N.W. 1.
American Branch: 32 East 57th Street, New York, N.Y. 10022

Printed in Great Britain at the University Printing House, Cambridge

Contents

PART I (FEBRUARY 1967)

| | PAGE |
|--|------|
| MORRIS, J. G. and GARTNER, R. J. W. Finishing steers on high-grain rations. Effects of type of silage, level of urea, vitamin A and cobalt supplementation on body-weight gain, feed efficiency and carcass composition | 1 |
| GRIMES, R. C., WATKIN, B. R. and GALLAGHER, J. R. The growth of lambs grazing on perennial ryegrass, tall fescue and cocksfoot, with and without white clover, as related to the botanical and chemical composition of the pasture and pattern of fermentation in the rumen. (With Six Text-figures) | 11 |
| BATEMAN, JOHN V. and FRESNILLO, OLGA. Digestibility of <i>Theobroma cacao</i> pods when fed to cattle | 23 |
| ALCOCK, M. B. and LOVETT, J. V. The electronic measurement of the yield of growing pasture. I. A statistical assessment. (With Two Plates and Six Text-figures) | 27 |
| BARRETT, D. W. A., MEENS, B. E. and MEES, G. C. The control of lodging in cereals by (2-chloroethyl)-trimethyl ammonium chloride (CCC). Field trials in Britain in 1964 and 1965. (With Five Text-figures) | 39 |
| MOUNT, L. E., HOLMES, C. W., START, I. B. and LEGGE, A. J. A direct calorimeter for the continuous recording of heat loss from groups of growing pigs over long periods. (With One Plate and Five Text-figures) | 47 |
| GEORGE, J. M. Observations on the casting of ewes. (With One Text-figure) | 57 |
| WODZICKA-TOMASZEWSKA, M., HUTCHINSON, J. C. D. and BENNETT, J. W. Control of the annual rhythm of breeding in ewes: effect of an equatorial daylength with reversed thermal seasons. (With Four Text-figures) | 61 |
| EL SAEED, E. A. K. Seed size as a varietal difference in broad beans (<i>Vicia Faba</i> L.). (With Five Text-figures) | 69 |
| GUIRGIS, R. A. Fibre-type arrays and kemp succession in sheep. (With One Plate and Two Text-figures) | 75 |
| GALLAGHER, J. R. and WATKIN, B. R. Studies in the evaluation of pasture quality with young grazing sheep. Observations on wool production, carcass appraisal and reticulo-ruminal characteristics | 87 |
| WIDDOWSON, F. V. and PENNY, A. Results of an experiment at Woburn testing farmyard manure and N, P and K fertilizers on five arable crops and a long ley. I. Yields | 95 |
| YOUSEF, I. M. K. and ASHTON, W. M. A study of the composition of Clun Forest ewe's milk. III. Ewe's milk fat: a preliminary study | 103 |
| ANSLOW, R. C. and GREEN, J. O. The seasonal growth of pasture grasses. (With Nine Text-figures) | 109 |
| NOWAKOSWKI, T. Z., NEWMAN, A. C. D. and PENNY, A. The effect of different nitrogenous fertilizers applied as solids or solutions on dry matter yields and nitrogen uptake by grass. Part II | 123 |
| NOWAKOWSKI, T. Z. and GASSER, J. K. R. The effect of a nitrification inhibitor on the concentration of nitrate in plants | 131 |
| GUPTA, JAGDISH CHANDRA, PRAMANIK, SUNITI KUMAR and MAJUMDAR, B. N. A comparison of the nutritive value of hybrid Napier, Napier and Jowar grasses with or without starch supplementation | 135 |

| | PAGE |
|--|------|
| BATH, I. H. and HILL, K. J. The lipolysis and hydrogenation of lipids in the digestive tract of the sheep | 139 |
| WARING, J. J. and BROWN, W. O. Calorimetric studies on the utilization of dietary energy by the laying White Leghorn hen in relation to plane of nutrition and environmental temperature. (With One Text-figure) | 149 |
| CANNELL, R. Q. Net assimilation rate in barley, oats and wheat. (With Three Text-figures) | 157 |

PART 2 (APRIL 1967)

| | |
|---|-----|
| L'ESTRANGE, J. L., OWEN, J. B. and WILMAN, D. The relationship between the serum magnesium concentration of grazing ewes and their dry matter intake and milk yield. (With Two Text-figures) | 165 |
| L'ESTRANGE, J. L., OWEN, J. B. and WILMAN, D. Effects of a high level of nitrogenous fertilizer and date of cutting on the availability of the magnesium and calcium of herbage to sheep. (With One Text-figure) | 173 |
| BOND, D. A. Combining ability of winter bean (<i>Vicia faba</i> L.) inbreds | 179 |
| RUSSEL, A. J. F. and BARTON, R. A. Bone-muscle relationship in lamb and mutton carcasses | 187 |
| FORBES, J. M. Factors affecting the gestation length in sheep. (With One Text-figure) | 191 |
| CARE, A. D., VOWLES, L. E., MANN, S. O. and ROSS, D. B. Factors affecting magnesium absorption in relation to the aetiology of acute hypomagnesaemia. (With Two Text-figures) | 195 |
| TINKER, P. B. H. The effects of magnesium sulphate on sugar-beet yield and its interactions with other fertilizers. (With Two Text-figures) | 205 |
| ARNOLD, G. W. and DUDZINSKI, M. L. Comparison of faecal nitrogen regressions and <i>in vitro</i> estimates of diet digestibility for estimating the consumption of herbage by grazing animals. (With One Text-figure) | 213 |
| SHORLAND, F. B., CZOCHANSKA, Z., BARTON, R. A. and RAE, A. L. A comparison between the effects of ryegrass and white clover on the iodine values and melting points of some depot fats of sheep | 221 |
| KUBOTA, T. and WILLIAMS, R. J. B. The effects of changes in soil compaction and porosity on germination, establishment and yield of barley and globe beet. (With Three Text-figures) | 227 |
| ENGLAND, F. Non-sward densities for the assessment of yield in Italian ryegrass. I. Comparison between sward and non-sward densities. (With one Text-figure) | 235 |
| BOND, D. A. and HAWKINS, R. P. Behaviour of bees visiting male-sterile field beans (<i>Vicia faba</i>) | 243 |
| REID, D. Studies on the cutting management of grass-clover swards. V. The effect of changes in the closeness of cutting at different times in the season on the yield and quality of herbage from a perennial ryegrass-white clover sward. (With One Text-figure) | 249 |
| BURHAN, H. O. and MANSI, M. G. Rotation responses of cotton in the Sudan Gezira. I. The effect of crop rotation on cotton yields (With Two Text-figures) | 255 |
| MANSTON, R. The influence of dietary calcium and phosphorus concentration on their absorption in the cow. (With Two Text-figures) | 263 |

| | |
|--|-----|
| LAWRENCE, T. L. J. High level cereal diets for the growing finishing pig. I. The effect of cereal preparation and water level on the performance of pigs fed diets containing high levels of wheat | 269 |
| HANBURY, L. F. and MAUGHAN, G. L. An investigation into the spacing of monogerm sugar beet seed in the development of the spring mechanization of the crop | 275 |
| GARWOOD, E. A. and WILLIAMS, T. E. Soil water use and growth of a grass sward. (With Eight Text-figures) | 281 |
| WIDDOWSON, F. V., PENNY, A. and WILLIAMS, R. J. B. Results of an experiment at Woburn testing farmyard manure and N, P and K fertilizers on five arable crops and on a long ley. II. N, P and K removed by the crops | 293 |
| TUMA, H. J., DINKEL, C. A., MINYARD, J. A. and BREIDENSTEIN, B. C. Methods of predicting kilograms of retail cuts in the beef carcass | 301 |

PART 3 (JUNE 1967)

| | |
|---|-----|
| GASSER, J. K. R. and IORDANOU, I. G. Effects of ammonium sulphate and calcium nitrate on the growth, yield and nitrogen uptake of barley, wheat and oats. (With Six Text-figures) | 307 |
| KIRBY, E. J. M. The effect of plant density upon the growth and yield of barley. (With Six Text-figures) | 317 |
| BRAUDE, R. and ROWELL, J. G. Comparison of dry and wet feeding of growing pigs | 325 |
| ALDER, F. E. and COOPER, E. M. Comparative studies of perennial ryegrass and cocksfoot as food for the calf. (With Two Text-figures) | 331 |
| BOSHOFF, W. H. Reaction velocity constants for batch methane fermentation on farms, notably in the tropics. (With Three Text-figures) | 347 |
| RUSSEL, A. J. F., DONEY, J. M. and REID, R. L. The use of biochemical parameters in controlling nutritional state in pregnant ewes, and the effect of undernourishment during pregnancy on lamb birth-weight. (With Three Text-figures) | 351 |
| RUSSEL, A. J. F., DONEY, J. M. and REID, R. L. Energy requirements of the pregnant ewe. (With Two Text-figures) | 359 |
| PEART, J. N. The effect of different levels of nutrition during late pregnancy on the subsequent milk production of Blackface ewes and on the growth of their lambs. (With Three text-figures) | 365 |
| KIMBER, G. The incorporation of the resistance of <i>Aegilops ventricosa</i> to <i>Cercospora herpochoides</i> into <i>Triticum aestivum</i> | 373 |
| ANSLOW, R. C. Frequency of cutting and sward production. (With Four text-figures) | 377 |
| BOYD, J. W. and FORD, E. J. H. Normal variation in alanine aminotransferase activity in sheep and cattle. (With Two text-figures) | 385 |
| STEPHENS, D. Effects of grass fallow treatments in restoring fertility of Buganda clay loam in South Uganda. (With Seven Text-figures) | 391 |
| RUSSELL, G. E. Some effects of infection with yellowing viruses and of fungicide applications on bolting in sugar beet | 405 |
| BINGHAM, J. Investigations on the physiology of yield in winter wheat, by comparisons of varieties and by artificial variation in grain number per ear. (With Seven Text-figures) | 411 |

JOURNAL OF REPRODUCTION AND FERTILITY

The Journal publishes original papers, abstracts of Proceedings, and occasionally reviews and bibliographies, dealing with the morphology, physiology, biochemistry and pathology of reproduction in man and animals, and with the biological, medical and veterinary problems of fertility and lactation. Numbers are issued bimonthly to give two volumes a year.

Papers to appear during 1967

- J. B. K. CLARK, E. F. GRAHAM, B. A. LEWIS and F. SMITH. D-Mannitol, erythritol and glycerol in bovine semen.
- N. WESTMORELAND, N. L. FIRST and W. G. HOEKSTRA. In-vitro uptake of zinc by boar spermatozoa.
- M. L. FAHNING, R. H. SCHULTZ and E. F. GRAHAM. The free amino acid content of uterine fluids and blood serum in the cow.
- R. C. BENEDICT, V. N. SCHUMAKER and R. E. DAVIES. The buoyant density of bovine and rabbit spermatozoa.
- F. G. PROUDFOOT and D. K. R. STEWART. The effect of oxygen and type of container on the retention of the fertilizing capacity of fowl spermatozoa stored *in vitro*.
- F. C. HEAP, G. A. LODGE and G. E. LAMMING. The influence of plane of nutrition in early pregnancy on the survival and development of embryos in the sow.
- J. C. BOURSNEILL. Boar seminal haemagglutinin. 2. Combination with red cells and spermatozoa.
- P. D. ROSSDALE and R. V. SHORT. The time of foaling of thoroughbred mares.
- J. M. BEDFORD. The importance of capacitation for establishing contact between eggs and sperm in the rabbit.
- T. N. EDEY. Early embryonic death and subsequent cycle length in the ewe.
- A. C. MENGE. Induced infertility in cattle by iso-immunization with semen and testis.
- L. E. A. ROWSON and R. M. MOOR. The influence of embryonic tissue homogenate infused into the uterus, on the life-span of the corpus luteum in the sheep.

Editorial correspondence should be sent to the Executive Editor, Journal of Reproduction and Fertility, 8 Jesus Lane, Cambridge, England, and business correspondence to the publishers.

The subscription rate for 1967 is £6 per volume or £12 per year (two volumes). U.S.A. and Canada \$20.00 per volume or \$40.00 per year.

BLACKWELL SCIENTIFIC PUBLICATIONS
5 ALFRED STREET OXFORD

THE JOURNAL OF AGRICULTURAL SCIENCE

CONTENTS

Vol. 68 Part 3 June 1967

| | PAGE |
|---|------|
| GASSER, J. K. R. and IORDANOU, I. G. Effects of ammonium sulphate and calcium nitrate on the growth, yield and nitrogen uptake of barley, wheat and oats. (With Six Text-figures) | 307 |
| KIRBY, E. J. M. The effect of plant density upon the growth and yield of barley. (With Six Text-figures) | 317 |
| BRAUDE, R. and ROWELL, J. G. Comparison of dry and wet feeding of growing pigs | 325 |
| ALDER, F. E. and COOPER, E. M. Comparative studies of perennial ryegrass and cocksfoot as food for the calf. (With Two Text-figures) | 331 |
| BOSHOFF, W. H. Reaction velocity constants for batch methane fermentation on farms, notably in the tropics. (With Three Text-figures) | 347 |
| RUSSEL, A. J. F., DONEY, J. M. and REID, R. L. The use of biochemical parameters in controlling nutritional state in pregnant ewes, and the effect of undernourishment during pregnancy on lamb birth-weight. (With Three Text-figures) | 351 |
| RUSSEL, A. J. F., DONEY, J. M. and REID, R. L. Energy requirements of the pregnant ewe. (With Two Text-figures) | 359 |
| PEART, J. N. The effect of different levels of nutrition during late pregnancy on the subsequent milk production of Blackface ewes and on the growth of their lambs. (With Three text-figures) | 365 |
| KIMBER, G. The incorporation of the resistance of <i>Aegilops ventricosa</i> to <i>Cercospora herpochloides</i> into <i>Triticum aestivum</i> | 373 |
| ANSLOW, R. C. Frequency of cutting and sward production. (With Four text-figures) | 377 |
| BOYD, J. W. and FORD, E. J. H. Normal variation in alanine aminotransferase activity in sheep and cattle. (With Two Text-figures) | 385 |
| STEPHENS, D. Effects of grass fallow treatments in restoring fertility of Buganda clay loam in South Uganda. (With Seven Text-figures) | 391 |
| RUSSELL, G. E. Some effects of infection with yellowing viruses and of fungicide applications on bolting in sugar beet | 405 |
| BINGHAM, J. Investigations on the physiology of yield in winter wheat, by comparisons of varieties and by artificial variation in grain number per ear. (With Seven Text-figures) | 411 |

SUBSCRIPTIONS. Two volumes of three parts (each about 150 pages long) are published annually. The subscription price is 75s. net (U.S.A. \$13.50) per volume (post free); single parts are available at 35s. net (U.S.A. \$5.50) plus postage. Orders or enquiries may be sent to any bookseller or subscription agent, or to Cambridge University Press, Bentley House, 200 Euston Road, London, N.W. 1. (U.S.A. and Canada, Cambridge University Press American Branch, 32 East 57th Street, New York, N.Y. 10022, U.S.A.)