

the literature, their association with epilepsy and schizophrenia is very extensively documented. Recent research brought new insights into the neurobiology of these phenomena.

Objectives: In this article, we aim to review the phenomenology and psychopathology of APs.

Methods: Narrative literature review.

Results: From a phenomenological perspective, three main conditions can be identified. In Autoscopia, the person sees a double, but does not feel a connection with it, meaning that they can distinguish between themselves and the double. In Out-of-body Experience (OBE), the individual feels as though they have left their body and observe themselves from an external perspective. In Heautoscopia, the boundary between the self and the double is blurred, causing uncertainty about where one's "self" is located, representing a middle ground between autoscopia and OBE.

Current research suggests that APs are linked to dysfunctions in the normal integration of body ownership, self-location, and perspective-taking, caused by lesions in regions responsible for integrating multi-sensory inputs (visual, proprioceptive and vestibular). All types of APs have in common a dysfunction specifically in the temporo-parietal junction (TPJ), a brain area involved in processing self-location and integrating sensory inputs to create a unified sense of self; other common areas include the insula and cingulate cortex.

Regarding to the different networks of APs, Autoscopia primarily involves abnormalities in the visual processing regions (as the occipital and parietal lobes), causing a visual perception of double; OBEs are caused by dysfunctions in areas responsible for self-location and vestibular processing (such as the medial prefrontal cortex), leading to a sensation of floating outside one's body; lastly, Heautoscopia engages more widespread brain dysfunctions, including the regions involved in self-representation and embodiment, leading to ambiguity in self-location.

Conclusions: APs challenge our understanding of the bodily self and how identity is constructed, raising questions about how the brain creates a unified sense of being in a body and how this can break down under certain pathological conditions. Although much is unknown, one thing is for sure: these phenomena demonstrate that the sense of self is not fixed, and the study of its disruption, by exploring its phenomenology and psychopathology, may contribute to reveal the underlying processes involved in bodily self-consciousness.

Disclosure of Interest: None Declared

EPV1534

Academic procrastination and suicidality: A systematic review

I. Delgado^{1*}, A. Criado¹, B. R. Merino¹ and J. Muñoz¹

¹Universidad Isabel I, Burgos, Spain

*Corresponding author.

doi: 10.1192/j.eurpsy.2025.2045

Introduction: Academic procrastination is the deliberate action of postponing the completion of academic tasks that must be completed, despite the harmful effects that not completing them may entail, having a particularly high prevalence in university students. Numerous studies have analyzed the consequences of academic procrastination on mental health. Furthermore, scientific evidence has also found a high prevalence of suicide risk in youth and adolescents. Therefore, it is worth asking if academic procrastination is related to the risk of suicide and self-harming behavior in students.

To our knowledge, this is the first systematic review to analyze the relationship between academic procrastination and suicidality.

Objectives: To analyze 1) the relationship between academic procrastination and suicidal tendencies, 2) whether this relationship, if it exists, is influenced by other variables.

Methods: Academic Search Premier, APA PsycArticles, APA PsycInfo, PSICODOC, Psychology and Behavioral Sciences Collection, MEDLINE, E-Journals, ERIC and Scopus were searched during October 2024. An additional search was also conducted using the Google Scholar search engine. The review was carried out following the criteria of the PRISMA 2020 declaration. Observational studies that analyzed the relationship between procrastination and suicidality were included, without language or time restrictions. Single case studies or case series, studies examining procrastination in non-academic settings, and studies using qualitative methodology were excluded. Each study was narratively summarized.

Results: Ninety-three studies were identified; after eliminating duplicates and those works that did not meet the eligibility criteria, four studies were included for review. These studies varied in their origin (two articles from the United States, one from Spain, one from Peru, and one from Jordan) and the secondary variables evaluated. All studies found a positive and significant relationship between suicidality and academic procrastination (with correlation coefficients ranging from 0.19 to 0.51), observing a slightly higher correlation in women compared to men. Self-control was found to mediate the relationship between procrastination and suicidality.

Conclusions: Our findings suggest a strong positive relationship between academic procrastination and suicidality. However, there are still few studies that analyze this topic, so it is necessary to continue researching in this field.

Disclosure of Interest: None Declared

EPV1535

A Complex Case of Feigned Psychosis or Hidden Truths? A Case Report

M. A. Dimitrov^{1*} and P. McLaughlin²

¹Psychiatry, St James Hospital and ²Psychiatry, Central Mental Hospital, National Forensic Mental Health Service, Dublin, Ireland

*Corresponding author.

doi: 10.1192/j.eurpsy.2025.2046

Introduction: Feigning is defined as "to represent falsely; to imitate so as to deceive" (McDermott et al. *Int J Law Psychiatry* 2013; 36:287-92). Malingering and dissimulation are subtypes of feigning; malingering involves intentionally producing symptoms for incentives (World Health Organization. ICD-11 2022), while dissimulation involves concealing symptoms to appear mentally well (Caruso et al. *J Am Acad Psychiatry Law* 2003; 31:444-50). The prevalence of feigning illness remains uncertain, and varies with context and incentives. Within the legal context, 17.5% feign incompetence to stand trial and 64.5% to plead not guilty by reason of insanity. Malingering has been reported in up to 56% of general offender samples (McDermott et al. *Int J Law Psychiatry* 2013; 36:287-92). In the public setting, the malingering prevalence constituted 30% of disability evaluations, 29% of personal injury evaluations, 19% of criminal evaluations and 8% of medical cases (Mittenberg et al. *J Clin Exp Neuropsychol*). In 2006, malingering resulted in approximately \$150 billion in annual expenses for the US insurance industry (Mason et al. *Perspect Psychiatr Care* 2014; 50: 51-7).