



A summary of new products and services for materials research...




Microfocused Ion Guns



Low Profile Cryopumps

Microfocused Ion Guns: Range of micro-focused ion guns produce intense and highly stable beams with spot sizes down to less than 500 Å. Designed for use in fields such as high resolution SIMS analysis, micromachining, ion beam lithography, and submicron surface engineering, the guns produce current densities in the range of 1 A/cm². Gallium is the most popular source material, but alternative metals and alloys are available for special applications. Guns are available separately, or as part of complete systems. VG Ionex Limited, The Maltings, Burgess Hill, West Sussex, RH15 9TQ, England; +44 4446 46333.

Low Profile Cryopumps: Family of low profile cryopumps saves valuable installation space and provides maximum refrigeration power, enabling integration into a variety of high-vacuum processing systems. Pumps can be mounted either horizontally or vertically. Fixed speed sputtering low profile pump (FS-8LP) designed for sputtercoating applications, is nine inches high, and provides over 1500 std liters at 10⁻⁶ torr. The high vacuum low profile pump (HV-8LP) is an eight-inch, valveless pump with high pumping speeds well suited for ion implantation, surface analysis, molecular beam epitaxy, and general laboratory studies. Varian Vacuum Products Division, 121 Hartwell Avenue, Lexington, MA 02173; (617) 861-7200.



Advanced Epitaxy System For II-VI Applications

Advanced Epitaxy System For II-VI Applications: Advanced metalorganic chemical vapor deposition system is designed specifically for growing II-VI compound semiconductor wafers, including HgCdTe. The System 2600 can grow three 2-inch wafers per run, and is suited for growth of optoelectronic devices such as focal plane arrays for IR wavelengths and night vision applications. Special features include a stainless steel Turbo Disc[®] reactor which uses highspeed rotation to assure composition uniformity; an optional loadlock; a gas panel that injects Cd and Te separately; safe handling and accurate dispensing of elemental reactants; and a rapid switching injector. EMCORE Corporation, 35 Elizabeth Avenue, Somerset, NJ 08873; (201) 271-9090.

USSR Science and Technology: 405-page guide, *Science and Technology in the USSR*, details the policies and directions of science and technology within the social, economic, and political systems of the Soviet Union today. The guide is arranged in 27 chapters. The first 12 chapters cover the historical background of Russian science and technology, the organizational structure supporting scientific research, and related topics. The remaining 15 chapters discuss specific branches of science from agriculture to biotechnology. An index of establishments is also included. Price: \$95. Gale Research Company, Book Tower, Detroit, MI 48226-9990; (313) 961-2242.

Nonvolatile Ferroelectric RAM: Ferroelectric process is integrated with a conventional CMOS silicon process to produce a read/write nonvolatile Ferroelectric Random Access Memory (FRAM[™]). A thin film of ceramic PZT is sandwiched between two metal electrodes to form a "digital memory capacitor" which is built above existing semiconductor circuitry. Nonvolatile operation results from the film's two stable polarization states. FRAM features immunity to power failures, resistance to radiation, fast access time, symmetrical read and write cycles, high density, and low power consumption.

Memory is operated and programmed from a single +5 V power supply. Ramtron Corporation, 1873 Austin Bluffs Parkway, Colorado Springs, CO 80918; (303) 594-4455.

Science and Technology in France and Belgium: 131-page guide, *Science and Technology in France and Belgium*, details the policies and directions of science and technology within the social, economic, and political systems of France and Belgium today. The guide is arranged in two parts, one for each country. Each part contains separate chapters on science policy, industrial research and development, universities and academic institutions, and general topics. Individual branches of science and technology are also discussed in subsequent chapters. Price: \$100. Gale Research Company, Book Tower, Detroit, MI 48226-9990; (313) 961-2242.

Real-Time Measurement for Deposition Process Control: TPC-100 telemetry process controller is an *in situ*, real-time measurement system that provides critical data for process characterization and control during deposition. Resistance and temperature measurements are carried via the transmitter module (in the shape of a 4-inch wafer), in the vacuum system to the receiver. The receiver interfaces with a personal computer for real-time temperature of rotating substrates and film thickness measurement. System is compact, vacuum compatible, unaffected by rf sputtering, and non-particulate generating. Manufactured by MBB DATA Technology, Munich, W. Germany. CVC Products, Inc., 525 Lee Road, P.O. Box 1886, Rochester, NY 14603; (716) 458-2550.

High T_c Information Service: Monthly program provides high T_c superconductivity information, including government reports, scientific papers, congressional studies, budget documents, speeches, congressional testimony, patent applications, and industry reports. Atlantic Information Services, Inc., 1050 17th Street, NW, Suite 480, Washington, DC 20036; (800) 521-4323.

Catalyst Testing Guide: Operational handbook, *A Practical Guide to Catalyst Testing*, offers practical, in-depth information for those working in laboratory-scale catalyst evaluation and associated process development. Catalytica Studies Division, 430 Ferguson Drive, Mountain View, CA 94043; (415) 960-3000. □

PGT ANNOUNCES

What's New Under The Sun[®]

In X-Ray Microanalysis/Imaging Workstations.



IMIX[®] HAS ARRIVED!

A TRUE WORKSTATION ENVIRONMENT

To Maximize Productivity and Minimize Cost of Operation

- Sun[®] Workstation
- Multiuser/Multitasking
- Expanded Computer Power
- 32 Bit Architecture
- Report Writer Capability

A MODERN WINDOWS FORMAT

For Superb Graphics and Unsurpassed Operating Simplicity

- Over 11,000 Simultaneous Colors From a Palette of Over 16,000,000 Combinations
- Resolution of 1152 x 900
- Simultaneous X-Ray/Image display
- Simultaneous Color/Black & White Display
- Menu Driven/Simple Operating Format
- Easy Access to Sophisticated Operations

NETWORKING CAPABILITY

To Facilitate User Efficiency By Linking Facilities and Equipment, Reducing The Need For Multiple Systems

- Ethernet Standard
- Workstation to Personal Computer Communication
- Multiple Console Capability with Remote Access Control and Review
- Electronic Mail Access

UNIX[®] OPERATING SYSTEM

For Turn On and Run Simplicity With Simple User Customization

- Industry Recognized Standard
- Easy to Learn System Operation
- Readily Available 3rd Party Software
- Compatibility With Most Major Programming Languages

Leader From The Beginning...Committed To Stay In Front!



A Member of the Outokumpu Group

Princeton Gamma-Tech, Inc., 1200 State Road, Princeton, NJ 08540, Tel: (609) 924-7310

UNIX[®] is a registered trademark of AT&T

SUN[®] is a trademark of Sun Microsystems, Inc.

SPUTTER DEPOSITION

from

PLUMBING FIXTURES to HIGH T_c SUPERCONDUCTORS

Sputter Deposition is a powerful process with a commanding list of applications. In TORUS® sputter guns, the patented combination of strong central magnets with auxiliary ring magnets intensifies and contours the sputtering plasma. The resulting increase in target utilization and higher sputter rate is valuable in any application.

Torus Guns are adaptable, without modification, to RF or DC power supplies, conducting or insulating targets and normal or reactive sputtering. They are available with target diameters ranging from the 1" Torus

Piccolo, ideal for small scale, low cost test sequences, to the 8¼" TRS 15, a large scale production unit.

The versatile Torus Guns allow precisely controlled depositions of insulators, semiconductors, metallic layers and the latest high T_c Superconducting formulations and stoichiometries.

Call us. We provide everything for sputter deposition; guns, target materials, power supplies, film thickness controllers and complete systems.



TRS 2 gun sputtering at different rates.



The acclaimed TRS 2 source has no equal in sputter rate, versatility and control



Three 'converging' TRS 2 guns



The complete SUPERSYSTEM with three TRS 2 guns (either converging or parallel) for Cu, Ba, Y oxide deposition

APPLICATIONS

INDUSTRIAL

- IR Reflective architectural glass
- Anti Reflective lenses, lasers
- Visible Reflective mirrors, filters
- Hardcoat printheads, machines, tools, turbine blades
- Anti Corrosive nuclear fuel rods, marine components, turbine blades
- Impermeable packaging film, moisture barriers

CONSUMER

- Metallic video disks, hard disks, magnetic storage, compact disks, space blankets
- Decorative bright plastic parts, car 'chrome', jewelry, clothing fibers, plumbing fixtures
- Impermeable packaging film
- Optic flat screen displays, lenses

MICROELECTRONICS

- Metallic capacitors, contacts, IC conductors
- Resistive/Insulating IC components, gate barriers
- Optic optical disk storage

MEDICAL

- Wearcoat prosthetic joints
- Culture surface modification for bacteria growth
- Passivating catheter neutralizing

SCIENTIFIC

- Heat Resistant coating SEM samples
- Ceramic high T_c superconductors
- X-Ray Focussing x-ray microscopes

MILITARY

- Anti Reflective aircraft canopies
- IR Transmissive night optics
- Anti Damage laser windows

TORUS® is the registered trade mark of the Kurt J. Lesker Co.

Kurt J. Lesker Co. "...vacuum science is our business"

1515 Worthington Ave., Clairton, PA 15025

800-245-1656

412-233-4200 412-233-4275 (FAX) 800-242-0599 (PA) 800-848-5386 (CA) 800-544-3940 (CAN)