

Index of Subjects

Acylglycerol acyltransferase

Partition of oleic acid between the lymph and portal blood in rats having a diverted bile-pancreatic duct. 75, 249, 1996

Adipose tissue

Effects of long-term low-glycaemic index starchy food on plasma glucose and lipid concentrations and adipose tissue cellularity in normal and diabetic rats. 75, 723, 1996

Adolescents

Dietary sources of calcium and the contribution of flour fortification to total calcium intake in the diets of Northumbrian adolescents. 75, 495, 1996

Alcohol

Alcohol and the regulation of energy balance: overnight effects on diet-induced thermogenesis and fuel storage. 75, 33, 1996

Amino acids

Lysine utilization by growing pigs: simultaneous measurement of protein accretion and lysine oxidation. 75, 57, 1996

Kinetics of amino acid and glucose absorption following pancreatic diversion in the pig. 75, 175, 1996

Splanchnic-bed transfers of amino acids in sheep blood and plasma, as monitored through use of a multiple U-¹³C-labelled amino acid mixture. 75, 217, 1996

Antioxidants

The effects of copper deficiency on human lymphoid and myeloid cells: an *in vitro* model. 75, 97, 1996

Appetite

Fat substitution and food intake: effect of replacing fat with sucrose polyester at lunch or evening meals. 75, 545, 1996

Autoimmunity

Dietary fat influences Ia antigen expression, cytokines and prostaglandin E₂ production of immune cells in autoimmune-prone NZB × NZW F1 mice. 75, 711, 1996

Bacteria

Intestinal mucin distribution in the germ-free rat and in the heteroxenic rat harbouring a human bacterial flora: effect of inulin in the diet. 75, 881, 1996

Basal metabolic rate

Components of total energy expenditure in free-living elderly men (over 75 years of age): measurement, predictability and relationship to quality-of-life indices. 75, 161, 1996

Unexpected relationship between fat mass and basal metabolic rate in pregnant women. 75, 659, 1996

Bile

Partition of oleic acid between the lymph and portal

blood in rats having a diverted bile-pancreatic duct. 75, 249, 1996

Cholesterol-lowering effect of soyabean lecithin in normolipidaemic rats by stimulation of biliary lipid secretion. 75, 471, 1996

Bioavailability

Bioavailability of calcium of fresh cheeses, enteral food and mineral water. A study with stable calcium isotopes in young adult women. 75, 893, 1996

Bioimpedance

Body composition assessment in lean and normal-weight young women. 75, 793, 1996

Blood pressure

Dietary fibres reduce blood pressure, serum total cholesterol and platelet aggregation in rats. 75, 483, 1996

Body composition

Comparative study of the relationship between multi-frequency impedance and body water compartments in two European populations. 75, 11, 1996

Metabolic and endocrine changes induced by chronic heat exposure in broiler chickens: growth performance, body composition and energy retention. 75, 195, 1996

Measurement of body fat in young and elderly women: comparison between a four-compartment model and widely used reference methods. 75, 649, 1996

Unexpected relationship between fat mass and basal metabolic rate in pregnant women. 75, 659, 1996

Body composition assessment in lean and normal-weight young women. 75, 793, 1996

Dual-energy X-ray absorptiometry for the measurement of gross body composition in rats. 75, 803, 1996

Body fat

Dual-energy X-ray absorptiometry for the measurement of gross body composition in rats. 75, 803, 1996

Bone

Body composition assessment in lean and normal-weight young women. 75, 793, 1996

Effect of protein restriction on the messenger RNA contents of bone-matrix proteins, insulin-like growth factors and insulin-like growth factor binding proteins in femur of ovariectomized rats. 75, 811, 1996

Breakfast

The contribution of breakfast to the diets of a sample of 136 primary-schoolchildren in Edinburgh. 75, 419, 1996

Brown algae

In vitro fermentation by human faecal bacteria of total and purified dietary fibres from brown seaweeds. 75, 263, 1996

Cachexia

Oxymetholone promotes weight gain in patients with advanced human immunodeficiency virus (HIV-1) infection. 75, 129, 1996

Caecal fermentation

Consequences of reduced fibre intake on digestion, rate of passage and caecal microbial activity in the young rabbit. 75, 353, 1996

Influence of caecal microflora and of two dietary protein levels on the adaptation of the exocrine pancreas: comparative study in germ-free and conventional rats. 75, 433, 1996

Caecum

Acidic fermentation in the caecum increases absorption of calcium and magnesium in the large intestine of the rat. 75, 301, 1996

Calcium

Mechanisms underlying the inhibitory effect of high calcium carbonate intake on iron bioavailability from ferrous sulphate in anaemic rats. 75, 109, 1996

Zinc and calcium apparent absorption from an infant cereal: a stable isotope study in healthy infants. 75, 291, 1996

Acidic fermentation in the caecum increases absorption of calcium and magnesium in the large intestine of the rat. 75, 301, 1996

Dietary sources of calcium and the contribution of flour fortification to total calcium intake in the diets of Northumbrian adolescents. 75, 495, 1996

Prevention of coprophagy modifies magnesium absorption in rats fed with fructo-oligosaccharides. 75, 775, 1996

Bioavailability of calcium of fresh cheeses, enteral food and mineral water. A study with stable calcium isotopes in young adult women. 75, 893, 1996

Carotenoids

The correlation between the intake of lutein, lycopene and β -carotene from vegetables and fruits, and blood plasma concentrations in a group of women aged 50–65 years in the UK. 75, 409, 1996

CD5⁺ B cells

Dietary fat influences Ia antigen expression, cytokines and prostaglandin E₂ production of immune cells in autoimmune-prone NZB \times NZW F1 mice. 75, 711, 1996

Cholecalciferol

Changes in vitamin-D metabolites and parathyroid hormone in plasma following cholecalciferol administration to pre- and postmenopausal women in the Netherlands in early spring and to postmenopausal women in Curaçao. 75, 637, 1996

Cholesterol

Cholesterol-lowering effect of soyabean lecithin in normolipidaemic rats by stimulation of biliary lipid secretion. 75, 471, 1996

Chronic heat exposure

Metabolic and endocrine changes induced by chronic heat exposure in broiler chickens: growth performance, body composition and energy retention. 75, 195, 1996

Metabolic and endocrine changes induced by chronic heat exposure in broiler chickens: biological and endocrinological variables. 75, 205, 1996

Chyloportal partition

Partition of oleic acid between the lymph and portal blood in rats having a diverted bile-pancreatic duct. 75, 249, 1996

Coccidiosis

Interaction between nutrition and *Eimeria acervulina* infection in broiler chickens: development of an experimental infection model. 75, 867, 1996

Interaction between nutrition and *Eimeria acervulina* infection in broiler chickens: diet compositions that improve fat digestion during *Eimeria acervulina* infection. 75, 875, 1996

Colon

Fermentable carbohydrate modulates postprandial enteroglucagon and gastrin release in rats. 75, 757, 1996

Condensed tannin

The effect of cottonseed condensed tannins on the ileal digestibility of amino acids in casein and cottonseed kernel. 75, 683, 1996

Conditioned taste aversion

Rebalancing essential amino acids intake by self-selection in the rat. 75, 669, 1996

Conjunctival impression cytology with transfer

Conjunctival impression cytology with transfer (CICT) to detect pre-clinical vitamin A deficiency among slum children in India. 75, 785, 1996

Copper

The effects of copper deficiency on human lymphoid and myeloid cells: an *in vitro* model. 75, 97, 1996

Lipid fluidity of triacylglycerol-rich lipoproteins isolated from copper-deficient rats. 75, 767, 1996

Interactions in indices of vitamin A, zinc and copper status when these nutrients are fed to rats at adequate and increased levels. 75, 915, 1996

Coprophagy

Prevention of coprophagy modifies magnesium absorption in rats fed with fructo-oligosaccharides. 75, 775, 1996

Cottonseed

The effect of cottonseed condensed tannins on the ileal digestibility of amino acids in casein and cottonseed kernel. 75, 683, 1996

Cytochrome c oxidase

The effects of copper deficiency on human lymphoid and myeloid cells: an *in vitro* model. 75, 97, 1996

Cytokines

Dietary fat influences Ia antigen expression, cytokines and prostaglandin E₂ production of immune cells in autoimmune-prone NZB \times NZW F1 mice. 75, 711, 1996

Cytokinetics

Cytokinetic and structural responses of the rat small intestine to riboflavin depletion. 75, 315, 1996

Densitometry

Measurement of body fat in young and elderly women: comparison between a four-compartment model and widely used reference methods. 75, 649, 1996

Deuterium oxide dilution

Measurement of body fat in young and elderly women: comparison between a four-compartment model and widely used reference methods. 75, 649, 1996

Diabetes

Streptozotocin-induced diabetes in rats is associated with impaired metabolic availability of vitamin A (retinol). 75, 615, 1996

Effects of long-term low-glycaemic index starchy food on plasma glucose and lipid concentrations and adipose tissue cellularity in normal and diabetic rats. 75, 723, 1996

Diet reporting error

Relationship between dietary iron intake, corrected for diet reporting error, and serum ferritin in Danish women aged 35–65 years. 75, 905, 1996

Dietary choice

Rebalancing essential amino acids intake by self-selection in the rat. 75, 669, 1996

Dietary fibre

In vitro fermentation by human faecal bacteria of total and purified dietary fibres from brown seaweeds. 75, 263, 1996

Consequences of reduced fibre intake on digestion, rate of passage and caecal microbial activity in the young rabbit. 75, 353, 1996

Effects of the type and level of dietary fibre supplements on nitrogen retention and excretion patterns. 75, 461, 1996

Dietary fibres reduce blood pressure, serum total cholesterol and platelet aggregation in rats. 75, 483, 1996

Dietary intake

Energy and nutrient intakes in a sample of 136 Edinburgh 7–8 year olds: a comparison with United Kingdom dietary reference values. 75, 151, 1996

The dietary intake of a group of vegetarian children aged 7–11 years compared with matched omnivores. 75, 533, 1996

Dietary protein

Carry-over effects of dietary crude protein and triiodothyronine (T₃) in broiler chickens. 75, 573, 1996

Dual-energy X-ray absorptiometry

Measurement of body fat in young and elderly women: comparison between a four-compartment model and widely used reference methods. 75, 649, 1996

Body composition assessment in lean and normal-weight young women. 75, 793, 1996

Dual-energy X-ray absorptiometry for the measurement of gross body composition in rats. 75, 803, 1996

Editorial

A time of change at the *British Journal of Nutrition*. 75, 1, 1996

Endocrinological changes

Metabolic and endocrine changes induced by chronic heat exposure in broiler chickens: biological and endocrinological variables. 75, 205, 1996

Energy retention

Metabolic and endocrine changes induced by chronic heat exposure in broiler chickens: growth performance, body composition and energy retention. 75, 195, 1996

Enteral product

Bioavailability of calcium of fresh cheeses, enteral food and mineral water. A study with stable calcium isotopes in young adult women. 75, 893, 1996

Enteroglucagon

Fermentable carbohydrate modulates postprandial enteroglucagon and gastrin release in rats. 75, 757, 1996

Essential fatty acids deficiency

Protein utilization, growth and survival in essential-fatty-acid-deficient rats. 75, 237, 1996

Faecal bacteria

In vitro fermentation by human faecal bacteria of total and purified dietary fibres from brown seaweeds. 75, 263, 1996

Faecal output

Ability of mathematical models to predict faecal output with a pulse dose of indigestible marker. 75, 521, 1996

Famine

Adult malnutrition: simple assessment techniques for use in emergencies. 75, 3, 1996

Fasting

Accumulation of polyunsaturates is decreased by weight-cycling: whole-body analysis in young, growing rats. 75, 583, 1996

Fat digestion

Interaction between nutrition and *Eimeria acervulina* infection in broiler chickens: diet compositions that improve fat digestion during *Eimeria acervulina* infection. 75, 875, 1996

Fat storage

Alcohol and the regulation of energy balance: overnight effects on diet-induced thermogenesis and fuel storage. 75, 33, 1996

Fermentation

Acidic fermentation in the caecum increases absorption of calcium and magnesium in the large intestine of the rat. 75, 301, 1996

The influence of dietary fibre and environmental temperature on the development of the gastrointestinal tract, digestibility, degree of fermentation in the hind-gut and energy metabolism in pigs. 75, 365, 1996

The influence of dietary fibre source and level on the development of the gastrointestinal tract, digestibility and energy metabolism in broiler chickens. 75, 379, 1996

Digestion and physiological properties of resistant starch in the human large bowel. 75, 733, 1996

Forestomach

Production rates of volatile fatty acids in the minke whale (*Balaenoptera acutorostrata*) forestomach. 75, 21, 1996

Fortification

Dietary sources of calcium and the contribution of flour fortification to total calcium intake in the diets of Northumbrian adolescents. **75, 495, 1996**

Fresh cheese

Bioavailability of calcium of fresh cheeses, enteral food and mineral water. A study with stable calcium isotopes in young adult women. **75, 893, 1996**

Fructo-oligosaccharides

Prevention of coprophagy modifies magnesium absorption in rats fed with fructo-oligosaccharides. **75, 775, 1996**

Gastric emptying

Effects of varying content of soluble dietary fibre from wheat flour and oat milling fractions on gastric emptying in pigs. **75, 339, 1996**

Gastrin

Fermentable carbohydrate modulates postprandial enteroglucagon and gastrin release in rats. **75, 757, 1996**

Germ-free rat

Influence of caecal microflora and of two dietary protein levels on the adaptation of the exocrine pancreas: comparative study in germ-free and conventional rats. **75, 433, 1996**

 β -Glucan

Effects of varying content of soluble dietary fibre from wheat flour and oat milling fractions on gastric emptying in pigs. **75, 339, 1996**

Glucose absorption

Kinetics of amino acid and glucose absorption following pancreatic diversion in the pig. **75, 175, 1996**

Glycaemic index

Effects of long-term low-glycaemic index starchy food on plasma glucose and lipid concentrations and adipose tissue cellularity in normal and diabetic rats. **75, 723, 1996**

Glycaemic response

Measurement of rapidly available glucose (RAG) in plant foods: a potential *in vitro* predictor of the glycaemic response. **75, 327, 1996**

Growth

Metabolic and endocrine changes induced by chronic heat exposure in broiler chickens: growth performance, body composition and energy retention. **75, 195, 1996**

Gutfill

The influence of dietary fibre and environmental temperature on the development of the gastrointestinal tract, digestibility, degree of fermentation in the hind-gut and energy metabolism in pigs. **75, 365, 1996**

The influence of dietary fibre source and level on the development of the gastrointestinal tract, digestibility and energy metabolism in broiler chickens. **75, 379, 1996**

Heat increment

The influence of dietary fibre and environmental temperature on the development of the gastrointestinal tract, digestibility, degree of fermentation in the hind-gut and energy metabolism in pigs. **75, 365, 1996**

The influence of dietary fibre source and level on the development of the gastrointestinal tract, digestibility and energy metabolism in broiler chickens. **75, 379, 1996**

History

Honey revisited: a reappraisal of honey in pre-industrial diets. **75, 513, 1996**

Honey

Honey revisited: a reappraisal of honey in pre-industrial diets. **75, 513, 1996**

Human immunodeficiency virus

Oxymetholone promotes weight gain in patients with advanced human immunodeficiency virus (HIV-1) infection. **75, 129, 1996**

Hypocholesterolaemic effect

Comparative effects on blood lipids and faecal steroids of five legume species incorporated into a semi-purified, hypercholesterolaemic rat diet. **75, 557, 1996**

IgA

Expansion of the humoral effector cell compartment of both systemic and mucosal immune systems in a weanling murine model which duplicates critical features of human protein-energy malnutrition. **75, 445, 1996**

Ileal digestibility

The effect of cottonseed condensed tannins on the ileal digestibility of amino acids in casein and cottonseed kernel. **75, 683, 1996**

Ileostomy

A comparison of iron absorption from single meals and daily diets using radioFe (^{55}Fe , ^{59}Fe). **75, 281, 1996**
Measurement of resistant starch *in vitro* and *in vivo*. **75, 749, 1996**

Immune response

The effects of copper deficiency on human lymphoid and myeloid cells: an *in vitro* model. **75, 97, 1996**

Immunoglobulin

Expansion of the humoral effector cell compartment of both systemic and mucosal immune systems in a weanling murine model which duplicates critical features of human protein-energy malnutrition. **75, 445, 1996**

***In vitro* fermentation**

In vitro fermentation by human faecal bacteria of total and purified dietary fibres from brown seaweeds. **75, 263, 1996**

Infection model

Interaction between nutrition and *Eimeria acervulina* infection in broiler chickens: development of an experimental infection model. **75, 867, 1996**

Insulin secretion

Kinetics of amino acid and glucose absorption following pancreatic diversion in the pig. **75, 175, 1996**

Insulin-like growth factor

Effect of protein restriction on the messenger RNA contents of bone-matrix proteins, insulin-like growth factors and insulin-like growth factor binding proteins in femur of ovariectomized rats. **75, 811, 1996**

Intestine

Expansion of the humoral effector cell compartment of both systemic and mucosal immune systems in

- a weanling murine model which duplicates critical features of human protein-energy malnutrition. 75, 445, 1996
- Intestinal mucin distribution in the germ-free rat and in the heteroxenic rat harbouring a human bacterial flora: effect of inulin in the diet. 75, 881, 1996
- Inulin**
- Intestinal mucin distribution in the germ-free rat and in the heteroxenic rat harbouring a human bacterial flora: effect of inulin in the diet. 75, 881, 1996
- Iron**
- A comparison of iron absorption from single meals and daily diets using radioFe (^{55}Fe , ^{59}Fe). 75, 281, 1996
- Supplemental vitamin A enhances the recovery from iron deficiency in rats with chronic vitamin A deficiency. 75, 623, 1996
- Relationship between dietary iron intake, corrected for diet reporting error, and serum ferritin in Danish women aged 35-65 years. 75, 905, 1996
- Ketosis**
- Maternal undernutrition during late pregnancy in sheep. Its relationship to maternal condition, gestation length, hepatic physiology and glucose metabolism. 75, 593, 1996
- Lactation**
- Protein utilization, growth and survival in essential-fatty-acid-deficient rats. 75, 237, 1996
- Large bowel**
- Digestion and physiological properties of resistant starch in the human large bowel. 75, 733, 1996
- Legumes**
- Comparative effects on blood lipids and faecal steroids of five legume species incorporated into a semi-purified, hypercholesterolaemic rat diet. 75, 557, 1996
- Letters to the Editors**
- Amino acid partitioning and milk protein synthesis. 75, 139, 1996
- Danger in the interpretation of polyester-bag method parameters fitted by computer software. 75, 140, 1996
- Consequences of model choice when analysing polyester bag data. 75, 142, 1996
- Is proteolysis in the rumen of grazing animals mediated by plant enzymes? 75, 507, 1996
- Multi-frequency impedance technique. 75, 508, 1996
- Multi-frequency impedance technique - reply. 75, 509, 1996
- Linoleate**
- Accumulation of polyunsaturates is decreased by weight-cycling: whole-body analysis in young, growing rats. 75, 583, 1996
- α -Linolenate**
- Accumulation of polyunsaturates is decreased by weight-cycling: whole-body analysis in young, growing rats. 75, 583, 1996
- Lipid fluidity**
- Lipid fluidity of triacylglycerol-rich lipoproteins isolated from copper-deficient rats. 75, 767, 1996
- Lipid metabolism**
- Comparative effects on blood lipids and faecal steroids of five legume species incorporated into a semi-purified, hypercholesterolaemic rat diet. 75, 557, 1996
- Lipid peroxidation**
- Lipid peroxidation status as an index to evaluate the influence of dietary fats on vitamin E requirements of young pigs. 75, 81, 1996
- Lipogenesis**
- Carry-over effects of dietary crude protein and triiodothyronine (T_3) in broiler chickens. 75, 573, 1996
- Lipoproteins**
- Lipid fluidity of triacylglycerol-rich lipoproteins isolated from copper-deficient rats. 75, 767, 1996
- Liver**
- Splanchnic-bed transfers of amino acids in sheep blood and plasma, as monitored through use of a multiple $U\text{-}^{13}\text{C}$ -labelled amino acid mixture. 75, 217, 1996
- Cholesterol-lowering effect of soyabean lecithin in normolipidaemic rats by stimulation of biliary lipid secretion. 75, 471, 1996
- Maternal undernutrition during late pregnancy in sheep. Its relationship to maternal condition, gestation length, hepatic physiology and glucose metabolism. 75, 593, 1996
- Accumulation of methylmalonic acid caused by vitamin B_{12} -deficiency disrupts normal cellular metabolism in rat liver. 75, 929, 1996
- Low-fat products**
- Vitamin E incorporated into a very-low-fat meal is absorbed from the intestine of young rats. 75, 939, 1996
- Lysine**
- Lysine utilization by growing pigs: simultaneous measurement of protein accretion and lysine oxidation. 75, 57, 1996
- Dietary lysine deficiency greatly affects muscle and liver protein turnover in growing chickens. 75, 853, 1996
- Magnesium**
- Prevention of coprophagy modifies magnesium absorption in rats fed with fructo-oligosaccharides. 75, 775, 1996
- Malnutrition**
- Adult malnutrition: simple assessment techniques for use in emergencies. 75, 3, 1996
- Mathematical models**
- Ability of mathematical models to predict faecal output with a pulse dose of indigestible marker. 75, 521, 1996
- Menaquinone**
- Vitamin K status in human tissues: tissue-specific accumulation of phyloquinone and menaquinone-4. 75, 121, 1996
- Metabolic rate**
- Protein utilization, growth and survival in essential-fatty-acid-deficient rats. 75, 237, 1996
- Methionine**
- The importance of transmethylation reactions to methionine metabolism in sheep: effects of supplementation with creatine and choline. 75, 47, 1996

Methylation

The importance of transmethylation reactions to methionine metabolism in sheep: effects of supplementation with creatine and choline. 75, 47, 1996

Methylmalonic acid

Accumulation of methylmalonic acid caused by vitamin B₁₂-deficiency disrupts normal cellular metabolism in rat liver. 75, 929, 1996

Microbial synthesis

Determination of rumen microbial-nitrogen production in sheep: a comparison of urinary purine excretion with methods using ¹⁵N and purine bases as markers of microbial-nitrogen entering the duodenum. 75, 699, 1996

Mid upper arm circumference

Adult malnutrition: simple assessment techniques for use in emergencies. 75, 3, 1996

Mimosine

Effects of mimosine administered to a perfused area of skin in Angora goats. 75, 69, 1996

Mineral water

Bioavailability of calcium of fresh cheeses, enteral food and mineral water. A study with stable calcium isotopes in young adult women. 75, 893, 1996

Minke whale

Production rates of volatile fatty acids in the minke whale (*Balaenoptera acutorostrata*) forestomach. 75, 21, 1996

Mucins

Intestinal mucin distribution in the germ-free rat and in the heteroxenic rat harbouring a human bacterial flora: effect of inulin in the diet. 75, 881, 1996

Multi-frequency bioimpedance

Comparative study of the relationship between multi-frequency impedance and body water compartments in two European populations. 75, 11, 1996

Multi-level assessment instrument

Components of total energy expenditure in free-living elderly men (over 75 years of age): measurement, predictability and relationship to quality-of-life indices. 75, 161, 1996

Nitrogen excretion

Effects of the type and level of dietary fibre supplements on nitrogen retention and excretion patterns. 75, 461, 1996

Nitrogen retention

Effects of the type and level of dietary fibre supplements on nitrogen retention and excretion patterns. 75, 461, 1996

Non-haem-iron

Mechanisms underlying the inhibitory effect of high calcium carbonate intake on iron bioavailability from ferrous sulphate in anaemic rats. 75, 109, 1996

A comparison of iron absorption from single meals and daily diets using radioFe (⁵⁶Fe, ⁵⁹Fe). 75, 281, 1996

Non-starch polysaccharides

The influence of dietary fibre and environmental temperature on the development of the gastro-

intestinal tract, digestibility, degree of fermentation in the hind-gut and energy metabolism in pigs. 75, 365, 1996

The influence of dietary fibre source and level on the development of the gastrointestinal tract, digestibility and energy metabolism in broiler chickens. 75, 379, 1996

Nutrient intake

The contribution of breakfast to the diets of a sample of 136 primary-schoolchildren in Edinburgh. 75, 419, 1996

Nutrient interactions

Interactions in indices of vitamin A, zinc and copper status when these nutrients are fed to rats at adequate and increased levels. 75, 915, 1996

Oats

Effects of varying content of soluble dietary fibre from wheat flour and oat milling fractions on gastric emptying in pigs. 75, 339, 1996

Osteoporosis

Changes in vitamin-D metabolites and parathyroid hormone in plasma following cholecalciferol administration to pre- and postmenopausal women in the Netherlands in early spring and to postmenopausal women in Curaçao. 75, 637, 1996

Effect of protein restriction on the messenger RNA contents of bone-matrix proteins, insulin-like growth factors and insulin-like growth factor binding proteins in femur of ovariectomized rats. 75, 811, 1996

Ovariectomy

Effect of protein restriction on the messenger RNA contents of bone-matrix proteins, insulin-like growth factors and insulin-like growth factor binding proteins in femur of ovariectomized rats. 75, 811, 1996

β-Oxidation

Accumulation of polyunsaturates is decreased by weight-cycling: whole-body analysis in young, growing rats. 75, 583, 1996

Oxidation

In vivo threonine oxidation in growing pigs fed on diets with graded levels of threonine. 75, 825, 1996

Oxymetholone

Oxymetholone promotes weight gain in patients with advanced human immunodeficiency virus (HIV-1) infection. 75, 129, 1996

Pancreas

Kinetics of amino acid and glucose absorption following pancreatic diversion in the pig. 75, 175, 1996

Influence of caecal microflora and of two dietary protein levels on the adaptation of the exocrine pancreas: comparative study in germ-free and conventional rats. 75, 433, 1996

Parathyroid hormone

Changes in vitamin-D metabolites and parathyroid hormone in plasma following cholecalciferol administration to pre- and postmenopausal women in the Netherlands in early spring and to postmenopausal women in Curaçao. 75, 637, 1996

Peroxidation

Lipid fluidity of triacylglycerol-rich lipoproteins isolated from copper-deficient rats. 75, 767, 1996

Phosphorus

Response of broilers to graded levels of microbial phytase added to maize-soyabean-meal-based diets containing three levels of non-phytate phosphorus. 75, 839, 1996

Phylloquinone

Vitamin K status in human tissues: tissue-specific accumulation of phylloquinone and menaquinone-4. 75, 121, 1996

Physical activity levels

Components of total energy expenditure in free-living elderly men (over 75 years of age): measurement, predictability and relationship to quality-of-life indices. 75, 161, 1996

Phytase

Response of broilers to graded levels of microbial phytase added to maize-soyabean-meal-based diets containing three levels of non-phytate phosphorus. 75, 839, 1996

Plant foods

Measurement of rapidly available glucose (RAG) in plant foods: a potential *in vitro* predictor of the glycaemic response. 75, 327, 1996

Plasma concentrations

The correlation between the intake of lutein, lycopen and β -carotene from vegetables and fruits, and blood plasma concentrations in a group of women aged 50-65 years in the UK. 75, 409, 1996

Plasma metabolites

Metabolic and endocrine changes induced by chronic heat exposure in broiler chickens: biological and endocrinological variables. 75, 205, 1996

Platelet aggregation

Dietary fibres reduce blood pressure, serum total cholesterol and platelet aggregation in rats. 75, 483, 1996

Preference

Rebalancing essential amino acids intake by self-selection in the rat. 75, 669, 1996

Pregnancy

Protein utilization, growth and survival in essential-fatty-acid-deficient rats. 75, 237, 1996

Maternal undernutrition during late pregnancy in sheep. Its relationship to maternal condition, gestation length, hepatic physiology and glucose metabolism. 75, 593, 1996

Unexpected relationship between fat mass and basal metabolic rate in pregnant women. 75, 659, 1996

Prostaglandins

Dietary fat influences Ia antigen expression, cytokines and prostaglandin E₂ production of immune cells in autoimmune-prone NZB \times NZW F1 mice. 75, 711, 1996

Protein

Zinc absorption in adult humans: the effect of protein sources added to liquid test meals. 75, 607, 1996

Protein metabolism

Splanchnic-bed transfers of amino acids in sheep blood and plasma, as monitored through use of a multiple U-¹³C-labelled amino acid mixture. 75, 217, 1996

Protein turnover

Dietary lysine deficiency greatly affects muscle and liver protein turnover in growing chickens. 75, 853, 1996

Protein utilization

Protein utilization, growth and survival in essential-fatty-acid-deficient rats. 75, 237, 1996

Protein-energy malnutrition

Expansion of the humoral effector cell compartment of both systemic and mucosal immune systems in a weanling murine model which duplicates critical features of human protein-energy malnutrition. 75, 445, 1996

Purine derivatives

Urinary excretion of purine derivatives and tissue xanthine oxidase (*EC* 1.2.3.2) activity in buffaloes (*Bubalis bubalis*) with special reference to differences between buffaloes and *Bos taurus* cattle. 75, 397, 1996

Purine excretion

Determination of rumen microbial-nitrogen production in sheep: a comparison of urinary purine excretion with methods using ¹⁵N and purine bases as markers of microbial-nitrogen entering the duodenum. 75, 699, 1996

Radioisotope

Zinc absorption in adult humans: the effect of protein sources added to liquid test meals. 75, 607, 1996

Rapidly available glucose

Measurement of rapidly available glucose (RAG) in plant foods: a potential *in vitro* predictor of the glycaemic response. 75, 327, 1996

Refeeding

Accumulation of polyunsaturates is decreased by weight-cycling: whole-body analysis in young, growing rats. 75, 583, 1996

Resistant starch

Acidic fermentation in the caecum increases absorption of calcium and magnesium in the large intestine of the rat. 75, 301, 1996

Digestion and physiological properties of resistant starch in the human large bowel. 75, 733, 1996

Measurement of resistant starch *in vitro* and *in vivo*. 75, 749, 1996

Retinol

Conjunctival impression cytology with transfer (CICT) to detect pre-clinical vitamin A deficiency among slum children in India. 75, 785, 1996

Riboflavin

Cytokinetic and structural responses of the rat small intestine to riboflavin depletion. 75, 315, 1996

Satiety

Fat substitution and food intake: effect of replacing fat with sucrose polyester at lunch or evening meals. 75, 545, 1996

Schoolchildren

Energy and nutrient intakes in a sample of 136 Edinburgh 7-8 year olds: a comparison with United Kingdom dietary reference values. 75, 151, 1996

The contribution of breakfast to the diets of a sample of 136 primary-schoolchildren in Edinburgh. 75, 419, 1996

Seasonal variation in intake

The correlation between the intake of lutein, lycopen and β -carotene from vegetables and fruits, and blood plasma concentrations in a group of women aged 50–65 years in the UK.
75, 409, 1996

Serum ferritin

Relationship between dietary iron intake, corrected for diet reporting error, and serum ferritin in Danish women aged 35–65 years. 75, 905, 1996

Serum lipids

Dietary fibres reduce blood pressure, serum total cholesterol and platelet aggregation in rats.
75, 483, 1996

Short-chain fatty acids

Consequences of reduced fibre intake on digestion, rate of passage and caecal microbial activity in the young rabbit. 75, 353, 1996

Skin perfusion

Effects of mimosine administered to a perfused area of skin in Angora goats. 75, 69, 1996

Small intestine

Cytokinetic and structural responses of the rat small intestine to riboflavin depletion. 75, 315, 1996
Measurement of resistant starch *in vitro* and *in vivo*.
75, 749, 1996

Soyabean lecithin

Cholesterol-lowering effect of soyabean lecithin in normolipidaemic rats by stimulation of biliary lipid secretion. 75, 471, 1996

Spleen

Expansion of the humoral effector cell compartment of both systemic and mucosal immune systems in a weanling murine model which duplicates critical features of human protein–energy malnutrition.
75, 445, 1996

Stable isotopes

The importance of transmethylation reactions to methionine metabolism in sheep: effects of supplementation with creatine and choline. 75, 47, 1996

Splanchnic-bed transfers of amino acids in sheep blood and plasma, as monitored through use of a multiple U-¹³C-labelled amino acid mixture. 75, 217, 1996

Zinc and calcium apparent absorption from an infant cereal: a stable isotope study in healthy infants. 75, 291, 1996

Starch

Measurement of rapidly available glucose (RAG) in plant foods: a potential *in vitro* predictor of the glycaemic response. 75, 327, 1996

Effects of long-term low-glycaemic index starchy food on plasma glucose and lipid concentrations and adipose tissue cellularity in normal and diabetic rats. 75, 723, 1996

Steroids

Comparative effects on blood lipids and faecal steroids of five legume species incorporated into a semi-purified, hypercholesterolaemic rat diet.
75, 557, 1996

Streptozotocin

Streptozotocin-induced diabetes in rats is associated

with impaired metabolic availability of vitamin A (retinol). 75, 615, 1996

Sucrose polyester

Fat substitution and food intake: effect of replacing fat with sucrose polyester at lunch or evening meals. 75, 545, 1996

Sugar

Honey revisited: a reappraisal of honey in pre-industrial diets. 75, 513, 1996

Systemic lupus erythematosus

Dietary fat influences Ia antigen expression, cytokines and prostaglandin E₂ production of immune cells in autoimmune-prone NZB × NZW F1 mice. 75, 711, 1996

Threonine

In vivo threonine oxidation in growing pigs fed on diets with graded levels of threonine. 75, 825, 1996

Total body water

Comparative study of the relationship between multi-frequency impedance and body water compartments in two European populations. 75, 11, 1996

Triiodothyronine

Carry-over effects of dietary crude protein and triiodothyronine (T₃) in broiler chickens. 75, 573, 1996

Vegetarian children

The dietary intake of a group of vegetarian children aged 7–11 years compared with matched omnivores. 75, 533, 1996

Villus number

Cytokinetic and structural responses of the rat small intestine to riboflavin depletion. 75, 315, 1996

Viscosity

Effects of varying content of soluble dietary fibre from wheat flour and oat milling fractions on gastric emptying in pigs. 75, 339, 1996

Vitamin A

Streptozotocin-induced diabetes in rats is associated with impaired metabolic availability of vitamin A (retinol). 75, 615, 1996

Supplemental vitamin A enhances the recovery from iron deficiency in rats with chronic vitamin A deficiency. 75, 623, 1996

Conjunctival impression cytology with transfer (CICT) to detect pre-clinical vitamin A deficiency among slum children in India. 75, 785, 1996

Interactions in indices of vitamin A, zinc and copper status when these nutrients are fed to rats at adequate and increased levels. 75, 915, 1996

Vitamin B₁₂

Accumulation of methylmalonic acid caused by vitamin B₁₂-deficiency disrupts normal cellular metabolism in rat liver. 75, 929, 1996

Vitamin E

Lipid peroxidation status as an index to evaluate the influence of dietary fats on vitamin E requirements of young pigs. 75, 81, 1996

Vitamin E incorporated into a very-low-fat meal is absorbed from the intestine of young rats. 75, 939, 1996

Vitamin K

Vitamin K status in human tissues: tissue-specific accumulation of phylloquinone and menaquinone-4. 75, 121, 1996

Volatile fatty acids

Production rates of volatile fatty acids in the minke whale (*Balaenoptera acutorostrata*) forestomach. 75, 21, 1996

Weaning cereal

Zinc and calcium apparent absorption from an infant cereal: a stable isotope study in healthy infants. 75, 291, 1996

Whole-body calorimetry

Alcohol and the regulation of energy balance: overnight effects on diet-induced thermogenesis and fuel storage. 75, 33, 1996

Wool growth

The importance of transmethylation reactions to

methionine metabolism in sheep: effects of supplementation with creatine and choline. 75, 47, 1996

Xanthine oxidase

Urinary excretion of purine derivatives and tissue xanthine oxidase (EC 1.2.3.2) activity in buffaloes (*Bubalis bubalis*) with special reference to differences between buffaloes and *Bos taurus* cattle. 75, 397, 1996

Zinc

Zinc and calcium apparent absorption from an infant cereal: a stable isotope study in healthy infants. 75, 291, 1996

Zinc absorption in adult humans: the effect of protein sources added to liquid test meals. 75, 607, 1996

Interactions in indices of vitamin A, zinc and copper status when these nutrients are fed to rats at adequate and increased levels. 75, 915, 1996