

GENETICAL RESEARCH

EDITORIAL BOARD

C. H. WADDINGTON (*Chairman*)
CHARLOTTE AUERBACH D. LEWIS
H. GRÜNEBERG G. PONTECORVO
W. HAYES A. ROBERTSON

EXECUTIVE EDITOR

E. C. R. REEVE

Volume 5. 1964



CAMBRIDGE
AT THE UNIVERSITY PRESS

1964

*Printed in Great Britain by Spottiswoode, Ballantyne & Co. Ltd.
London and Colchester
and published by the Cambridge University Press
Bentley House, 200 Euston Road, London, N.W.1
American Branch: 32 East 57th Street, New York 22, N.Y.
Agents in Canada: The Macmillan Company of Canada Limited*

CONTENTS

No. 1 (February 1964)

THODAY, J. M., GIBSON, J. B. and SPICKETT, S. G. Regular responses to selection. 2. Recombination and accelerated response	page 1
SURZYCKI, S. and PASZEWSKI, A. Non-random segregation of chromosomes in <i>Ascobolus immersus</i>	20
PREVOSTI, ANTONIO. Chromosomal polymorphism in <i>Drosophila subobscura</i> populations from Barcelona (Spain)	27
LUSH, I. E. Egg albumen polymorphisms in the Fowl: loci <i>II</i> and <i>III</i>	39
SANG, JAMES H. Nutritional requirements of inbred lines and crosses of <i>Drosophila melanogaster</i>	50
ALLAN, J. S. and ROBERTSON, ALAN. The effect of initial reverse selection upon total selection response	68
SLIZYNSKI, B. M. Chiasmata in spermatocytes of <i>Drosophila melanogaster</i>	80
GIBSON, I. and BEALE, G. H. Infection into paramecia of metagons derived from other mate-killer paramecia	85
ROBERTSON, FORBES W. The ecological genetics of growth in <i>Drosophila</i> . 7. The roll of canalization in the stability of growth relations	107
FINGER, IRVING and HELLER, CAROL. Immunogenetic analysis of proteins of <i>Paramecium</i> . V. Detection of specific determinants in strains lacking a surface antigen	127
SEED, J. R., SHAFER, S., FINGER, I. and HELLER, CAROL. Immunogenetic analysis of proteins of <i>Paramecium</i> . VI. Additional evidence for the expression of several loci in animals of a single antigenic type	137
EHRMAN, LEE. Genetic divergence in M. Vetukhiv's experimental populations of <i>Drosophila pseudoobscura</i> . 1. Rudiments of sexual isolation	150
NAKAI, SAYAKA and SAEKI, TETSUYA. Induction of mutation by photo-dynamic action in <i>Escherichia Coli</i>	158
LEWIS, L. A. and BARRON, G. L. The pattern of the parasexual cycle in <i>Aspergillus amstelodami</i>	162
ROBERTSON, ALAN. The effect of non-random mating within inbred lines on the rate of inbreeding	164
RITCHIE, D. A. Mutagenesis with light and proflavine in phage T4	168

No. 2 (July 1964)

SEARLE, A. G. The genetics and morphology of two 'luxoid' mutants in the house mouse	page 171
LATTER, B. D. H. Selection for a threshold character in <i>Drosophila</i> . I. An analysis of the phenotypic variance on the underlying scale	198
ROBERTS, C. F. Complementation in balanced heterokaryons and heterozygous diploids of <i>Aspergillus nidulans</i>	211
PREER, LOUISE B. and PREER, JOHN R., JR. Killing activity from lysed kappa particles of <i>Paramecium</i>	230
MISRA, R. K. and REEVE, E. C. R. Clines in body dimensions in populations of <i>Drosophila subobscura</i>	240
LUSH, I. E. Egg albumen polymorphisms in the fowl: The ovalbumin locus	257
SMITH-KEARY, P. F. and DAWSON, G. W. P. Episomic suppression of phenotype in <i>Salmonella</i>	269
HOLLIDAY, ROBIN. A mechanism for gene conversion in fungi	282
HASTIE, A. C. The parasexual cycle in <i>Verticillium albo-atrum</i>	305
PUTRAMENT, A. Mitotic recombination in the <i>paba 1</i> cistron of <i>Aspergillus nidulans</i>	316
SLIZYNSKI, B. M. Cytology of the XXY mouse	328
BUVANENDRAN, V. Evidence of linkage between two egg albumen loci in the domestic fowl	330
DAWSON, G. W. P. On one of the formulae proposed for interpreting transduction data	333

No. 3 (November 1964)

KIDWELL, J. F., FREEMAN, A. E., HAVERLAND, L. H. and ROLFES, G. M. H. Genotype × environment interaction in <i>Tribolium castaneum</i>	page 335
CURNOW, R. N. The effect of continued selection of phenotypic intermediates on gene frequency	341
COCK, A. G. Dosage compensation and sex-chromatin in non-mammals	354
LAVIGNE, STELLA and FROST, L. C. Recombination frequency and wild-type ancestry in linkage group I of <i>Neurospora crassa</i>	366
FOX, THOMAS W., CRAWFORD, ROY D. and SMYTH, J. ROBERT, Jr. Rose comb: an example of operational over-dominance in the domestic fowl	379
MISRA, R. K. and REEVE, E. C. R. Genetic variation of relative growth rates in <i>Notonecta undulata</i> . I. The relation of femur length to body length	384
PANDEY, KAMLA KANT. Elements of the <i>S</i> -gene complex	397
CLAYTON, G. A. and ROBERTSON, ALAN. The effects of X-rays on quantitative characters	410
DAWSON, G. W. P. The pattern of an unstable gene in <i>Delphinium ajacis</i>	423
WOLFE, H. GLENN and COLEMAN, D. L. Mi-spotted: a mutation in the mouse	432
SLIZYNSKI, B. M. Cytological observations on a duck hybrid: <i>Anas chrypeata</i> × <i>Anas penelope</i>	441
LYON, MARY F., PHILLIPS, RITA J. S. and SEARLE, A. G. The overall rates of dominant and recessive lethal and visible mutation induced by spermatogonial X-irradiation of mice	448
PHILLIPS, R. J. S. and SEARLE, A. G. The effect of dose-rate on the yield of translocations and dominant lethals following spermatogonial irradiation of mice	468
FALCONER, D. S., LATSZYEWski, M. and ISAACSON, J. H. Diabetes insipidus associated with oligosyndactyly in the mouse.	473
BRODA, PAUL, BECKWITH, JONATHAN R. and SCAIFE, JOHN. The characterization of a new type of F-prime factor in <i>Escherichia coli</i> K12	489
SCAIFE, JOHN and PEKHOV, A. P. Deletion of chromosomal markers in association with F-prime factor formation in <i>Escherichia coli</i> K12	495
<i>Index of subjects and authors</i>	499

PLATES should only be included where absolutely essential. They should be supplied as unmounted glossy prints; any lettering to be inserted on them is best indicated on a separate sketch. Please do not damage prints by writing heavily on their backs or by using paper clips.

DIAGRAMS should be about twice the size of the finished block, and the thickness of lines and size of points determined accordingly. They must be drawn in Indian ink on white Bristol Board or tracing linen; graph paper ruled in pale blue (but not other colours) is also acceptable. Lettering should be lightly inserted in soft pencil only, so that the printer can put in the finished lettering.

Legends to illustrations must be given on a separate sheet of paper. Each illustration must have the name of the author and figure number pencilled on the back. Plates and diagrams should be numbered separately and their position indicated on the typescript. It will hasten refereeing if a photograph of each diagram can be supplied with the carbon copy of the paper.

TABLES should each be typed on a separate sheet of paper and their approximate positions in the text indicated on the typescript. Each table should be numbered and carry an appropriate title. The table should be designed, whenever possible, to be printed in the normal orientation of the text. The data should be grouped so as to make the use of rules unnecessary. Vertical rules, in particular, are expensive to print, and will only be included at the Editor's discretion.

FOOTNOTES should be avoided where possible. They can often be incorporated into the text, in parentheses.

SYMBOLS. Italic letters should generally be adopted for both gene symbols and quantities in mathematical formulae. Bold letters add to printing costs, and should only be used where they are necessary to avoid confusion.

SPELLING should follow the *Concise Oxford Dictionary*.

REFERENCES should follow the normal usage in the journal. In the list of references at the end of the paper, titles of periodicals should be abbreviated according to the *World List of Scientific Periodicals* (third edition).

PROOFS. Two sets of single-sided page proofs, together with the typescript, of each paper will be sent to the author. The printers' marked proof should be returned after correction to the Executive Editor. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958.

Proofs of short notes will only be sent to authors if time permits.

OFFPRINTS. Fifty offprints of each paper, including short notes, are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

CONTENTS

KIDWELL, J. F., FREEMAN, A. E., HAVERLAND, L. H. and ROLFES, G. M. H. Genotype \times environment interaction in <i>Tribolium castaneum</i>	page 335
CURNOW, R. N. The effect of continued selection of phenotypic intermediates on gene frequency	341
COCK, A. G. Dosage compensation and sex-chromatin in non-mammals	354
LAVIGNE, STELLA and FROST, L. C. Recombination frequency and wild-type ancestry in linkage group I of <i>Neurospora crassa</i>	366
FOX, THOMAS W., CRAWFORD, ROY D. and SMYTH, J. ROBERT, JR. Rose comb: an example of operational over-dominance in the domestic fowl	379
MISRA, R. K. and REEVE, E. C. R. Genetic variation of relative growth rates in <i>Notonecta undulata</i> . I. The relation of femur length to body length	384
PANDEY, KAMLA KANT. Elements of the <i>S</i> -gene complex	397
CLAYTON, G. A. and ROBERTSON, ALAN. The effects of X-rays on quantitative characters	410
DAWSON, G. W. P. The pattern of an unstable gene in <i>Delphinium ajacis</i>	423
WOLFE, H. GLENN and COLEMAN, D. L. Mi-spotted: a mutation in the mouse	432
SLIZYNSKI, B. M. Cytological observations on a duck hybrid: <i>Anas clypeata</i> \times <i>Anas penelope</i>	441
LYON, MARY F., PHILLIPS, RITA J. S. and SEARLE, A. G. The overall rates of dominant and recessive lethal and visible mutation induced by spermatogonial X-irradiation of mice	448
PHILLIPS, R. J. S. and SEARLE, A. G. The effect of dose-rate on the yield of translocations and dominant lethals following spermatogonial irradiation of mice	468
FALCONER, D. S., LATSYZEWSKI, M. and ISAACSON, J. H. Diabetes insipidus associated with oligosyndactyly in the mouse	473
BRODA, PAUL, BECKWITH, JONATHAN R. and SCAIFE, JOHN. The characterization of a new type of F-prime factor in <i>Escherichia coli</i> K12	489
SCAIFE, JOHN and PEKHOV, A. P. Deletion of chromosomal markers in association with F-prime factor formation in <i>Escherichia coli</i> K12	495
<i>Index of subjects and authors</i>	499