

INFECTION CONTROL



EDITORIAL

Lessons from the Roswell Park Bone Marrow Transplant Aspergillosis Outbreak

Frank S. Rhame, MD

ORIGINAL ARTICLES

An Outbreak of Invasive Aspergillosis Among Allogeneic Bone Marrow Transplants: A Case-Control Study

Coleman Rotstein, MD; K. Michael Cummings, PhD, MPH; John Tidings, AB; Kathleen Killion, RN; Eileen Powell, RN; Tracy L. Gustafson, MD; Donald Higby, MD

The Control of Infection in General Surgery: A Four-Year Prospective Study in Brazil

Edmundo M. Ferraz, MD, FACS; José F. Correa Lima, MD; Lourdes Porfirio; Salomão Kelner, MD, FACS

A Randomized Study Comparing a Transparent Polyurethane Dressing to a Dry Gauze Dressing for Peripheral Intravenous Catheter Sites

Donald E. Craven, MD; Deborah A. Lichtenberg, RN, CIC; Laureen M. Kunches, RN, MPH; Ann T. McDonough, RN; Marie I. Gonzalez, MD, MPH; Timothy C. Heeren, PhD; William R. McCabe, MD

The Relationship Between Intravenous Fluid Contamination and the Frequency of Tubing Replacement

Adele Josephson, RN, MPH; Myles E. Gombert, MD; Marcelino F. Sierra, PhD; Lynne V. Karanfil, RN, MA; Gary F. Tansino, MD

Readers' Forum: Nosocomial Rubella: Consequences of an Outbreak and Efficacy of a Mandatory Immunization Program

Peter N.R. Heseltine, MD; Marie Ripper, RN; Patricia Wohlford, RN

Cost Containment in Infection Control: Ethical Problems in Rationing Medical Care

Ruth Macklin, PhD

Topics in Clinical Microbiology: *Francisella tularensis*

Martin E. Evans, MD

Product Commentary: Selecting an IV Tubing System

Cynthia Chrystal, CRNI, MS



For both mildness and effectiveness, Dial is the anti-bacterial soap you can recommend with confidence.

That's why more hospitals use Dial than any other bar soap. And why doctors have been recommending Dial for over 35 years.

The next time you recommend a soap to your patients, recommend Dial.[®] You can't find a better all-family soap.

dial **Rx**
No. 66258 Dr. Troiani
Bill Brichta
For a mild, effective
anti-bacterial program;
lather, rinse, and repeat
as necessary.
Dial Soap

Information for Authors

Manuscripts should consist of new material based on infection control activities within a health care facility or in the community, from the US or abroad. All clinical research must have been conducted in accordance with guidelines on the protection of human subjects as established by the US Department of Health and Human Services. Articles are accepted with the understanding that they are contributed solely to *INFECTION CONTROL* and have not been published previously except in abstract form. *Authors will be requested to sign a standard release of copyright form.* The journal will cover the general topics of environmental monitoring, surveillance, prevention, immunization, regulation, education, and research related to infection control.

All manuscripts should be submitted in triplicate (with duplicates of figures and tables), typewritten on one side on 8 1/2 × 11-inch paper, double-spaced with generous margins. The author should keep a complete copy of the manuscript.

The organization of the paper should be as follows: title page; abstract; introduction; methods; results; discussion; acknowledgments; references; tables; figures and figure legends. The main sections and subdivisions should be indicated by side headings flush with the left margin and two lines above the text. The Arabic numbering system should be used.

Clinical Trials: The Editor requests that authors reporting the results of clinical trials describe clearly the following: 1) eligibility criteria; 2) whether or not subjects were admitted before allocation to one of the study groups; 3) the method of randomization; 4) whether the study was "masked," what specific information was masked and whether subjects, clinicians and evaluators were all masked; 5) the method used to identify treatment complications; 6) an explanation and analysis of subjects lost to follow-up; 7) statistical methods employed; and 8) information which led to the determination of the size of the study groups and the expected differences between groups.

Rapid Publication: A request for rapid publication must be stated in the cover letter and manuscripts should not exceed ten double-spaced, typewritten pages. Such papers will be published within *three to four months* of acceptance. No comments will accompany rejected papers, but manuscripts may be resubmitted under the normal publication procedures.

Readers' Forum: Brief communications are encouraged of approximately four to six typewritten pages containing information which does not represent a formal study. They may reflect opinions, hypotheses, or impressions related to infection control or summarize unusual experiences in the field.

Title Page: A separate title page should include the following: title of manuscript; author(s); laboratory or institution of origin with city and state; acknowledgment of grant support; address to be used for reprint requests. An abbreviated title, to be used as a running head, should be included. This should not exceed four words. A preliminary report or abstract should be credited by use of a footnote to the title.

Abstract: The abstract, not to exceed 150 words, should summarize the significant information in the paper and be understandable without reference to the text. The use of abbreviations should be avoided.

Tables: Tables should be double-spaced, each on a separate page, and self-contained. Do not use vertical lines or ditto marks. The table number should be typed flush left, with the table title beneath it. Symbols for footnotes are listed below. Abbreviations used in a table should be explained at the bottom of the table after the footnotes.

Figures: Two sets of unmounted glossy prints should be enclosed in separate envelopes. Indicate lightly on the back margin of each figure the number, name of author, and top. Illustration costs in excess of \$50 must be defrayed by the author.

Photographs: Two copies of each photograph should be submitted. *Any identifiable human subject must sign a release form before the photograph can be used.* Radiographs and other black-and-white material should be submitted as unmounted glossy print, 5" × 7" size preferred. A separate identification label should be pasted on each print; do not write directly on the print or use paper clips or staples. Photomicrographs or other color materials should be submitted as color transparencies. Actual magnification and staining method should be given where appropriate; electron photomicrographs should have internal scale markers.

Legends: Legends should be double-spaced, each on a separate page.

References: References should be double-spaced, and should be cited consecutively in the text with superscript numbers outside punctuation. A reference to a paper "in press" may be included. Citations such as "in preparation," "submitted for publication," "unpublished data," and "personal communication" should be given in parentheses in the text only. At the end of each article, references should be listed in the numerical order in which they appear in the text. No more than three authors should be listed for each citation; authors after the third should be designated "et al." *Abbreviations of the names of the journals should conform to the Index Medicus.* Journal titles should be cited as they existed at the time of publication. Unlisted journals should not be abbreviated. Authors are responsible for bibliographic accuracy.

Articles: Annunziato D, Goldblum LM: Staphylococcal scalded skin syndrome: A complication of circumcision. *Am J Dis Child* 1978; 132:1187-1188.

Books: Hoepfich PD: *Infectious Diseases*, ed 2. New York, Harper & Row Pubs Inc, 1977, p 169.

Contributions to Books: Schaffner W: Psittacosis: Ornithosis, parrot fever, in Beeson PB, McDermott W, Wyngaarden JB (eds): *Cecil Textbook of Medicine*, ed 15. Philadelphia, WB Saunders Co, 1979, pp 336-338.

Footnotes: Footnotes to the text and tables should be as few as possible. Each should be typed at the foot of the appropriate page, separated from the text or table by a horizontal line. Designate footnotes by the following symbols in this order: *, †, ‡, **, ††, ‡‡.

Abbreviations and Nomenclature: Abbreviations should conform to the American Medical Association *Manual for Authors and Editors*, published by Lange Medical Publications, Los Altos, California. Abbreviations should be kept to a minimum, preferably confined to the tables. Symbols for units of measurement (eg, mm, ml) should not be followed by periods. Chemical or generic names of drugs are preferred. A proprietary name may be given only after it is preceded by the chemical name the first time it appears. Unfamiliar terms and abbreviations must be defined when first used.

Reviews: Each manuscript will be reviewed by the Editor and at least one other Editorial Board member. Authors will be notified as soon as possible regarding the acceptability of their manuscripts.

Galley: Galley prints will be sent to the author for approval before the article is printed.

Reprints: The senior author will be sent five complimentary copies of the issue in which the article appears. An order form showing the price for reprints will be sent with the complimentary copies of the issue.

Mail Manuscripts to:

Richard P. Wenzel, MD, Editor
INFECTION CONTROL
SLACK Incorporated
6900 Grove Road
Thorofare, New Jersey 08086
609/848-1000
800/257-8290



WHAT'S THE BEST HANDWASH/SCRUB? HANDS UP OR HANDS DOWN IT'S

HIBICLENS[®]

(CHLORHEXIDINE GLUCONATE)

It is well established that handwashing is the most important single procedure in preventing transmission of hospital-acquired infections. HIBICLENS, the only proven antiseptic/antimicrobial, is the best agent available for both personnel handwashing and surgical scrubbing. HIBICLENS

provides the most immediate and prolonged protection against infection, with the best bactericidal "kill rate." And to encourage skin cleansing among hospital personnel, HIBICLENS offers cosmetic acceptability coupled with an excellent safety profile. Gentle to the skin, HIBICLENS is virtually

nonirritating and nonsensitizing, with a low potential for toxicity.

Available as both a liquid and impregnated in a disposable Sponge/Brush, HIBICLENS remains the single most effective antiseptic/antimicrobial skin cleanser for use throughout the hospital.

THE BEST ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER



INFECTION CONTROL

Table of Contents

Editorial

- Lessons from the Roswell Bone Marrow Transplant Aspergillosis Outbreak** 345
Frank S. Rhame, MD

Original Articles

- An Outbreak of Invasive Aspergillosis Among Allogeneic Bone Marrow Transplants: A Case-Control Study** 347
Coleman Rotstein, MD; K. Michael Cummings, PhD, MPH; John Tidings, AB; Kathleen Killion, RN; Eileen Powell, RN; Tracy L. Gustafson, MD; Donald Higby, MD
- The Control of Infection in General Surgery: A Four-Year Prospective Study in Brazil** 356
Edmundo M. Ferraz, MD, FACS; José F. Correa Lima, MD; Lourdes Porfirio; Salomão Kelner, MD, FACS
- A Randomized Study Comparing a Transparent Polyurethane Dressing to a Dry Gauze Dressing for Peripheral Intravenous Catheter Sites** 361
Donald E. Craven, MD; Deborah A. Lichtenberg, RN, CIC; Lauren M. Kunches, RN, MPH; Ann T. McDonough, RN; Marie I. Gonzalez, MD, MPH; Timothy C. Heeren, PhD; William R. McCabe, MD
- The Relationship Between Intravenous Fluid Contamination and the Frequency of Tubing Replacement** 367
Adele Josephson, RN, MPH; Myles E. Gombert, MD; Marcelino F. Sierra, PhD; Lynne V. Karanfil, RN, MA; Gary F. Tansino, MD
- Readers' Forum: Nosocomial Rubella—Consequences of an Outbreak and Efficacy of a Mandatory Immunization Program** 371
Peter N.R. Heseltine, MD; Marie Ripper, RN; Patricia Wohlford, RN
- Cost Containment in Infection Control: Ethical Problems in Rationing Medical Care** 375
Ruth Macklin, PhD
- Topics in Clinical Microbiology: *Francisella tularensis*** 381
Martin E. Evans, MD
- Product Commentary: Selecting an IV Tubing System** 384
Cynthia Chrystal, CRNI, MS

Departments

- Information for Authors** 337 **Classified Marketplace** 344
Letters to the Editor 342

The ideas and opinions expressed by contributing authors do not necessarily reflect those of the editors or publisher.

Publisher: Infection Control (ISSN-0195-9417) is published monthly by SLACK Incorporated, 6900 Grove Road, Thorofare, New Jersey 08086. Telephone: Thorofare (609) 848-1000.


Copyright 1985: All rights reserved. No part of this publication may be reproduced without written permission from the publisher.

Subscriptions. Requests should be addressed to the publisher (except Japan). In Japan, contact Woodbell Scope Incorporated, Mansui Bldg., 9-18, Kanda Surugadai 2-chome, Chiyoda-ku, Tokyo 101, Japan. Subscription rates in the US and possessions: Individual: One year—\$35.00; Two years—\$60.00; Three years—\$75.00. Institutional: One year—\$50.00; Two years—\$75.00; Three years—\$90.00; all other countries: \$15.00 additional each year. Single copies of current issues may be obtained for \$5.00, United States and possessions; \$8.00 all other countries.

Change of address: Notice should be sent to the publisher six weeks in advance of effective date. Include old and new addresses with zip codes. The publisher cannot accept responsibility for undelivered copies. Second-class postage is paid at Thorofare, New Jersey 08086. **Postmaster:** Send address changes to SLACK Incorporated, 6900 Grove Road, Thorofare, NJ 08086.

As of Volume 1, Number 1, INFECTION CONTROL is listed in *Index Medicus*, *Current Contents—Clinical Practice*, *Hospital Literature Index*, and *Cumulative Index to Nursing and Allied Health Literature*.

Disinfect Scopes Safely and Completely in just 10 Minutes



COURTESY OF OLYMPUS AND ACM

**In a C.D.C. study,
Sporicidin (diluted 1:16)
inactivated the
Hepatitis B Virus***



Sporicidin[®]
COLD STERILIZING SOLUTION
An exclusive glutaraldehyde formula

*Journal of Clinical Microbiology, Vol. 18, No. 3, P. 535. To determine whether the HBV could be inactivated by intermediate to high-level disinfectants, five chimpanzees were each challenged with an inoculum treated with a different germicidal chemical. Researchers observed that the small amount of direct data, although not conclusive, will have to suffice until a laboratory culture method is developed.

Recommended by All Major Scope Manufacturers

Sporicidin is a "tamed" glutaraldehyde that does not yellow or irritate skin or mucous membranes.

Sporicidin is safe for delicate instruments and it will not cloud lenses or clog air/water channels.

Sporicidin (1:16) is tuberculocidal, bactericidal, fungicidal & virucidal (including Herpes I & II, Influenza A₂ and Polio I) in 10 minutes at room temperature and remains effective for 30 days.

Proof Comes from 15 Years of Research and Clinical Use

"In 5000 procedures the cystoscopes were used directly from the Sporidicin soak; there were no known incidents of iatrogenic infection or post-operative irritation. Sporidicin is safe and effective in 10 minutes."

Urology, Vol. 23, No. 2, 1984

"After 3 years and 4001 procedures (laparoscopy, cystoscopy and colonoscopy), we observed
(1) no post-operative tissue irritation or infection
(2) no lens clouding or endoscope damage
(3) preferred by our staff."

*Journal Of The Operating Room
Research Institute, Vol. 3, No. 8, 1983*

"Sporicidin . . . was both more stable and more active against test spores than . . . Cidex and Cidex-7."

Infection Control, Vol. 1, No. 2, 1980

These and other studies available upon request.



Sporicidin International

Published online by Cambridge University Press 400 Massachusetts Avenue, N.W., Washington, D.C. 20016 Telephone: (800) 424-3733

EDITOR

Richard P. Wenzel, MD
Charlottesville, Virginia

ACTING EDITOR 1985-1986

Dieter H.M. Gröschel, MD
Charlottesville, Virginia

SENIOR ASSOCIATE EDITOR

William Schaffner, MD
Nashville, Tennessee

ASSOCIATE EDITORS

Sue Crow, RN, MSN
Shreveport, Louisiana

John E. McGowan, Jr., MD
Atlanta, Georgia

Dennis G. Maki, MD
Madison, Wisconsin

SLACK

SLACK Incorporated
6900 Grove Road
Thorofare, New Jersey 08086

Publisher
Richard N. Roash

Associate Publisher
Eric Baloff

Executive Editor
Donna Carpenter

Assistant Editor
M. Lynne Stanwood

Circulation Manager
Kevin J. Fenton

Advertising Manager
Randall Roash

**Classified
Advertising Representative**
Lorraine Giles

EDITORIAL

ADVISORY BOARD

Robert C. Aber, MD
Hershey, Pennsylvania

Charles S. Bryan, MD
Columbia, South Carolina

John P. Burke, MD
Salt Lake City, Utah

Marie B. Coyle, PhD
Seattle, Washington

Burke A. Cunha, MD
Mineola, New York

Richard E. Dixon, MD
Trenton, New Jersey

Harvey A. Elder, MD
Loma Linda, California

Bruce Farber, MD
Pittsburgh, Pennsylvania

Peter C. Fuchs, MD, PhD
Portland, Oregon

Richard A. Garibaldi, MD
Farmington, Connecticut

Donald A. Goldmann, MD
Boston, Massachusetts

Dieter H.M. Gröschel, MD
Charlottesville, Virginia

Peter A. Gross, MD
Hackensack, New Jersey

Karen Hadley, RN, MPH
New Orleans, Louisiana

David K. Henderson, MD
Bethesda, Maryland

Peter N.R. Heseltine, MD
Los Angeles, California

Cyrus C. Hopkins, MD
Boston, Massachusetts

Allen B. Kaiser, MD
Nashville, Tennessee

Harold Laufman, MD, PhD
New York, New York

William J. Ledger, MD
New York, New York

Barbara McArthur, RN, PhD
Detroit, Michigan

Rob Roy MacGregor, MD
Philadelphia, Pennsylvania

C. Glen Mayhall, MD
Richmond, Virginia

Ronald Lee Nichols, MD
New Orleans, Louisiana

Harry C. Nottebart, Jr., JD, MD
Richmond, Virginia

James E. Peacock, Jr., MD
Winston-Salem, North Carolina

Frank S. Rhame, MD
Minneapolis, Minnesota

William A. Rutala, PhD, MPH
Chapel Hill, North Carolina

William E. Scheckler, MD
Madison, Wisconsin

Robert J. Shannon, MSPH
Boston, Massachusetts

Walter E. Stamm, MD
Seattle, Washington

Charles W. Stratton, MD
Nashville, Tennessee

Timothy R. Townsend, MD
Baltimore, Maryland

William M. Valenti, MD
Rochester, New York

James Veazey, MD
Albany, New York

Kathy J. Wydra, RN
Geneva, New York

FOREIGN ADVISORY BOARD

Graham Ayliffe, MD, FRC Path.
Birmingham, England

Professor G. Berencsi
Szeged, Hungary

Professor Jaap Dankert
Groningen, Netherlands

Professor Dr. F. Daschner
Freiburg, West Germany

Lars O. Kallings, MD
Stockholm, Sweden

Professor W.B. Kędzia
Sieroca, Poland

Professor A.P. Krasilnikow
Minsk, USSR

Professor Dr. W. Marget
Munich, West Germany

Bertil Nyström, MD
Huddinge, Sweden

Ian Phillips, MA, MD, MRC Path.
London, England

Samuel Ponce de Leon, MD
Mexico City, Mexico

Hans Reber, MD
Basel, Switzerland

Professor Gerald Reybrouck
Leuven, Belgium

Manfred L. Rotter, MD, DipBact
Vienna, Austria

Theodore Sacks, MD
Jerusalem, Israel

Dr. Bernhard M. Thimm
Federal Republic of Germany

Professor Dr. med. H.P. Werner
Mainz, West Germany

Professor Dr. W. Weuffen
Greifswald, German Democratic Republic