

EPIDEMIOLOGY AND INFECTION

EDITED BY

J. R. PATTISON
D. BAXBY J. G. CRUICKSHANK
M. H. HINTON C. R. MADELEY W. C. NOBLE

P. MORGAN-CAPNER
(MANAGING EDITOR)

IN CONJUNCTION WITH

R. M. ANDERSON	R. R. MARPLES
R. D. BARRY	T. J. MARRIE
P. S. BRACHMAN	C. MARTÍN-BOURGON
M. CHERNESKY	O. H. MEURMAN
M. DEGRÉ	ELIZABETH MILLER
L. DEVRIESE	P. P. MORTIMER
R. G. FINCH	J. S. OXFORD
R. J. GILBERT	S. PALMER
P. D. GRIFFITHS	D. J. PLATT
ANNA HAMBRAEUS	B. ROWE
D. J. HAMPSON	R. SWANEPOEL
T. HUMPHREY	R. S. TEDDER
J. C. DE JONG	E. J. THRELFALL
A. P. KENDAL	H. E. TILLETT
J. B. KURTZ	J. P. VANDENBROUCKE
D. H. LLOYD	P. J. WILKINSON
S. LOGAN	M. WOODWARD

VOLUME 111, 1993



CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1993

Printed in Great Britain by the Cambridge University Press, Cambridge

Contents

No. 1 (AUGUST 1993)

Special Article. Interrelationships between strains of <i>Salmonella enteritidis</i>	1
Threlfall, E. J. and Chart, H.	
<i>Mycobacterium bovis</i> in the European badger (<i>Meles meles</i>): epidemiological findings in tuberculous badgers from a naturally infected population	
Clifton-Hadley, R. S., Wilesmith, J. W. and Stuart, F. A.	9
Protective efficacy of BCG vaccine against leprosy in southern Malawi	
Baker, D. M., Nguyen-Van-Tam, J. S. and Smith, S. J.	21
Acquisition and invasiveness of different serotypes of <i>Streptococcus pneumoniae</i> in young children	
Smith, T., Lehmann, D., Montgomery, J., Gratten, M., Riley, I. D. and Alpers, M. P.	27
Age-specific efficacy of pertussis vaccine during epidemic and non-epidemic periods	
Ramsay, M. E. B., Farrington, C. P. and Miller, E.	41
High prevalence of thermostable direct hemolysin (TDH)-like toxin in <i>Vibrio mimicus</i> strains isolated from diarrhoeal patients	
Uchimura, M., Koiwai, K., Tsuruoka, Y. and Tanaka, H.	49
Outbreak of nosocomial infections with two different MRSA-strains involved: significance of genomic DNA fragment patterns in strains otherwise difficult to type	
Cuny, C., Schassan, H.-H. and Witte, W.	55
Social and geographical risk factors in <i>Helicobacter pylori</i> infection	
Whitaker, C. J., Dubiel, A. J. and Galpin, O. P.	63
Comparison of multilocus enzyme electrophoresis (MEE), ribotyping, restriction enzyme analysis (REA) and phage typing for typing of <i>Listeria monocytogenes</i>	
Norrung, B. and Gerner-Smidt, P.	71
A miniaturized biotyping system for strain discrimination in <i>Escherichia coli</i>.	
Crichton, P. B., Logan, J. M. J. and Old, D. C.	81
An analysis of the diversity of <i>Haemophilus parainfluenzae</i> in the adult human respiratory tract by genomic DNA fingerprinting	
Kerr, G. R. D., Forbes, K. J., Williams, A. and Pennington, T. H.	89
Comparison of serotype, biotype and bacteriocin types with rDNA RFLP patterns for the type identification of <i>Serratia marcescens</i>	
Alonso, R., Aucken, H. M., Perez-Diaz, J. C., Cookson, B. D., Baquero, F. and Pitt, T. L.	99
Levels of anti-pneumococcal antibodies in young children in Papua New Guinea	
Pomat, W. S., Smith, T. A., Sanders, R. C., Witt, C. S., Montgomery, J., Lehmann, D. and Alpers, M. P.	109
Factors associated with <i>Paracoccidioides brasiliensis</i> infection among permanent residents of three endemic areas in Colombia	
Cadavid, D. and Restrepo, A.	121
The haemagglutinins of influenza A (H1N1) viruses in the 'O' or 'D' phases exhibit biological and antigenic differences	
Azzi, A., Bartolomei-Corsi, O., Zakrzewska, K., Corcoran, T., Newman, R., Robertson, J. S., Yates, P. and Oxford, J. S.	135
Signs and symptoms in common colds	
Tyrell, D. A. J., Cohen, S. and Schlarb, J. E.	143
Outbreak of SRSV gastroenteritis at an international conference traced to food handled by a post-symptomatic caterer	
Patterson, T., Hutchings, P. and Palmer, S.	157
Dengue epidemic in the state of Rio de Janeiro, Brazil, 1990-1: co-circulation of dengue 1 and dengue 2 serotypes	
Nogueira, R. M. R., Miagostovich, M. P., Lampe, E., Souza, R. W., Zagne, S. M. O. and Schatzmayr, H. G.	163
The clinical spectrum of human hantavirus infection in Somerset, UK	
Pether, J. V. S. and Lloyd, G.	171

Book review. Hospital Infection Control. Setting up a Cost-effective Programme	177
Book review. Geographical and Environmental Epidemiology: Methods for Small-Area Studies	177
Book review. Teaching Epidemiology. What you should know and what you could do	178
Book review. Viral Infections. Contemporary Issues in Infectious Diseases	179
Book review. A Colour Atlas of Medical Entomology	179

No. 2 (OCTOBER 1993)

Verotoxin producing *Escherichia coli* O 157 infections associated with the consumption of yoghurt

Morgan, D., Newman, C. P., Hutchinson, D. N., Walker, A. M., Rowe, B. and Majid, F.	181
A comparison of multiple drug resistance in salmonellas from humans and food animals in England and Wales, 1981 and 1990	
Threlfall, E. J., Rowe, B. and Ward, L. R.	189
Variations in biochemical phenotypes and phage types of <i>Salmonella enteritidis</i> in Germany 1980-92	
Katouli, M., Seuffer, R. H., Wollin, R., Kühn, I. and Möllby, R.	199
Egg age and the growth of <i>Salmonella enteritidis</i> PT4 in egg contents	
Humphrey, T. J. and Whitehead, A.	209
The prevalence of antimicrobial resistance in human faecal flora in South Africa	
Shanahan, P. M. A., Wylie, B. A., Adrian, P. V., Koornhof, H. J., Thomson, C. J. and Amyes, S. G. B.	221
Replicon typing characterization of plasmids encoding resistance to gentamicin and apramycin in <i>Escherichia coli</i> and <i>Salmonella typhimurium</i> isolated from human and animal sources in Belgium	
Pohl, P., Glupeczynski, Y., Marin, M., Van Robaeys, G., Lintermans, P. and Couturier, M.	229
Plasmid analysis of <i>Salmonella enteritidis</i> isolated from human gastroenteritis cases and from epidemiologically associated poultry flocks	
Dorn, C. R., Silapanuntakul, R., Angrick, E. J. and Shipman, L. D.	239
Epidemiological investigation of risk factors for campylobacter colonization in Norwegian broiler flocks	
Kapperud, G., Skjerve, E., Vik, L., Hauge, K., Lysaker, A., Aalmen, I., Ostroff, S. M. and Potter, M.	245
A molecular characterization of <i>Clostridium difficile</i> isolates from humans, animals and their environments	
O'Neill, G., Adams, J. E., Bowman, R. A. and Riley, T. V.	257
Characterization of human faecal flora by means of an improved fluoromorphometrical method	
Jansen, G. J., Wilkinson, M. H. F., Deddens, B. and Van Der Waaij, D.	265
Healthy individuals possess circulating antibodies against their indigenous faecal microflora as well as against allogenous faecal microflora: an immunomorphometrical study	
Apperloo-Renkema, H. Z., Jagt, T. G., Tonk, R. H. J. and Van Der Waaij, D.	273
A model for autumn outbreaks of Legionnaires' disease associated with cooling towers, linked to system operation and size	
Bentham, R. H. and Broadbent, C. R.	287
The epidemiology and surveillance of visceral leishmaniasis in the Campania region of Italy. The value of zymodeme typing	
Gradoni, L., Pizzuti, R., di Martino, L., Gramiccia, M., Pempinello, R., Gaeta, G. B., Ferrara, M., Scotti, S. and Altieri, S.	297
<i>Mycoplasma pulmonis</i> infection of the murine oropharynx protects against subsequent vaginal colonization	
Furr, P. M. and Taylor-Robinson, D.	307
The influence of local antichlamydial antibody on the acquisition and persistence of human ocular chlamydial infection: IgG antibodies are not protective	
Bailey, R. L., Kajbaf, M., Whittle, H. C., Ward, M. E. and Mabey, D. C. W.	315
Bacteriophage as models for virus removal from Pacific oysters (<i>Crassostrea gigas</i>) during re-laying	
Humphrey, T. J. and Martin, K.	325
Impact of respiratory virus infection in patients with chronic chest disease	
Wiselka, M. J., Kent, J., Cookson, J. B. and Nicholson, K. G.	337
Influenza immunization; vaccine offer, request and uptake in high-risk patients during the 1991/2 season	
Nguyen-Van-Tam, J. S. and Nicholson, K. G.	347

Laboratory surveillance of viral meningitis by examination of cerebrospinal fluid in Cape Town, 1981–9	357
McIntyre, J. P. and Keen, G. A.	
Weather factors in the prediction of western equine encephalitis epidemics in Manitoba	
Sellers, R. F. and Maarouf, A. R.	373
Characterization of monoclonal antibodies against a type SAT 2 foot-and-mouth disease virus	
Crowther, J. R., Rowe, C. A. and Butcher, R.	391
Distinct yearly change of serotype distribution of human rotavirus in Thailand as determined by ELISA and PCR	
Pongsuwanne, Y., Taniguchi, K., Wakasugi, F., Sutivijit, Y., Chiwakul, M., Warachit, P., Jayavasu, C. and Urasawa, S.	407
Book Review. Allergy and Immunity to Helminths. Common Mechanisms or Divergent Pathways?	413

No. 3 (DECEMBER 1993)

Molecular subtyping by genome and plasmid analysis of <i>Campylobacter jejuni</i> serogroups O1 and O2 (Penner) from sporadic and outbreak cases of human diarrhoea	
Fayos, A., Owen, R. J., Hernandez, J., Jones, C. and Lastovica, A.	415
Virulence properties of <i>Escherichia coli</i> strains belonging to serogroups O26, O55, O111 and O128 isolated in the United Kingdom in 1991 from patients with diarrhoea	
Scotland, S. M., Willshaw, G. A., Smith, H. R., Said, B., Stokes, N. and Rowe, B.	429
Cattle as a possible source of verocytotoxin-producing <i>Escherichia coli</i> O157 infections in man	
Chapman, P. A., Siddons, C. A., Wright, D. J., Norman, P., Fox, J. and Crick, E.	439
Outer membrane characteristics of <i>Salmonella enteritidis</i> phage type 4 growing in chickens	
Chart, H., Conway, D. and Rowe, B.	449
A quantitative polymerase chain reaction method for the detection in avian faeces of salmonellas carrying the <i>spvR</i> gene	
Mahon, J. and Lax, A. J.	455
The problems of tracing a geographically widespread outbreak of salmonellosis from a commonly eaten food: <i>Salmonella typhimurium</i> DT193 in North West England and North Wales in 1991	
Thornton, L., Gray, S., Bingham, P., Salmon, R. L., Hutchinson, D. N., Rowe, B., Newton, D. and Syed, Q. U.	465
An outbreak of <i>Salmonella mikawasima</i> associated with doner kebabs	
Synott, M., Morse, D. L., Maguire, H., Majid, F., Plummer, M., Leicester, M., Threlfall, E. J. and Cowden, J.	473
The coccoid forms of <i>Helicobacter pylori</i>. Criteria for their viability	
Bode, G., Mauch, F. and Malfertheiner, P.	483
Genetic diversity and clonal relationships of <i>Acinetobacter baumannii</i> strains isolated in a neonatal ward: epidemiological investigations by allozyme, whole-cell protein and antibiotic resistance analysis	
Thurm, V. and Ritter, E.	491
Intracellular growth of <i>Legionella pneumophila</i> serogroup 1 monoclonal antibody type 2 positive and negative bacteria	
Edelstein, P. H. and Edelstein, M. A. C.	499
Malaria transmission rates estimated from serological data	
Burattini, M. N., Massad, E. and Coutinho, F. A. B.	503
Malaria prevalence amongst Brazilian Indians assessed by a new mathematical model	
Burattini, M. N., Massad, E., Coutinho, F. A. B. and Baruzzi, R. G.	525
Antigenic and genetic analyses of influenza type B viruses isolated in Russia, 1987–91	
Hemphill, M. L., Rota, P. A., Ivanova, V. T., Slepushkin, A. N. and Kendal, A. P.	539
Enzyme-linked immunosorbent assays for the detection of antibody to Crimean–Congo haemorrhagic fever virus in the sera of livestock and wild vertebrates	
Burt, F. J., Swanepoel, R. and Braack, L. E. O.	547

The role of wild animals, other than buffalo, in the current epidemiology of foot-and-mouth disease in Zimbabwe

Anderson, E. C., Foggin, C., Atkinson, M., Sorensen, K. J., Madekurozva, R. L. and Nqindi, J. 559

Book Review. Medical Microbiology

565

Erratum: The epidemic cycle of *Chlamydia pneumoniae* infection in eastern Finland, 1972–1987, by Karvonen, M., Tuomilehto, J., Pitkäniemi, J. and Saikku, P.

567

Index

569

Continued from back cover

Enzyme-linked immunosorbent assays for the detection of antibody to Crimean–Congo haemorrhagic fever virus in the sera of livestock and wild vertebrates	547
Burt, F. J., Swanepoel, R. and Braack, L. E. O.	547
The role of wild animals, other than buffalo, in the current epidemiology of foot-and-mouth disease in Zimbabwe	559
Anderson, E. C., Foggin, C., Atkinson, M., Sorensen, K. J., Madekurozva, R. L. and Nqindi, J.	559
Book Review. Medical Microbiology	565
Erratum: The epidemic cycle of <i>Chlamydia pneumoniae</i> infection in eastern Finland, 1972–1987, by Karvonen, M., Tuomilehto, J., Pitkäniemi, J. and Saikku, P.	567
Index	569
Notes for Contributors	

Cambridge University Press

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne, 3166, Australia

© Cambridge University Press 1993

Printed in Great Britain by the University Press, Cambridge

Epidemiology and Infection

Original reports and reviews on all aspects of
infection of man and animals

CONTENTS

Molecular subtyping by genome and plasmid analysis of <i>Campylobacter jejuni</i> serogroups O1 and O2 (Penner) from sporadic and outbreak cases of human diarrhoea	415
Fayos, A., Owen, R. J., Hernandez, J., Jones, C. and Lastovica, A.	
Virulence properties of <i>Escherichia coli</i> strains belonging to serogroups O26, O55, O111 and O128 isolated in the United Kingdom in 1991 from patients with diarrhoea	429
Scotland, S. M., Willshaw, G. A., Smith, H. R., Said, B., Stokes, N. and Rowe, B.	
Cattle as a possible source of verocytotoxin-producing <i>Escherichia coli</i> O157 infections in man	439
Chapman, P. A., Siddons, C. A., Wright, D. J., Norman, P., Fox, J. and Crick, E.	
Outer membrane characteristics of <i>Salmonella enteritidis</i> phage type 4 growing in chickens	449
Chart, H., Conway, D. and Rowe, B.	
A quantitative polymerase chain reaction method for the detection in avian faeces of salmonellas carrying the <i>spvR</i> gene	455
Mahon, J. and Lax, A. J.	
The problems of tracing a geographically widespread outbreak of salmonellosis from a commonly eaten food: <i>Salmonella typhimurium</i> DT193 in North West England and North Wales in 1991	465
Thornton, L., Gray, S., Bingham, P., Salmon, R. L., Hutchinson, D. N., Rowe, B., Newton, D. and Syed, Q. U.	
An outbreak of <i>Salmonella mikawasima</i> associated with doner kebabs	473
Synnott, M., Morse, D. L., Maguire, H., Majid, F., Plummer, M., Leicester, M., Threlfall, E. J. and Cowden, J.	
The coccoid forms of <i>Helicobacter pylori</i>. Criteria for their viability	483
Bode, G., Mauch, F. and Malfertheiner, P.	
Genetic diversity and clonal relationships of <i>Acinetobacter baumannii</i> strains isolated in a neonatal ward: epidemiological investigations by allozyme, whole-cell protein and antibiotic resistance analysis	491
Thurm, V. and Ritter, E.	
Intracellular growth of <i>Legionella pneumophila</i> serogroup 1 monoclonal antibody type 2 positive and negative bacteria	499
Edelstein, P. H. and Edelstein, M. A. C.	
Malaria transmission rates estimated from serological data	503
Burattini, M. N., Massad, E. and Coutinho, F. A. B.	
Malaria prevalence amongst Brazilian Indians assessed by a new mathematical model	525
Burattini, M. N., Massad, E., Coutinho, F. A. B. and Baruzzi, R. G.	
Antigenic and genetic analyses of influenza type B viruses isolated in Russia, 1987–91	539
Hemphill, M. L., Rota, P. A., Ivanova, V. T., Slepushkin, A. N. and Kendal, A. P.	

Continued inside back cover

CAMBRIDGE
UNIVERSITY PRESS



0950-2688(199312)111:3;1-W