



Weeds

VOLUME V
OCTOBER 1957
NUMBER 4

Journal of the Weed Society of America

Weeds

Issued Quarterly by the Weed Society of America

K. P. BUCHHOLTZ, *Editor*, Dept. of Agronomy, Univ. of Wisconsin,
Madison, Wisconsin.

W. C. JACOB, *Business Manager*, Dept. of Agronomy, Univ. of
Illinois, Urbana, Illinois.

EDITORIAL COMMITTEE

R. J. ALDRICH, Weed Investigations Section, USDA, Rutgers Univ.,
New Brunswick, New Jersey.

O. C. LEE, Dept. of Botany and Plant Pathology, Purdue Univ.,
Lafayette, Indiana.

W. C. ROBOCKER, Weed Investigations Section, USDA, State College
of Washington, Pullman, Washington.

W. K. PORTER, JR., Dept. of Plant Pathology, Univ. of Louisiana,
Baton Rouge, Louisiana.

WEEDS is a quarterly journal published by the Weed Society of America. Editorial offices are located at the University of Wisconsin, Madison, Wisconsin. Printing is by the W. F. Humphrey Press Inc., Geneva, New York. Subscription price is \$6.00 yearly for four issues: single copies \$1.50. Address all communications regarding subscriptions, advertising and reprints to W. C. Jacob, Department of Agronomy, University of Illinois, Urbana, Illinois. Inquiries concerning information on manuscripts and other material for publication should be addressed to the Editorial Offices. All checks, money orders and other remittances should be made payable to the Weed Society of America.

Entered as second-class matter at the post office at Urbana,
Illinois with additional entry at Geneva, New York.

Table of Contents

	<i>Page</i>
Effect of Phenoxy Herbicide Concentrates Applied to Cuts of Sprouting Tree Species. O. A. Leonard	291
Amino Triazole Salts and Amino Triazole-5-C ¹⁴ Studies on Pigment Production in Cotton. C. S. Miller and Wayne C. Hall	304
Some Effects of 2,2-Dichloropropionic Acid on Soil Microorganisms. A. D. Worsham and Joel Giddens	316
The Leaching of Monuron from Lakeland Sand Soil. Part I. The Effect of Amount, Intensity, and Frequency of Simulated Rainfall. R. P. Upchurch and W. C. Pierce	321
The Effects of Several Herbicides on Nitrification in a Field Soil Under Laboratory Conditions. M. G. Hale, F. H. Hulcher and W. E. Chappell . .	331
Interception of Herbicidal Sprays by Oats and its Relation to Alfalfa Stands. K. P. Dorschner and K. P. Buchholtz	342
The Effects of Wind on Delivery Patterns of Nozzles used for Weed Spraying. M. J. Morgan, L. W. Rasmussen and L. W. Orton	350
Pre-emergence Weed Control in Soybeans. Henry W. Indyk	362
Brief Papers	
A Laboratory Test for Screening Chemicals for Toxicity to Submerged Aquatic Plants. M. S. Hudson and Bee Hudson	371
News and Notes	374
Bibliography of Weed Investigations, January to March, 1957	375
Index Volume V	393
Sustaining Members	x

Advertisers Index

Union Carbide Chemicals Co.	ii
duPont de Nemours & Co.	iii
U. S. Borax & Chemical Co.	iv
Standard Agricultural Chemicals Co.	v
Diamond Alkali Co.	vi
Chipman Chemical Co.	vii
American Cyanamid Co.	viii
Spraying Systems Co.	ix

Make your own tests with these



HERBICIDES

SAMPLES of the CRAG Herbicides listed below are available for experimental purposes.

CRAG Mylone 85W is an easy-to-handle, pre-planting soil fumigant for control of weeds, soil fungi and nematodes. We suggest you test it on **tobacco, vegetable and conifer seed beds**. Now commercially used on ornamental propagating beds. No plastic cover is needed.

CRAG DCU 73W has controlled annual grasses up to three months when mixed with the top layer of soil before planting, in tests. We suggest you test it on **sugar beets and cucurbits**.

CRAG Sesone is an economical weed-seed toxicant which is activated upon soil contact. We suggest you test it for weed control in growing **peanuts, strawberries, nursery stock, potatoes, asparagus, and corn for seed**.

CRAG AGRICULTURAL CHEMICALS ARE PRODUCTS OF

Union Carbide Chemicals Company

DIVISION OF  CORPORATION

30 East 42nd Street, New York 17, N. Y.

"Crag", "Mylone", "Sesone", and "Union Carbide" are trade-marks of Union Carbide Corporation.

MAIL THIS COUPON NOW

CRAG Agricultural Chemicals
UNION CARBIDE CHEMICALS COMPANY
30 East 42nd Street, New York 17, New York

Please send additional information and your application blank for an experimental sample of CRAG Mylone 85W _____ CRAG DCU 73W _____ and CRAG Sesone _____

Name _____

Address _____

City _____ State _____

For Agriculture and Industry . . .

Du Pont UREA HERBICIDES

***offer new economies
and efficiency in killing
weeds, grass and brush***

"KARMEX" for weed control in asparagus, sugar cane, pineapple, potatoes, grapes, alfalfa, citrus and other crops. Also for irrigation and drainage ditch weed control. Available in two formulations: "Karmex" W monuron and "Karmex" DW diuron.

KARMEX® DL for pre-emergence weed control in cotton.

TELVAR® for industrial weed and grass control. Also in certain areas, it is recommended for brush control. "Telvar" W monuron and "Telvar" DW diuron.

The urea herbicides, products of Du Pont research, kill vegetation through the roots. Their efficiency is demonstrated by the relatively low dosages required to do the job. They can be easily applied, are non-flammable, non-volatile, non-corrosive and extremely low in toxicity.



Better Things for Better Living . . . *Through Chemistry*

E. I. DU PONT DE NEMOURS & CO. (INC.)
GRASSELLI CHEMICALS DEPT.

WILMINGTON 98, DELAWARE

Four
easy
ways to
Destroy
Weeds

1. UREABOR®

A nonselective, granular complex of sodium borate and substituted urea. Low application rates are a feature. Apply with the special new PCB Spreader for best results.

2. DB® Granular

A combination of 2,4-D and sodium borates. Kills deep-rooted, noxious weeds. Low application rates for maximum control with the utmost economy; use the PCB Spreader.
(Not intended for control of grass.)

3. POLYBOR-CHLORATE®

Highly soluble; for spray or dry application. It gives a quick knock-down; destroys top growth and roots. A general nonselective herbicide.

4. Concentrated BORASCU®

A nonselective, granular material. Apply by hand or with a mechanical spreader. Long residual action.

When you want Nonselective Herbicides

for Dependable Action

look to United States Borax
& Chemical Corporation

PACIFIC COAST BORAX COMPANY DIVISION



630 Shatto Place, Los Angeles 5, Calif.
100 Park Avenue, New York 17, N.Y.


SINOX...

the standard weedkiller

Like water and fertilizer, weed control is vital to all agriculture. And SINOX formulations, products of combined field experience and laboratory research, are the *first choice* for positive weed control.

SINOX PE, for pre-emergence spraying of potatoes, beans, corn and peas; also control of winter annuals in fall seeded alfalfa, and clover.

SINOX GENERAL is a hard-hitting dinitro for clearing



WATER

FERTILIZER

WEED
CONTROL

vines, ditches, roadsides, and general weed destruction. Useful also as a dessicant for seed alfalfa, clover, Sudan grass, flax and milo.

SINOX W is highly efficient for selective spraying of seeding alfalfa, onions, flax, peas, and grain seeded to legumes.

We are devoted to progress in weed control at Standard Agricultural Chemicals, and are helping to create a new era in weed control for *you*. Keep up to date on latest developments by checking with us directly.



STANDARD Agricultural CHEMICALS

INCORPORATED

1301 Jefferson Street, Hoboken, New Jersey
429 Forum Building, Sacramento, Calif.

**Whatever your
control problem,
Diamond has
the solution!**

As one of the world's largest makers of herbicides, DIAMOND ALKALI has the experience and facilities to help you select the right chemical formulation for any job. Write DIAMOND ALKALI COMPANY, 300 Union Commerce Bldg., Cleveland 14, Ohio.

TECHNICALS

for formulators and processors

WEED KILLERS

2,4-D Acid • Technical Butyl-D
Technical Isopropyl-D
Technical 2-Ethyl Hexyl (Iso-Octyl)-D (Low Volatile)
Technical BEP-D (Low Volatile)

BRUSH CONTROL

Technical Butyl-T • Technical Isopropyl-T
Technical BEP-T (Low Volatile)
Technical 2-Ethyl Hexyl (Iso-Octyl)-T (Low Volatile)

READY-TO-USE FORMULATIONS

for farms, ranches, orchards, parks, homes

WEED KILLERS

*4# Mixed Amine-D • 4# Dimethylamine-D
2.67# Butyl-D • 4# Butyl-D • 6# Butyl-D
4# 2-Ethyl Hexyl (Iso-Octyl)-D (Low Volatile)
4# BEP-D (Low Volatile) • 3.34# Isopropyl-D

BRUSH CONTROL

*4# Butyl-T • 4# BEP-T (Low Volatile)
4# 2-Ethyl Hexyl (Iso-Octyl)-T (Low Volatile)
2,4-D—2,4,5-T Mixtures • 2#—2# Butyl Brush Killer
2#—2# 2-Ethyl Hexyl Brush Killer (Low Volatile)
2#—2# BEP Brush Killer (Low Volatile)

**Numbers are pounds of 2,4,5-T or 2,4-D acid equivalent per gallon.*



Diamond Chemicals



ATLACIDE: A chlorate weed killer...widely used for non-selective eradication of bindweed, Canada thistle, quack grass, Johnson grass and other tough perennials. Kills roots...discourages regrowth. Applied as spray or in original dry form.

ATLACIDE WITH 2, 4-D: A combination of Atlacide and 2,4-D acid. Particularly recommended for Canada thistle control.

CHLQREA: A uniform, non-separating combination of sodium chlorate, borate and CMU. Kills all types of weeds and grasses. Combines the proven effectiveness of chlorate on deep-rooted weeds with the soil-surface action of CMU on shallow-rooted grasses and annual seedling growth. Has lasting residual effect to inhibit new growth. Does not create a fire hazard when used as directed. Applied dry or as a water-mixed spray. For industrial, railroad and certain agricultural uses.

CHLORAX "40": A non-separating composition of sodium chlorate and borate...for weed and grass control. Has a lasting residual effect. Does not create a fire hazard. Applied dry or as a spray.

CHLORAX LIQUID: Similar to Chlorax "40"...in liquid form for easy mixing with water.

ATLAS "A": A 40% sodium arsenite solution (4 lbs. arsenic trioxide per gal.). Destroys certain submersed vegetation in ponds and lakes. Controls crabgrass, chickweed and clover in turf. Used as general weed killer and to kill trees and stumps. Also used to kill potato vines prior to harvesting.

SODIUM ARSENITE: A powder containing 75% arsenic trioxide. Used for the same purposes as Atlas "A". Applied dry or as a spray.

2, 4-D WEED KILLERS: A complete line—Available as 2,4-D Amine and 2,4-D Ester liquids; also 2,4-D Ester dusts.

METHOXONE: Contains 2 pounds of MCP sodium salt per gallon. Used for weed control in small grains, flax, rice and grass. Controls same weeds as 2,4-D; considered safer for selective spraying.

Low Volatile 2,4,5-T
 Low Volatile Brush Killer
 Chloro IPC • IPC 25% Liquid

Write for Weed Control Booklets

CHIPMAN CHEMICAL COMPANY, INC.

Chicago, Ill.

BOUND BROOK, N. J.

Portland, Ore.

Palo Alto, Calif.

Pasadena, Tex.

Bessemer, Ala.

Manufacturers of Weed Killers Since 1912

A Cyanamid Report

Amino Triazole Weedkiller* passes first test

Amino Triazole Weedkiller has had one season of farm use for killing deep-rooted perennials. This experience justifies firmer confidence in this new chemical as a control for Canada thistle, horsetail rush, poison ivy, cattails, woody plants, and many other species. Production has been increased to meet demand in 1957.

Much interesting research yet to be done

In spite of the impressive amount of research completed during the past 4 years by State and Federal workers, we have only partial answers as to how and why this systemic herbicide does what it does to plants:

1. Why is Amino Triazole so readily absorbed into plant foliage?
2. Why is Amino Triazole translocated so readily downward and laterally throughout the plant compared to other systemic herbicides?
3. What are metabolites of Amino Triazole in the plant?
4. How does Amino Triazole destroy and interfere with the formation of chlorophyll?
5. What vital growth processes are affected, causing death of plants?
6. Why are certain species relatively so much more sensitive to Amino Triazole than others?

We will be glad to supply the latest data to those interested in working with this new herbicide.

CYANAMID

*3-amino-1, 2, 4-triazole

**Send coupon
for complete
information
and
technical data**

AMERICAN CYANAMID COMPANY
Agricultural Chemicals Division, Dept. W
30 Rockefeller Plaza, New York 20, N. Y.

Please send more information and technical data on Amino Triazole Weedkiller.

NAME


STREET

CITY STATE




the precision nozzle for effective spraying

Supplied in a full range of interchangeable orifice tip and strainer sizes to meet every capacity requirement. TeeJet Spray Nozzles for Weed Control by spraying make it possible to take maximum advantage of the chemical and sprayer unit. TeeJet nozzles are precision built and provide a flat spray with uniform distribution. Atomization is properly controlled to give coverage with an absolute minimum of driftage. Patented tip design, with set-back orifice opening protects precision orifice from accidental damage. TeeJet spray nozzles are built for use on spray booms and portable sprayers.




TEEJET SPRAY NOZZLE male pipe connection



TEEJET SPRAY NOZZLE female pipe connection

OFF-CENTER SPRAY NOZZLES

Spraying Systems Spray Nozzles with TeeJet tips are supplied in a variety of special body types to meet any unusual spraying requirement. For example, one type of off-center spray nozzle with swivel body provides a flat spray up to 35 feet wide for spraying areas with a single nozzle, that are not accessible with a boom.



INTER-CHANGEABLE ORIFICE TIPS flat and cone spray types

SUPPLEMENTARY EQUIPMENT

Complete accessories relating to nozzle use are supplied. These include strainers, special nozzle fittings, and hand valve equipment.

TeeJet Spray Nozzles are supplied for Weed Control... as well as all other types of agricultural spraying. For complete information and reference data write for Catalog 30.

SPRAYING SYSTEMS CO.
Engineers and Manufacturers

3296 RANDOLPH STREET

BELLWOOD, ILLINOIS

SUSTAINING MEMBERS

American Chemical Paint Company, Ambler, Pennsylvania
American Smelting and Refining Co., Central Research Laboratories,
South Plainfield, New Jersey
Asplundh Tree Expert Company, Jenkintown, Pennsylvania
Association of American Railroads, Chicago, Illinois
Chemical Insecticide Corp., Brooklyn, New York
Chipman Chemical Company, Inc., Bound Brook, New Jersey
Crag Agricultural Chemicals Division, Carbide and Carbon Chemi-
cals Co., New York, New York
Deere and Company, Product Research Dept., Moline, Illinois
Diamond Alkali Company, Cleveland, Ohio
The Dow Chemical Company, Midland, Michigan
E. I. duPont deNemours & Company, Inc., Grasselli Chemicals
Dept., Wilmington, Delaware
G.L.F. Soil Building Service, Ithaca, New York
Geigy Agricultural Chemicals, Div. of Geigy Chemical Corp.,
Yonkers, New York
Hercules Powder Company, Wilmington, Delaware
International Harvester Company, Chicago, Illinois
Monsanto Chemical Company, St. Louis, Missouri
National Aluminate Company, Chicago, Illinois
Olin Mathieson Chemical Corp., Baltimore, Maryland
O. M. Scott and Sons Company, Marysville, Ohio
Spraying Systems Company, Bellwood, Illinois
Stauffer Chemical Company, New York, New York
Swift and Company (Plant Food Division), Chicago, Illinois
United States Borax and Chemical Corp., Los Angeles, California