

Index of Subjects

Small roman numerals refer to pages in Abstracts of Communications read at Ordinary Scientific Meetings of The Nutrition Society.

Entries marked with an asterisk () are those for which only a title is given and of which there are no summaries.*

- ACTH administration and vitamin C in adrenal glands, guinea-pig (Constable, Harris & Hughes) ix
- Adrenal glands, vitamin C in, and ACTH administration, guinea-pig (Constable, Harris & Hughes) ix
- Adrenal glands, vitamin C in, and cortisone administration, guinea-pig (Constable, Harris & Hughes) ix, (Harris, Constable, Hughes & Loewi) ix
- African *see also under* Tongaland
- African native alcoholic beverages, methods of preparation, social uses, consumption, nutritive value (Heard) xi, (Platt) 115
- African plantain, cooked, moisture, nitrogen, methionine, choline and inositol content (Byron) xii
- Age and efficiency of food conversion and fat content of carcass, pig (Braude) 14
- Age of slaughter and efficiency of food conversion, calf (Cooper) 1
- Age of slaughter and efficiency of food conversion, lamb (Wallace) 7
- Alcohol *see also under* Alcoholic, Alcoholism, Beer(s), and Wine
- Alcohol with amino-acids and fructose or glucose for intravenous feeding, contribution to total calories in various solutions (Wilkinson) 124
- Alcohol, blood content during intravenous injection alcohol and amino-acids, man (Wilkinson) 124
- Alcohol, calories derived from, man, France (Le Breton & Trémolières) 97
- Alcohol consumption, and composition of diet, rat (Sinclair) 107
- Alcohol consumption, distribution in United States, Chile; calories from; variation in elimination rate, man (Jellinek) 93
- Alcohol consumption, food intake, and nutritional deficiencies, man, rat (Sinclair) 107
- Alcohol consumption, pharmacological effects, man (Weatherall) 103
- Alcohol consumption, thiamine metabolism and deficiency, and central nervous system lesions, man, rat (Sinclair) 107
- Alcohol consumption and vitamin A metabolism and dark adaptation (Sinclair) 107
- Alcohol elimination rate, variation, man (Jellinek) 93
- Alcohol, nutritional significance (Jellinek) 93, (Le Breton & Trémolières) 97, (Platt) 115, (Sinclair, 107, (Weatherall) 103, (Wilkinson) 124
- Alcohol, proportion of dietary calories derived from, and toxicity, liver cirrhosis, man (Le Breton & Trémolières) 97
- Alcohol, use in intravenous feeding, conditions indicating, suitable solutions, method of giving (Wilkinson) 124
- Alcohol utilization, calorie contribution to basal metabolism, thermogenesis and muscular work (Le Breton & Trémolières) 97
- Alcohol utilization, and insulin, thyroxine, dietary fat, rat (Le Breton & Trémolières) 97
- Alcoholic beverages *see also under* Beer(s) and Wine
- Alcoholic beverages, African native, methods of preparation, consumption, social uses (Heard) xi, (Platt) 115
- Alcoholic cirrhosis, liver, mechanism of causation, man, rat (Sinclair) 107
- Alcoholism, vitamin therapy in; vitamin deficiencies caused by (Sinclair) 107
- Alimentary diseases, deficiencies of calcium, iron, potassium and sodium caused by faulty metabolism, effects, treatment, man (Girdwood) 41
- Alimentary diseases leading to vitamin-deficiency states, man (Girdwood) 41
- Alimentary tract *see also under* Gastro-intestinal tract
- Alimentary-tract disorders, nutritional effects, man (Black) 50, (French) 33, (Girdwood) 41, (Milne) 54
- Allergy, food, mechanism of production, clinical picture, diagnosis, treatment, man (Milne) 41
- Amino-acid(s) *see also under* Methionine
- Amino-acid(s), use with alcohol in intravenous-feeding solutions (Wilkinson) 124
- Anaemia *see under* Blood picture and Iron deficiency
- Aneurin *see under* Thiamine
- Animal(s) *see also under* Bull, Calf, Chick, Cockerel, Cow, Fowl, Lamb, Poultry, Rat, Ruminant(s), and Sheep
- Animal(s), farm, efficiency of food conversion (Bolton, 23, (Braude) 14, (Cooper) 1, (Edwards) *1, (Wallace) 7
- Antibiotic(s) supplements, effect on egg production, growth, efficiency of food conversion, hen (Bolton) 23

- Antibiotic(s) supplements and efficiency of food conversion, pig (Braude) 14
- Arsenical(s), effect on growth, and efficiency of food conversion, fowl (Bolton) 23
- Ascorbic acid *see under* Vitamin C
- Aseptic nutritional research, *Drosophila melanogaster* as test organism for (Sang) iv
- Autoradiography used to show uptake of sulphur by different tissues, normal and scorbutic guinea-pig compared (Hill & Bourne) ix
- Bacon, consumption of, expenditure on, and household size, British National Food Survey (Gibson, Readman & Warnock) 80
- Bacteria *see also under* Flora
- Bacteria from human gastric contents, absorption of cyanocobalamin (Girdwood) 41
- Bacteria, intestinal, suggested role in defective fat absorption and tropical sprue, man (French) 33
- Balance *see under* Metabolism
- Basal metabolism, calorie contribution of alcohol utilization to (Le Breton & Trémolières) 97
- Beef production, suggestions for increasing, Great Britain (Cooper) 1
- Beer(s) *see also under* Alcoholic beverages
- Beer(s), African native, nutrients lost and gained in preparation, nutritive value (Platt) 115
- Beer, contribution to nutritional requirements, man (Sinclair) 107
- Beverage(s) consumption and age, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Binding factors, different, availability of bound vitamin B₁₂ by mouth and injection, chick, rat (Coates, Gregory, Harrison, Henry, Holdsworth & Kon) xiv
- Biological value *see under* Nutritive value
- Blood alcohol content during intravenous injection of alcohol with amino-acids (Wilkinson) 124
- Blood picture after stomach operation, and vitamin B₁₂ therapy, man (Girdwood) 41
- Bone, fat and muscle proportions in carcass, factors affecting, lamb (Wallace) 7
- Body-weight *see also under* Growth
- Body-weight gain, calorie intake and pre-eclamptic toxæmia, pregnant woman (Thomson & Billewicz) v
- Bread *see also under* Flour and Food(s)
- Bread, assessment of protein quality by measurement of protein-efficiency ratio and net-protein utilization compared (Bender) xiii
- Bread consumption, and age and requirements, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Bread, consumption, expenditure on, and household size, British National Food Survey (Gibson, Readman & Warnock) 80
- Bread consumption, and income, household composition, 1952 British National Food Survey (Hollingsworth) 71
- Breed selection for fat-lamb production, sheep (Wallace) 7
- Breeding method and efficiency of food conversion, pig (Braude) 14
- British food supplies, energy values calculated by different methods compared (Hollingsworth) 154
- Bull, selection of breed for beef production, Great Britain (Cooper) 1
- Butter *see under* Fat(s) and Food(s)
- Calciferol *see under* Vitamin D
- Calcium, daily contribution to intake by different groups of foods, 1952; intake range, and income, 1936-7 and 1950 compared, British National Food Survey (Hollingsworth) 71
- Calcium deficiency caused by faulty metabolism in alimentary diseases, effects, treatment, man (Girdwood) 41
- Calcium intake and age and requirement, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Calcium intake, coefficient of variation, and household size, 1951 British National Food Survey (Readman) 60
- Calcium intake, and social class and recommended allowances, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Calf *see also under* Animal(s) and Ruminant(s)
- Calf for beef production, selection of breed, nutrition, age of slaughter, Great Britain (Cooper) 1
- Calf, triorthocresyl phosphate dietary supplement and vitamin E metabolism and neurological disturbances (Cowlshaw & Blaxter) iii
- Calorie(s) *see also under* Energy
- Calorie(s) in carcass, factors affecting, lamb (Wallace) 7
- Calorie(s) contributed by alcohol in solutions of alcohol with amino-acids and fructose or glucose for intravenous feeding (Wilkinson) 124
- Calorie contribution of alcohol utilization to basal metabolism (Le Breton & Trémolières) 97
- Calorie-conversion factors for carbohydrate, fat, protein in human foods, history of (Widdowson) 142
- Calorie(s) derived from alcohol, man, France (Le Breton & Trémolières) 97
- Calorie(s) intake, coefficient of variation, and household size, 1951 British National Food Survey (Readman) 60
- Calorie(s) intake on high-fat polar ration, man (Masterton, Lewis & Widdowson) xvi
- Calorie(s) intake, and social class and recommended allowances, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Calorie intake, thiamine deficiency, and learning, behaviour under stress, rat (Knopfmacher, Khairy, Russell & Yudkin) xvii

- Calorie intake, weight gain, and pre-eclamptic toxæmia, pregnant woman (Thomson & Billewicz) v
- Calorie(s), proportion derived from alcohol, and alcohol toxicity, liver cirrhosis, man (Le Breton & Trémolières) 97
- Caponization, effect on growth, and efficiency of food conversion, fowl (Bolton) 23
- Carbohydrate, available, and crude fibre compared as criterion in evaluation of poultry diets (Bolton) i
- Carbohydrate, history of calorie-conversion factor for (Widdowson) 142
- Carbohydrate intake, coefficient of variation and household size, 1951 British National Food Survey (Readman) 60
- Carbohydrate in various human foods, energy values estimated by different methods compared (Hollingsworth) 154
- Carcass composition and efficiency of food conversion, effect on growth, fowl (Bolton) 23
- Carcass, composition, and efficiency of food conversion, growth rate, food consumption of lamb and dam (Wallace) 7
- Carcass, fat content, and age and efficiency of food conversion, pig (Braude) 14
- Carcass quality and food restriction, pig (Braude) 14
- Carcass weight, and bone, muscle and fat proportions, lamb (Wallace) 7
- Central nervous system *see under* Nervous system
- Cereal(s) *see also under* Food(s)
- Cereal(s), effect of fluctuation in income on purchase of, Great Britain, 1937-8, 1952-3 (Brown) 63
- Cheese *see also under* Food(s)
- Cheese, consumption of, expenditure on, and household size, British National Food Survey (Gibson, Readman & Warnock) 80
- Chick *see also under* Animal(s), Cockerel, Fowl and Poultry
- Chick, availability by mouth and injection of vitamin B₁₂ bound with different binding factors (Coates, Gregory, Harrison, Henry, Holdsworth & Kon) xiv
- Child *see also under* Human and Man
- Child, effect on height of food supplement, and age, social class, Carnegie U.K. Dietary Survey, 1937-9 (Leitch) 86
- Chile, alcohol consumption rate (Jellinek) 93
- Choline content, cooked African plantain (Byron) xii
- Cirrhosis *see under* Liver
- Climate and tropical sprue, man (French) 33
- Climatic conditions and efficiency of food conversion, pig (Braude) 14
- Cockerel *see also under* Chick, Fowl and Poultry
- Cockerel, growing vitamin B₁₂-depleted, vitamin B₁₂ retention on diets containing and devoid of vitamin B₁₂ (Shrimpton) ii
- Cocoa *see under* Beverage(s)
- Coeliac disease and adult idiopathic steatorrhoea, man (French) 33
- Coprophyagy of human faeces, Husky dog (Masterton, Lewis & Widdowson) xvi
- Cortisone administration and vitamin C in adrenal glands, guinea-pig (Constable, Harris & Hughes) ix, (Harris, Constable, Hughes & Loewi) ix
- Cortisone administration, and vitamin C requirement measured by tooth-structure method, guinea-pig (Harris, Constable, Hughes & Loewi) ix
- Cow *see also under* Animal(s) and Ruminant(s)
- *Cow, dairy, food conversion (Edwards) 1
- Crude fibre and available carbohydrate compared as criterion in evaluation of poultry diets (Bolton) i
- Cyanocobalamin *see also under* Vitamin B₁₂
- Cyanocobalamin absorption by bacteria from human gastric contents (Girdwood) 41
- Dairy farming, multiple-rearing system to increase beef production, Great Britain (Cooper) 1
- Deficiency *see under* Calcium, Iron, Nutritional, Potassium, Scorbutic, Sodium and Vitamin
- Dephosphorylation of vitamin phosphates studied histochemically, various rat tissues (Bourne) x
- Diet *see also under* Feeding and Food(s)
- Diet composition, and alcohol consumption, rat (Sinclair) 107
- Diet, energy value, and pre-eclamptic toxæmia, pregnant woman (Thomson & Billewicz) v
- Diet, high-fat polar, calorie and fat intake, fat excretion, man (Masterton, Lewis & Widdowson) xvi
- Diet(s), human, energy values as calculated in different countries compared (Hollingsworth) 154
- Diet(s), poultry, evaluation, available carbohydrate and crude fibre compared as criterion (Bolton) i
- Diet, quality, palatability, and efficiency of food conversion, pig (Braude) 14
- Dietary factors and tropical sprue, man (French) 33
- Digestibility, apparent, of dried grass, and quantity given, physical form, time in gut, sheep (Blaxter, Graham & Wainman) iv
- Disease(s) *see also under* Liver and Virus pneumonia
- Disease(s) accompanied by steatorrhoea, man (French) 33
- Disease(s), alimentary, calcium, iron, potassium and sodium deficiencies caused by faulty metabolism, effects, treatment, man (Girdwood) 41
- Disease(s), alimentary, leading to vitamin-deficiency states, man (Girdwood) 41
- Dog, Husky, coprophagy of human faeces (Masterton, Lewis & Widdowson) xvi
- Domestic animals *see under* Farm animals
- Drosophila melanogaster*, dietary requirements; use as test organism in aseptic nutritional research (Sang) iv

- Efficiency of food conversion, factors affecting, lamb (Wallace) 7
- Egg(s) *see also under* Food(s)
- Egg(s), consumption of, expenditure on, and household size, British National Food Survey (Gibson, Readman & Warnock) 80
- Egg(s), effect of fluctuation in income on purchase of, Great Britain, 1937-8, 1952-3 (Brown) 63
- Egg production and efficiency of food conversion, factors affecting, hen (Bolton) 23
- Egg(s) purchased per head, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Energy *see also under* Calorie(s)
- Energy, daily contribution to intake by different groups of foods, 1952; intake range, and income, 1936-7 and 1950 compared, British National Food Survey (Hollingsworth) 71
- Energy, net-, values of foodstuffs for ruminants estimated by different methods compared (Blaxter & Graham) 131
- Energy value of poultry diets, available carbohydrate and crude fibre compared as criterion (Bolton) 1
- Energy value for sheep, and physical form, dried grass (Blaxter & Graham) xv
- Energy value of carbohydrate in various human foods estimated by different methods compared (Hollingsworth) 154
- Energy values of British food supplies calculated by different methods compared (Hollingsworth) 154
- Energy values of foods, assessment (Blaxter & Graham) 131, (Garry) 130, (Hollingsworth) 154, (Hutchinson) 140, (Widdowson) 142
- Energy values of foodstuffs, difference in different rations, poultry and ruminants compared (Hutchinson) 140
- Energy value of human diets as calculated in different countries compared (Hollingsworth) 154
- Energy values of human foods, difficulties in estimating from food composition tables (Hollingsworth) 154
- Energy values of human foods, methods of estimation historically reviewed (Widdowson) 142
- Energy values for ruminants of foodstuffs, errors of prediction (Hutchinson) 140
- Energy values for ruminants of foodstuffs, methods of measurement, factors affecting, reasons for variation (Blaxter & Graham) 131
- Energy values for sheep of high- and low-quality dried grass compared (Blaxter & Graham) 131
- Environment, effect on growth and efficiency of food conversion, fowl (Bolton) 23
- Ergocalciferol *see under* Vitamin D
- Ewe, breed, management, milk yield, food consumption, and efficiency of food conversion of lamb (Wallace) 7
- Excretion, differential urinary test for intestinal malabsorption of folic acid, man (Girdwood) 41
- Excretion, faecal fat, on high-fat polar ration, man (Masterton, Lewis & Widdowson) xvi
- Eye, dark adaptation, and alcohol consumption and vitamin A metabolism (Sinclair) 107
- Faecal fat excretion on high-fat polar ration, man (Masterton, Lewis & Widdowson) xvi
- Farm animals, efficiency of food conversion (Bolton) 23, (Braude) 14, (Cooper) 1, (Edwards) *1, (Wallace) 7
- Farming *see under* Dairy
- Fat(s) *see also under* Food(s)
- Fat absorption *see also under* Steatorrhoea
- Fat absorption, defective, use of fat-balance determination in diagnosis and treatment, man (French) 33
- Fat absorption, defective, tropical sprue, and infection, dietary factors, type and rancidity of fat, climatic conditions, intestinal bacteria, man (French) 33
- Fat absorption after stomach operation, man (Girdwood) 41
- Fat-balance determination in diagnosis and treatment of defective fat absorption, man (French) 33
- Fat, bone and muscle proportions in carcass, factors affecting, lamb (Wallace) 7
- Fat(s) consumption, and age and requirement, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Fat(s), consumption, expenditure on, and household size, British National Food Survey (Gibson, Readman & Warnock) 80
- Fat content of carcass, and age, pig (Braude) 14
- Fat, dietary, and alcohol utilization, rat (Le Breton & Trémolières) 97
- Fat, history of calorie-conversion factor for (Widdowson) 142
- Fat intake and excretion on high-fat polar ration, man (Masterton, Lewis & Widdowson) xvi
- Fat(s) purchased per head, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Fat, rancid dietary, effects, rat (French) 33
- Fat, type and rancidity, and defective fat absorption and tropical sprue, man (French) 33
- Fat(s), various edible, component saturated and unsaturated fatty acids (French) 33
- Fatty acids, unsaturated, and defective fat absorption and tropical sprue, man (French) 33
- Feeding, intravenous, conditions indicating, suitable alcohol solutions, method of giving (Wilkinson) 124
- Feeding, intravenous, solutions of alcohol with amino-acids and fructose or glucose, contribution of alcohol to total calories (Wilkinson) 124
- Feeding, supplementary, and beef production, calf, Great Britain (Cooper) 1
- Feeding-stuff(s) *see under* Dried grass, Food(s) and Foodstuff(s)
- Fermentation, stage of, and nutrients in, Tongaland palm wine (Heard) xi

- Fibrosis *see under* Liver cirrhosis
- Fish *see also under* Food(s)
- Fish, consumption, expenditure on, and household size, British National Food Survey (Gibson, Readman & Warnock) 80
- Fish consumption and household composition, 1950, 1951 and 1952 compared, British National Food Survey (Hollingsworth) 71
- Fish, effect of fluctuation in income on purchase of, Great Britain, 1937-8, 1952-3 (Brown) 63
- Flora *see also under* Bacteria
- Flora, intestinal, and vitamin-deficiency states, man (Girdwood) 41
- Flour *see also under* Food(s)
- Flour consumption, and income, household composition, 1952 British National Food Survey (Hollingsworth) 71
- Flour consumption, and age and requirements, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Flour and flour products, effect of fluctuation in income on purchase of, Great Britain, 1937-8, 1952-3 (Brown) 63
- Folic-acid absorption after stomach operation, man (Girdwood) 41
- Folic acid, intestinal malabsorption, differential urinary-excretion test, man (Girdwood) 41
- Food(s) *see also under* Bacon, Beverage(s), Bread, Cereal(s), Cheese, Dried grass, Egg(s), Fat(s), Fish, Flour, Foodstuffs, Fruit, Meat, Milk, Preserve(s), Sugar and Vegetable(s)
- Food allergy, mechanism of production, clinical picture, diagnosis, treatment, man (Milne) 54
- Food(s), assessment of energy values (Blaxter & Graham) 131, (Garry) 130, (Hollingsworth) 154, (Hutchinson) 140, (Widdowson) 142
- Food(s) causing allergic states, man (Milne) 54
- Food composition tables, difficulties in estimating energy values of human foods from (Hollingsworth) 154
- Food consumption of lamb and dam, and growth rate, carcass weight and composition, lamb (Wallace) 7
- Food-consumption pattern, and age and requirements, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Food-conversion efficiency, and breeding method, climatic conditions, quality and palatability of diet, antibiotic supplements, food restriction, growth rate, age, disease, pig (Braude) 14
- Food-conversion efficiency, and egg production and meat production, factors affecting, fowl (Bolton) 23
- Food-conversion efficiency, factors affecting, lamb (Wallace) 7
- Food-conversion efficiency in farm animals (Bolton) 23, (Braude) 14, (Cooper) 1, (Edwards) *1, (Wallace) 7
- Food-conversion efficiency, sucking-pig (Braude) 14
- *Food-conversion, dairy cow (Edwards) 1
- Food(s), different groups, daily contribution to calcium, iron, energy and protein intakes, 1952 British National Food Survey (Hollingsworth) 71
- Food(s), formulas relating consumption to income and household composition, British National Food Survey (Brown) 63
- Food(s), human, difficulties in estimating energy values from food composition tables (Hollingsworth) 154
- Food(s), human, methods of estimation of energy value historically reviewed; history of calorie-conversion factors for carbohydrate, fat, protein; evaluation methods used in tables of composition compared (Widdowson) 142
- Food intake and alcohol consumption and nutritional deficiencies, man, rat (Sinclair) 107
- Food(s), pattern of expenditure on, 1936-7 and 1952 compared, British National Food Survey (Hollingsworth) 71
- Food(s), pattern of expenditure on, and income, British National Food Survey (Hollingsworth) 71
- Food requirements and heat production, factors influencing, growing, fattening pig (Braude) 14
- Food restriction, effect on egg production, and efficiency of food conversion, hen (Bolton) 23
- Food restriction and efficiency of food conversion and carcass quality, pig (Braude) 14
- Food supplement, effect on height, and age, social class, child, 1937-9 Carnegie U.K. Dietary Survey (Leitch) 86
- Food supplies, British, energy values calculated by different methods compared (Hollingsworth) 154
- Food survey, British National (Baines & Hollingsworth) 77, (Gibson, Readman & Warnock) 80, (Brown) 63, (Hollingsworth) 71, (Leitch) 86, (Readman) 60, (Wright) 57
- Food Survey, 1951 British National, coefficient of variation of nutrient intakes, and household size (Readman) 60
- Food surveys, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Food Survey, British National, history, objects, development (Wright) 57
- Food Survey, British National, response rates in different regions (Readman) 60
- Food Survey, British National, technique (Brown) 63, (Readman) 60
- Food(s), various human, carbohydrate in, energy values estimated by different methods compared (Hollingsworth) 154
- Foodstuff(s) *see also under* Dried grass and Food(s)
- Foodstuff(s), difference of energy values in different rations, poultry and ruminants compared (Hutchinson) 140
- Foodstuff(s), energy value for ruminants, errors of prediction (Hutchinson) 140

- Foodstuff(s), energy value for ruminants, methods of measurement, factors affecting, reasons for variation (Blaxter & Graham) 131
- Foodstuff(s), net-energy values for ruminants estimated by different methods compared (Blaxter & Graham) 131
- Fowl *see also under* Chick, Cockerel, Hen and Poultry
- Fowl, egg production, meat production, and efficiency of food conversion, factors affecting (Bolton) 23
- France, calories derived from alcohol, man (Le Breton & Trémolières) 97
- Fructose, use with alcohol in intravenous-feeding solutions (Wilkinson) 124
- Fruit consumption, expenditure on, and household size, British National Food Survey (Gibson, Readman & Warnock) 80
- Fruit consumption, and income, household composition, 1952 British National Survey (Hollingsworth) 71
- Fur irradiated with ultraviolet light on and removed from rachitic rat, absence of vitamin D (Cruickshank, Kodicek & Armitage) viii
- Gastrectomy *see under* Stomach
- Gastric contents, human, bacteria from, absorption of cyanocobalamin (Girdwood) 41
- Gastroenterostomy *see under* Stomach
- Gastro-intestinal tract *see also under* Alimentary tract
- Gastro-intestinal tract, permeability, and food allergy, man (Milne) 54
- Gland(s) *see under* Adrenal
- Glucose, use with alcohol in intravenous-feeding solutions (Wilkinson) 124
- Gluten-free diet in treatment of idiopathic steatorrhoea, adult man (French) 33
- Grass *see also under* Pasture
- Grass, dried, apparent digestibility, and quantity given, physical form, time in gut, sheep (Blaxter, Graham & Wainman) iv
- Grass, dried, physical form, and energy losses, metabolizable energy and net energy ingested by sheep (Blaxter & Graham) xv
- Grass, dried, high- and low-quality, energy values for sheep compared (Blaxter & Graham) 131
- Great Britain, beef production, suggestions for increasing (Cooper) 1
- Great Britain, National Food Survey (Baines & Hollingsworth) 77, (Brown) 63, (Gibson, Readman & Warnock) 80, (Hollingsworth) 71, (Leitch) 86, (Readman) 60, (Wright) 57
- Great Britain, 1951 National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Great Britain, 1951 National Food Survey, coefficient of variation of nutrient intakes, and household size (Readman) 60
- Great Britain, National Food Survey, effect of fluctuation in income on purchase of various foods, 1937-8, 1952-3; formulas relating food consumption to income and family composition (Brown) 63
- Great Britain, National Food Survey, food consumption, expenditure on food, and household size (Gibson, Readman & Warnock) 80
- Great Britain, National Food Survey, food-consumption pattern and income, household size, 1950-2 (Hollingsworth) 71
- Great Britain, National Food Survey, food-consumption pattern; intakes of nutrients, and age and requirements, elderly woman living alone (Baines & Hollingsworth) 77
- Great Britain, National Food Survey, history, object, development (Wright) 57
- Great Britain, National Food Survey, response rates in different regions (Readman) 60
- Great Britain, National Food Survey, technique (Brown) 63, (Readman) 60
- Growth *see also under* Body-weight
- Growth, effect on composition of carcass, and efficiency of food conversion, fowl (Bolton) 23
- Growth rate and efficiency of food conversion, carcass composition, food consumption of lamb and dam (Wallace) 7
- Growth rate and efficiency of food conversion, pig (Braude) 14
- Guinea-pig, ACTH administration, and vitamin C in adrenal glands (Constable, Harris & Hughes) ix
- Guinea-pig, cortisone administration and vitamin C in adrenal glands (Constable, Harris & Hughes) ix, (Harris, Constable, Hughes & Loewi) ix
- Guinea-pig, cortisone administration, and vitamin C requirement measured by tooth-structure method (Harris, Constable, Hughes & Loewi) ix
- Guinea-pig, scorbutic and normal, compared, uptake of sulphur by different tissues shown by autoradiography (Hill & Bourne) ix
- Gut, passage of dried grass through, and quantity, physical form and apparent digestibility of dried grass, sheep (Blaxter, Graham & Wainman) iv
- Hatching date, effect on egg production, and efficiency of food conversion, hen (Bolton) 23
- Heat production and food requirements, factors influencing, growing, fattening pig (Braude) 14
- Height, effect of food supplement on, and age, social class, child, Carnegie U.K. Dietary Survey, 1937-9 (Leitch) 86
- Hen *see under* Fowl and Poultry
- Hormone(s) *see under* ACTH and Cortisone
- Hormone treatment, effect on egg production, growth and efficiency of food conversion, hen (Bolton) 23

- Human diets, energy values as calculated in different countries compared (Hollingsworth) 154
- Human foods, difficulties in estimating energy values from food composition tables (Hollingsworth) 154
- Human foods, methods of estimation of energy values historically reviewed; history of calorie-conversion factors for carbohydrate, fat, protein; evaluation methods used in tables of composition compared (Widdowson) 142
- Human foods, various, carbohydrate in, energy values estimated by different methods compared (Hollingsworth) 154
- Human gastric contents, bacteria from, absorption of cyanocobalamin (Girdwood) 41
- Humidity, environmental, and efficiency of food conversion, pig (Braude) 14
- Idiopathic steatorrhoea, treatment with gluten-free diet, adult man (French) 33
- Infection and tropical sprue, man (French) 33
- Inositol content, cooked African plantain (Byron) xii
- Insulin, and alcohol utilization, rat (Le Breton & Trémolières) 97
- Intestinal bacteria, suggested role in defective fat absorption and tropical sprue, man (French) 33
- Intestinal flora and vitamin-deficiency states, man (Girdwood) 41
- Intestinal malabsorption of folic acid, differential urinary-excretion test, man (Girdwood) 41
- Iron, daily contribution to intake by different groups of foods, 1952; intake range, and income, 1936-7 and 1950 compared, British National Food Survey (Hollingsworth) 71
- Iron deficiency caused by faulty metabolism in alimentary diseases, effects, treatment, man (Girdwood) 41
- Iron intake and age and requirement, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Iron intake, coefficient of variation, and household size, 1951 British National Food Survey (Readman) 60
- Italy, distribution of alcohol consumption; frequency distribution of daily wine intake; calories derived from alcohol (Jellinek) 93
- Lamb carcass, bone, muscle and fat proportions, and weight (Wallace) 7
- Lamb, carcass weight and composition, and growth rate, food consumption of lamb and dam (Wallace) 7
- Lamb, fat-, production, suggestions for improving (Wallace) 7
- Lamb, factors affecting efficiency of food conversion (Wallace) 7
- Lesion(s) in central nervous system, and alcohol consumption and thiamine metabolism and deficiency, man, rat (Sinclair) 107
- Light, effect on egg production, growth, and efficiency of food conversion, hen (Bolton) 23
- Liver cirrhosis, alcoholic, mechanism of causation, man, rat (Sinclair) 107
- Liver cirrhosis, and proportion of dietary calories derived from alcohol, man (Le Breton & Trémolières) 97
- Liver, vitamin D content, rachitic rat irradiated with ultraviolet light with and without removal of dorsal fur (Cruickshank, Kodicek & Armitage) viii
- Longevity and alcohol consumption, man (Weatherall) 103
- Malnutrition *see also under* Nutritional deficiency
- Malnutrition, advanced, use of alcohol in intravenous feeding (Wilkinson) 124
- Man *see also under* Child, Food survey(s), Human and Woman
- Man, adult, treatment of idiopathic steatorrhoea with gluten-free diet (French) 33
- Man, African, preparation, social uses, consumption and nutritive value of native alcoholic beverages (Heard) xi, (Platt) 115
- Man, alcohol consumption, food intake, and nutritional deficiencies (Sinclair) 107
- Man, alcohol consumption, thiamine deficiency and metabolism, and central nervous system lesions (Sinclair) 107
- Man, alimentary diseases leading to vitamin-deficiency states, mechanism of production and tests for (Girdwood) 41
- Man, blood alcohol content during intravenous injection of alcohol with amino-acids (Wilkinson) 124
- Man, calcium, iron, potassium and sodium deficiencies caused by faulty metabolism in alimentary diseases, effects, treatment (Girdwood) 41
- Man, calorie and fat intakes, fat excretion on high-fat polar ration (Masterton, Lewis & Widdowson) xvi
- Man, calories derived from alcohol, France (Le Breton & Trémolières) 97
- Man, contribution of beer to nutritional requirements (Sinclair) 107
- Man, differential urinary-excretion test for intestinal malabsorption of folic acid (Girdwood) 41
- Man, diseases accompanied by steatorrhoea (French) 33
- Man, distribution of alcohol consumption in U.S.A., Italy, Chile; calories derived from alcohol; variation in alcohol elimination rate (Jellinek) 93
- Man, food allergy, mechanism of production, clinical picture, diagnosis, treatment (Milne) 54
- Man, mechanism of causation of alcoholic liver cirrhosis (Sinclair) 107

- Man, nutritional effects of alimentary-tract disorders (Black, 50, (French, 33, (Girdwood) 41, (Milne) 54
- Man, nutritional significance of alcohol (Jellinek) 93, (Le Breton & Trémolières) 97, (Platt) 115, (Sinclair) 107, (Weatherall) 103, (Wilkinson) 124
- Man, pharmacological effects of alcohol consumption (Weatherall) 103
- Man, proportion of dietary calories derived from alcohol, and toxicity, liver cirrhosis (Le Breton & Trémolières) 97
- Man after stomach operation, blood picture and vitamin B₁₂ therapy; folic-acid absorption, fat absorption; vitamin-deficiency signs (Girdwood) 41
- Man, tropical sprue, defective fat absorption, and infection, dietary factors, type and rancidity of fat, climatic conditions, intestinal bacteria (French) 33
- Man, use of alcohol in intravenous-feeding solutions, conditions indicating, suitable solutions, method of giving (Wilkinson) 124
- Man, use of fat-balance determination in diagnosis and treatment of defective fat absorption (French) 33
- Man, vitamin-deficiency states, and intestinal flora (Girdwood) 41
- Man, vitamin therapy and alcoholism, vitamin deficiencies caused by alcohol (Sinclair) 107
- Margarine *see under* Fat(s) and Food(s)
- Meat *see also under* Food(s)
- Meat consumption, and age and requirements, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Meat, consumption, expenditure on, and household size, British National Food Survey (Gibson, Readman & Warnock) 80
- Meat, effect of fluctuation in income on purchase of, Great Britain, 1937-8, 1952-3 (Brown) 63
- Meat production and efficiency of food conversion, factors affecting, fowl (Bolton) 23
- Meat purchased per head, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Metabolism, basal, calorie contribution of alcohol utilization to (Le Breton & Trémolières) 97
- Metabolism, fat, defective, use of fat-balance determination in diagnosis and treatment, man (French) 33
- Metabolism of fat and folic acid after stomach operation, man (Girdwood) 41
- Metabolism, faulty, of calcium, iron, potassium and sodium in alimentary diseases, man (Girdwood) 41
- Metabolism, thiamine, alcohol consumption, and central nervous system lesions, man, rat (Sinclair) 107
- Metabolism, vitamin A, and alcohol consumption and dark adaptation (Sinclair) 107
- Methionine content, cooked African plantain (Byron) xii
- Micro-organism(s) *see under* Bacteria and Flora
- Milk *see also under* Food(s)
- Milk consumption, and age and requirements, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Milk, consumption, expenditure on, and household size, British National Food Survey (Gibson, Readman & Warnock) 80
- Milk consumption, and income, household composition, 1952 British National Food Survey (Hollingsworth) 71
- Milk consumption and social class, pregnant woman, Aberdeen, 1948-53 (Marr, Hope, Stevenson & Thomson) vii
- Milk, dried skim, assessment of protein quality by measurement of protein-efficiency ratio and net-protein utilization compared (Bender) xiii
- Milk, effect of fluctuation of income on purchase of, Great Britain 1937-8, 1952-3 (Brown) 63
- Milk, use in rearing calves for beef production, Great Britain (Cooper) 1
- Milk yield, importance for fat-lamb production, ewe (Wallace) 7
- Mineral(s) *see under* Calcium, Iron, Potassium and Sodium
- Moisture content, cooked African plantain (Byron) xii
- Muscle, bone and fat proportions in carcass, factors affecting, lamb (Wallace) 7
- Nervous system, central, effects of alcohol consumption, man (Sinclair) 107, (Weatherall) 103
- Nervous system, central, lesions in, and alcohol consumption and thiamine metabolism and deficiency, man, rat (Sinclair) 107
- Neurological disturbances and vitamin E metabolism and triorthocresyl-phosphate dietary supplement, calf (Cowlshaw & Blaxter) iii
- Nicotinic-acid intake, and age and requirement, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Nicotinic-acid intake, coefficient of variation, and household size, 1951 British National Food Survey (Readman) 60
- Nitrogen *see also under* Protein
- Nitrogen content, cooked African plantain (Byron) xii
- Nutrient(s) *see also under* Calcium, Calorie(s), Carbohydrate, Energy, Iron, Nicotinic acid, Protein, Riboflavin, Thiamine, Vitamin A, Vitamin C, Vitamin D and Vitamin(s)
- Nutrient(s) lost and gained in preparation of African native beers (Platt) 115
- Nutrient(s) in, and stage of fermentation, Tongaland palm wine (Heard) ix
- Nutrition, and beef production, calf, Great Britain (Cooper) 1
- Nutrition of lamb and dam, and efficiency of food conversion, lamb (Wallace) 7
- Nutritional deficiencies and alcohol consumption and food intake, man, rat (Sinclair) 107

- Nutritional effects of alimentary-tract disorders, man (Black) 50, (French) 33, (Girdwood) 41, (Milne) 54
- Nutritional research, aseptic, *Drosophila melanogaster* as test organism for (Sang) iv
- Nutritional significance of alcohol (Jellinek) 93, (Le Breton & Trémolières) 97, (Platt) 115, (Sinclair) 107, (Weatherall) 103, (Wilkinson) 124
- Nutritive value of African native beverages (Heard) xi, (Platt) 115
- Nutritive value for sheep, and physical form, dried grass, (Blaxter & Graham) xv
- Oil(s) *see also under* Fat(s)
- Oil(s), various edible, component saturated and unsaturated fatty acids (French) 33
- Palm wine *see under* Wine
- Pasture *see also under* Grass
- Pasture utilization for fat-lamb production (Wallace) 7
- Pasture utilization in rearing calves for beef production, Great Britain (Cooper) 1
- Pelleted and meal diets compared for growth and efficiency of food conversion, pig (Braude) 14
- Performance and alcohol consumption, man (Weatherall) 103
- Pharmacological effects of alcohol consumption, man (Weatherall) 103
- Pig, age, and efficiency of food conversion and fat content of carcass (Braude) 14
- Pig, efficiency of food conversion, and breeding method, climatic conditions, quality and palatability of diet, antibiotic supplements, growth rate, age, disease (Braude) 14
- Pig, food restriction and efficiency of food conversion and carcass quality (Braude) 14
- Pig, growing, fattening, food requirements and heat production, factors influencing (Braude) 14
- Pig, sucking-, efficiency of food conversion (Braude) 14
- Plantain, cooked African, moisture, nitrogen, methionine, choline, inositol content (Byron) xii
- Pneumonia *see under* Virus
- Potassium deficiency caused by faulty metabolism in alimentary diseases, effects, treatment, man (Girdwood) 41
- Poultry *see also under* Chick, Cockerel and Fowl
- Poultry-diets evaluation, available carbohydrate and crude fibre compared as criterion (Bolton) i
- Poultry and ruminants compared, difference in different rations of energy values of foodstuffs (Hutchinson) 140
- Pregnancy, calorie intake, weight gain and pre-eclamptic toxæmia, woman (Thomson & Billewicz) v
- Pregnancy, nutrition in, and efficiency of food conversion of lamb, ewe (Wallace) 7
- Pregnant woman, milk and vitamin-supplements consumption, and social class, Aberdeen, 1948-53 (Marr, Hope, Stevenson & Thomson) vii
- Preserves purchased per head, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Protein *see also under* Nitrogen
- Protein, animal and vegetable, intake, coefficients of variation, and household size, 1951 British National Food Survey (Readman) 60
- Protein in carcass, factors affecting, lamb (Wallace) 7
- Protein, daily contribution to intake by different groups of foods, 1952; intake range, and income, 1936-7 and 1950 compared, British National Food Survey (Hollingsworth) 71
- Protein, history of calorie-conversion factor for (Widdowson) 142
- Protein intake, and social class and recommended allowances, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Protein quality, assessment by measurement of protein-efficiency ratio and net-protein utilization compared, bread, dried skim milk (Bender) xiii
- Pyridoxal-phosphate dephosphorylation studied histochemically, various rat tissues (Bourne) x
- Rachitic rat irradiated with ultraviolet light with and without removal of dorsal fur, vitamin D content of skin and liver (Cruickshank, Kodicek & Armitage) viii
- Radioactive sulphur in comparison of uptake of tissues of normal and scorbutic guinea-pig (Hill & Bourne) ix
- Rancid fat, and defective fat absorption and tropical sprue, man (French) 33
- Rat, alcohol consumption and composition of diet (Sinclair) 107
- Rat, alcohol consumption, food intake, and nutritional deficiencies (Sinclair) 107
- Rat, alcohol consumption, thiamine deficiency and metabolism, and central nervous system lesions (Sinclair) 107
- Rat, availability by mouth and injection of vitamin B₁₂ bound with different binding factors (Coates, Gregory, Harrison, Henry, Holdsworth & Kon) xiv
- Rat, calorie intake, thiamine deficiency, and learning, behaviour under stress (Knopfmacher, Khairy, Russell & Yudkin) xvii
- Rat, effects of rancid dietary fat (French) 33
- Rat, mechanism of causation of alcoholic liver cirrhosis (Sinclair) 107
- Rat, rachitic, irradiated with ultraviolet light with and without removal of dorsal fur, vitamin D content of skin and liver (Cruickshank, Kodicek & Armitage) viii

- Rat tissues, various, dephosphorylation of vitamin phosphates studied histochemically (Bourne) x
- Requirement, vitamin C, measured by tooth-structure method, and cortisone administration, guinea-pig (Harris, Constable, Hughes & Loewi) ix
- Riboflavin intake, and age and requirement, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Riboflavin intake, coefficient of variation, and household size, 1951 British National Food Survey (Readman) 60
- Riboflavin-phosphate dephosphorylation studied histochemically, various rat tissues (Bourne) x
- Ricketts *see under* Rachitic
- Ruminant(s), energy values of foodstuffs for, errors of prediction (Hutchinson) 140
- Ruminant(s), energy values of foodstuffs for, methods of measurement, factors affecting, reasons for variation (Blaxter & Graham) 131
- Ruminant(s), net-energy values of foodstuffs for, estimated by different methods, compared (Blaxter & Graham) 131
- Ruminant(s) and poultry compared, difference in different rations of energy values of foodstuffs (Hutchinson) 140
- Scorbutic and normal guinea-pig compared, uptake of sulphur by different tissues shown by autoradiography (Hill & Bourne) ix
- Sheep *see also under* Ewe and Lamb
- Sheep, apparent digestibility of dried grass, and quantity given, physical form, time in gut (Blaxter, Graham & Wainman) iv
- Sheep, energy losses, metabolizable energy and net energy ingested from dried grass, and physical form of grass (Blaxter & Graham) xv
- Sheep, energy values of high- and low-quality dried grass compared (Blaxter & Graham) 131
- Sheep, selection of breed for fat-lamb production (Wallace) 7
- Skin, irradiated with ultraviolet light with and without removal of dorsal fur, on and removed from rachitic rat, vitamin D content (Cruikshank, Kodicek & Armitage) viii
- Social class, and milk and vitamin-supplements consumption, pregnant woman, Aberdeen, 1948-53 (Marr, Hope, Stevenson & Thomson) vii
- Sodium deficiency caused by faulty metabolism in alimentary diseases, effects, treatment, man (Black) 50
- Sprue, tropical, defective fat absorption, and infection, dietary factors, type and rancidity of fat, climatic conditions, intestinal bacteria, man (French) 33
- Steatorrhoea *see also under* Fat absorption
- Steatorrhoea, idiopathic, treatment with gluten-free diet, adult man (French) 33
- Steatorrhoea as a sign in clinical conditions, man (French) 33
- Stomach operation, blood picture and vitamin B₁₂ therapy; folic-acid absorption, fat absorption; vitamin-deficiency signs after, man (Girdwood) 41
- Stress, behaviour under, and calorie intake, thiamine deficiency, rat (Knopfmacher, Khairy, Russell & Yudkin) xvii
- Sugar *see also under* Fructose and Glucose
- Sugar, consumption, expenditure on, and household size, British National Food Survey (Gibson, Readman & Warnock) 80
- Sugar purchased per head, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Sulphur uptake by different tissues shown by autoradiography, normal and scorbutic guinea-pig compared (Hill & Bourne) ix
- Surface-active agents, effect on growth, and efficiency of food conversion, fowl (Bolton) 23
- Survey, British National Food (Baines & Hollingsworth) 77, (Brown) 63, (Gibson, Readman & Warnock) 80, (Hollingsworth) 71, (Leitch) 86, (Readman) 60, (Wright) 57
- Survey, 1951 British National Food, coefficient of variation of nutrient intakes, and household size (Readman) 60
- Survey, British National Food, history, object, development (Wright) 57
- Survey, British National Food, response rate in different regions (Readman) 60
- Survey, British National Food, technique (Brown) 63, (Readman) 60
- Survey(s), food, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Tea *see under* Beverage(s)
- Technique, British National Food Survey (Brown) 63, (Readman) 60
- Temperature, environmental, effect on growth, and efficiency of food conversion, fowl (Bolton) 23
- Temperature, environmental, and efficiency of food conversion, pig (Braude) 14
- Thiamine deficiency, calorie intake, and learning, behaviour under stress, rat (Knopfmacher, Khairy, Russell & Yudkin) xvii
- Thiamine deficiency and metabolism, alcohol consumption, and central nervous system lesions, man, rat (Sinclair) 107
- Thiamine intake, and age and requirement, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Thiamine intake, coefficient of variation, and household size, 1951 British National Food Survey (Readman) 60
- Thiamine intake range, and income, 1936-7 and 1950 compared, British National Food Survey (Hollingsworth) 71
- Thyroxine, and alcohol utilization, rat (Le Breton & Trémolières) 97

- Tissue(s), uptake of sulphur shown by autoradiography, normal and scorbutic guinea-pig compared (Hill & Bourne) ix
- Tissue(s), various rat, dephosphorylation of vitamin phosphates studied histochemically (Bourne) x
- Tocopherol *see under* Vitamin E
- Tocopheryl-phosphate dephosphorylation studied histochemically, various rat tissues (Bourne) x
- Tongaland palm wine, nutritive value for man (Heard) xi
- Tooth-structure method for measurement of vitamin C requirement, guinea-pig (Harris, Constable, Hughes & Loewi) ix
- Toxaemia, pre-eclamptic, and calorie intake and weight gain, pregnant woman (Thomson & Billewicz) v
- Toxicity, alcohol, and proportion of dietary calories derived from alcohol, man (Le Breton & Trémolières) 97
- Triorthocresyl-phosphate dietary supplement and vitamin E metabolism and neurological disturbances, calf (Cowlshaw & Blaxter) iii
- Tropical sprue *see under* Sprue
- Undernutrition *see under* Malnutrition
- United States, distribution of alcohol consumption; calories derived from alcohol (Jellinek) 93
- Urinary excretion, differential test for intestinal malabsorption of folic acid, man (Girdwood) 41
- Vegetable(s) consumption, and age and requirements, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Vegetable(s), consumption, expenditure on, and household size, British National Food Survey (Gibson, Readman & Warnock) 80
- Vegetable(s) consumption, and income, household composition, 1952 British National Food Survey (Hollingsworth) 71
- Vegetable(s) purchased per head, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Virus pneumonia and efficiency of food conversion, pig (Braude) 14
- Vision *see under* Eye
- Vitamin(s) *see also under* Vitamins A, C, D, Thiamine, Riboflavin and Nicotinic acid
- Vitamin deficiencies caused by alcoholism (Sinclair) 107
- Vitamin deficiencies, effect on growth, and efficiency of food conversion, fowl (Bolton) 23
- Vitamin deficiencies after stomach operation, man (Girdwood) 41
- Vitamin-deficiency states in alimentary diseases, mechanism of production, tests for, man (Girdwood) 41
- Vitamin-deficiency states, and intestinal flora, man (Girdwood) 41
- Vitamin-supplements consumption, and social class, pregnant woman, Aberdeen, 1948-53 (Marr, Hope, Stevenson & Thomson) vii
- Vitamin therapy and alcoholism (Sinclair) 107
- Vitamin A *see also under* Vitamin supplements
- Vitamin A intake, and age and requirement, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Vitamin A intake, coefficient of variation, and household size, 1951 British National Food Survey (Readman) 60
- Vitamin A intake range, and income, 1936-7 and 1950 compared, British National Food Survey (Hollingsworth) 71
- Vitamin A intake, and social class and recommended allowances, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Vitamin A metabolism and alcohol consumption and dark adaptation (Sinclair) 107
- Vitamin B₁ *see under* Thiamine
- Vitamin B₂ *see under* Riboflavin
- Vitamin B₆ *see under* Pyridoxal phosphate
- Vitamin B₁₂ *see also under* Cyanocobalamin
- Vitamin B₁₂ bound with different binding factors, availability by mouth and injection, chick, rat (Coates, Gregory, Harrison, Henry, Holdsworth & Kon) xiv
- Vitamin B₁₂ retention on diets containing and devoid of vitamin B₁₂, growing vitamin B₁₂-depleted cockerel (Shrimpton) ii
- Vitamin B₁₂ therapy, and blood picture after stomach operation, man (Girdwood) 41
- Vitamin C *see also under* Vitamin supplements
- Vitamin C in adrenal glands, and ACTH administration, guinea-pig (Constable, Harris & Hughes) ix
- Vitamin C in adrenal glands, and cortisone administration, guinea-pig (Constable, Harris & Hughes) ix, (Harris, Constable, Hughes & Loewi) ix
- Vitamin C deficiency *see under* Scorbutic
- Vitamin C intake, and age and requirement, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77
- Vitamin C intake, coefficient of variation, and household size, 1951 British National Food Survey (Readman) 60
- Vitamin C intake, and social class and recommended allowances, 1951 British National Food Survey and 1937-9 Carnegie U.K. Dietary Survey compared (Leitch) 86
- Vitamin C, proportions of total intake obtained from potatoes, fruit, tomatoes, green vegetables, and income, household composition, 1952; intake range and income, 1936-7 and 1950 compared, British National Food Survey (Hollingsworth) 71
- Vitamin C requirement measured by tooth-structure method, and cortisone administration, guinea-pig (Harris, Constable, Hughes & Loewi) ix
- Vitamin D *see also under* Vitamin supplements
- Vitamin D intake, and age and requirement, elderly woman living alone, British National Food Survey (Baines & Hollingsworth) 77

- Vitamin D intake, coefficient of variation and, household size, 1951 British National Food Survey (Readman) 60
- Vitamin D in skin irradiated with ultraviolet light, with and without removal of dorsal fur, on and removed from rachitic rat (Cruickshank, Kodicek & Armitage) viii
- Vitamin D in skin and liver, rachitic rat irradiated with ultraviolet light with and without removal of dorsal fur (Cruickshank, Kodicek & Armitage) viii
- Vitamin E *see also under* Tocopheryl phosphate
- Vitamin E metabolism and triorthocresyl-phosphate dietary supplement and neurological disturbances, calf (Cowlshaw & Blaxter) iii
- Vitamin K, synthetic analogue, diphosphate, dephosphorylation studied histochemically, various rat tissues (Bourne) x
- Weight *see under* Body-weight and Growth
- Wine *see also under* Alcoholic beverages
- Wine, palm, Tongaland, nutrients in, and stage of fermentation; nutritive value for man (Heard) xi
- Woman *see also under* Man
- Woman, elderly, living alone, food-consumption pattern, intake of nutrients, and age and requirements, British National Food Survey (Baines & Hollingsworth) 77
- Woman, pregnant, calorie intake, weight gain and pre-eclamptic toxæmia (Thomson & Billewicz) v
- Woman, pregnant, milk and vitamin-supplements consumption, and social class, Aberdeen, 1948-53 (Marr, Hope, Stevenson & Thomson) vii