

# The Journal of Laryngology and Otology

EDITED BY  
WALTER HOWARTH

WITH THE ASSISTANCE OF  
W. M. MOLLISON

## Contents

THE TURNING TEST WITH SMALL REGULABLE STIMULI—I . . . . .	A. A. J. VAN EGMOND, J. J. GROEN and L. B. W. JONGKEES
THE TURNING TEST WITH SMALL REGULABLE STIMULI—II . . . . .	J. HULK and L. B. W. JONGKEES
"PERMANENT" DEAFNESS DUE TO GUNFIRE . . . . .	G. REID
CLINICAL RECORDS—	
OSTEOMYELITIS OF THE SKULL COMPLICATING FRONTAL SINUSITIS . . . . .	ROLAND LEWIS
A CASE OF CHORDOMA OF THE RIGHT FRONTAL SINUS . . . . .	W. STIRK ADAMS
CLINICAL NOTE—	
PERCAINE AS A COCAINE SUBSTITUTE . . . . .	A. S. BROWN and J. HOWRIE
SOCIETIES' PROCEEDINGS—	
ROYAL SOCIETY OF MEDICINE—SECTION OF OTOLOGY	
ROYAL SOCIETY OF MEDICINE—SECTION OF LARYNGOLOGY	
ABSTRACTS—	
THE EAR	THE LARYNX
THE NOSE	MISCELLANEOUS

London

## Headley Brothers

109 Kingsway, W.C.2

# The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY  
WALTER HOWARTH

ASSISTED BY  
W. M. MOLLISON

1. Original Articles are accepted on the condition that they have not been published elsewhere.
2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.
3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter added.
4. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.
5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
6. Editorial Communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, W.C.2.
7. The Annual Subscription commencing with the January issue is Two Pounds sterling, post free, and is payable in advance.
8. Single copies, both of the present and the previous series, are on sale at Four Shillings each.
9. All Subscriptions, advertising and business communications should be sent to the Publishers, HEADLEY BROTHERS, 109 Kingsway, London, W.C.2.

### *United States of America*

Orders for this Journal may be sent either through a local bookseller, or to Messrs. G. E. STECHERT & Co., 31-33 East 10th Street, New York, or may be sent direct to the Publishers, HEADLEY BROTHERS, 109 Kingsway, London, W.C.2, England.

Please mention *The Journal of Laryngology* when replying to advertisements

O T I T I S M E D I A



DECONGESTION OSMOSIS  
WITH REMEDIAL ANALGESIA

DECONGESTION SUCCESSFULLY ACHIEVED by the addition of Ephedrine Sulphate which acting in synergy with the other ingredients produces shrinkage of the mucosa, promotes drainage from the middle ear and a rapid control of pain. The bactericidal constituents of Auralgicin cover a wide range of micro-organisms including those likely to be present in otitis media, thus avoiding the danger of masking.

**AURALGICIN** D.D.A.  
(BENGER)


*Each ml. contains*

Phenazonum	0.050 g.	Papaveretum	0.025 g.
EPHEDRINE SULPH.	0.01 g.	Chlorbutol	0.010 g.
Pot. Hydroxyquinolin Sulph.			0.001
Glycer ad 1 ml.			

FOR EXTERNAL APPLICATION

BENGER'S LTD., HOLMES CHAPEL, CHESHIRE


Please mention *The Journal of Laryngology* when replying to advertisements





WATER

# SUCTION APPARATUS

Particulars on application



FOOT POWER



ELECTRIC

## DOWN BROS. & MAYER & PHELPS Ltd.

Correspondence: 23 PARK HILL RISE, CROYDON

Telephone: Croydon 6133, 6134, 6135

Showrooms: 32/34 NEW CAVENDISH STREET, LONDON, W.1

Telephone: WELBECK 3764

DOWN BROS. AND MAYER & PHELPS HAVE AMALGAMATED.  
THE PERSONAL MANagements REMAIN AS HERETOFORE.

Please mention *The Journal of Laryngology* when replying to advertisements

**PRESCRIBE THE EASY EFFECTIVE METHOD**

When spraying, the patient can hold his head in a natural position, yet the solution spreads throughout the nasal cavity, assuring thorough treatment. Effective dropper-application, on the other hand, requires a complicated posture technique which patients are apt to neglect in home treatment.



**DeVilbiss  
ATOMIZERS**



**DROPPER ?**



**ATOMIZER ?**

These illustrations, which are based on X-ray research, clearly demonstrate the advantages of the atomizer as compared with the dropper  
 The **AEROGRAPH Co., Ltd.**, Lower Sydenham, London, S.E.26  
 Sole Distributors of DeVilbiss Products in the United Kingdom.  
 Telephones : Sydenham 6060—8 Lines.

CVS—225

*Mail Your Order Now!*

**PROBLEMS OF THE DEAF**

By **MAX A. GOLDSTEIN, M.D., F.A.C.S.**

610 Pages—273 Illustrations—Leather Bound

\$6.00 Postage prepaid

An unusual, authoritative and comprehensive volume of **XIX** chapters, covering every phase of work with the Deaf, Deafened and Speech Defective, by an otologist and teacher of 40 years' experience, including :


Chronological History of Deafness—Anatomy and Physiology—Mechanics of Speech—Speech Defects—Cerebral Localization—Hearing Tests—Methods of Instruction—The Acoustic Method—Training of Teachers—The Deaf Child—Hard-of-Hearing Child—Physician and Deaf Child—Parent of Deaf Child—Deafened Adult—Hearing Aids—Schools for the Deaf—Quacks and Quackeries—Research.

Published by **THE LARYNGOSCOPE PRESS**

640 South Kingshighway

**ST. LOUIS, MO.**

Please mention *The Journal of Laryngology* when replying to advertisements



*The first of a series of announcements describing electro-surgical technique with Marconi Diathermy equipments as the operative medium.*

## **Transverse Electro-Surgical Incision**

- 1** Cutting needle — preferably tungsten or fine steel.
- 2** Note angle of cutting needle.
- 3** Note absence of excessive sparking at point of contact.
- 4** Wound edges dry and covered with fine film of coagulum.
- 5** First incisional depth does not extend below subcutaneous fat.

Marconi Instruments Ltd. now have in production a wide range of Diathermy electro-surgical equipments designed for Ophthalmic, Brain, Urological and General Surgery. Full particulars, together with information upon their applications, are freely available on request.

**MARCONI**  **INSTRUMENTS LTD.**

*Electro-Medical Apparatus*

ST. ALBANS, HERTFORDSHIRE · TELEPHONE: ST. ALBANS 4323/6

Northern Office: 30 ALBION STREET, HULL · TELEPHONE: HULL 16144  
 Western Office: 10 PORTVIEW ROAD, AVONMOUTH, BRISTOL · TELEPHONE: AVONMOUTH 438  
 Southern Office: 109 EATON SQUARE, LONDON, S.W.1 · TELEPHONE: SLOANE 8615

Please mention *The Journal of Laryngology* when replying to advertisements

Eleventh Edition. 95th Thousand. Fully Revised and Enlarged. 8½ in. × 5½ in.  
About 400 pp. Lavishly illustrated in colour and black-and-white.

## DEMONSTRATIONS OF PHYSICAL SIGNS IN CLINICAL SURGERY



By HAMILTON BAILEY, F.R.C.S.

"Physical Signs" has been out of print for some time, and in order to prevent further delays, it has been decided to issue it in four paper-covered instalments. This unusual course has become necessary because of increased printing, and especially binding, difficulties, which are now more in evidence than at any time during the war.

After the appearance of Part I, the remaining three parts will be issued at approximately two to three-monthly intervals.

This work has been translated into eight foreign languages.

A cloth case for binding the volume will be supplied with Part IV.

PART I WILL BE READY SHORTLY. 100 pp. 178 illustrations, many in colour. Each part will be 8s. 6d. net (postage 4d.), and orders can only be accepted for the complete work.

BRISTOL: JOHN WRIGHT & SONS LTD.

LONDON: SIMPKIN MARSHALL (1941) LTD.

## FOR ORAL MEDICATION

KERFOOTS  
Proflavine  
LOZENGES

enable the affected tissues to be bathed in a naturally buffered antiseptic solution.

Each contains  
Proflavine Sulphate 3 mg.  
In bottles of 36 and 300

KERFOOTS  
Sulphanilamide  
LOZENGES

are of special value in throat affections due to local streptococcal infection.

Each contains  
Sulphanilamide gr. 1  
In bottles of 50 and 300



Professional samples on request.

Thomas Kerfoot & Co. Ltd., Vale of Bardsley, Lancashire

K17

Please mention *The Journal of Laryngology* when replying to advertisements

## CONTENTS

	PAGE
THE TURNING TEST WITH SMALL REGULABLE STIMULI—I. A. A. J. van Egmond, J. J. Groen and L. B. W. Jongkees (Utrecht) . . . . .	63
THE TURNING TEST WITH SMALL REGULABLE STIMULI—II. J. Hulk and L. B. W. Jongkees . . . . .	70
“PERMANENT” DEAFNESS DUE TO GUNFIRE. G. Reid (Captain, A.A.M.C.) (Sydney) . . . . .	76
CLINICAL RECORDS—	
Osteomyelitis of the Skull complicating Frontal Sinusitis. Roland Lewis (London) . . . . .	88
A Case of Chordoma of the Right Frontal Sinus. W. Stirik Adams (Birmingham) . . . . .	93
CLINICAL NOTE—	
Percaine as a Cocaine Substitute. Major A. S. Brown and Captain J. Howrie (R.A.M.C.) . . . . .	96
SOCIETIES’ PROCEEDINGS—	
Royal Society of Medicine—Section of Otology . . . . .	100
Royal Society of Medicine—Section of Laryngology . . . . .	113
ABSTRACTS—	
Ear . . . . .	129
The Course of Otitic Facial Palsy under Adequate Treatment of the Disease of the Ear. When is a Ballance-Duel Operation Indicated? Karsten Kettel; The Question of Etiology and Treatment of what is known as Rheumatic Facial Paralysis. Erik Bergstrom; On the Treatment of Apicitis Suppurativa. Anders Thornval; Deafness, Tinnitus, Vertigo and Neuralgia. David J. Goodfriend, D.D.S.; Anesthesia for the Surgical Correction of Deafness. S. G. Hershey, M.D., Marvin F. Jones, M.D.; Deafness of Central Origin with Muscular Paracusis after Wound of the Occiput. G. Arnold; Cerebrospinal Fluid Fistula of the Internal Auditory Meatus with Spontaneous Pneumo-encephalon. W. Haardt; Penicillin in Infections Involving the Central Nervous System and Skull. H. C. Naffziger, M.D., Helen Warner, A.B., Walter E. Stern, M.D., Roberta Fenlon, M.D., and H. J. McCorkle, M.D.; The Use of Residual Hearing. A. C. Furstenberg, M.D.	
Nose . . . . .	132
Packing for Nasal Bleeding. Karl Musser Houser, M.D.	
Larynx . . . . .	133
Surgery of the Larynx in Bilateral Abductor Paralysis. Joseph D. Kelly, M.D.	
Miscellaneous . . . . .	133
Treatment of Cancer of the Face, Mouth and Neck with Irradiation. Charles L. Martin, M.D., and Carleton Wright, M.D.; Effect of Various solutions of Penicillin sodium and Penicillin calcium on the Respiratory Nasal Mucosa of Rabbits. Noah D. Fabricant, M.D., A. R. Hollender, M.D., Harold W. Anderson, M.D.; On the Leucocytic Blood Picture and Sedimentation Rate and their Value in Orogenic Endocranal Complications. H. Hohlbrugger; Melkersson’s Syndrome. K. Kettel, M.D.; Hemophilus Influenzae Meningitis Treated with Streptomycin. Hattie E. Alexander, M.D., Grace Jeldy, Geoffrey Rake, M.B., and Richard Donovan, Ph.D.; Streptomycin in the Treatment of Infections; Development of Streptomycin Resistance During Treatment. Maxwell Finland, M.D., Roderick Murray, M.D., H. William Harris, M.D., Lawrence Kilham, M.D., and Manson Meads, M.D.; Streptomycin. Its Clinical Uses and Limitations. Donald R. Nichols, M.D., and Wallace E. Herrell, M.D.; Thrombosis of the Cavernous Sinus. Samuel L. Fox, M.D. and G. Brooks West, Junr., M.D.; Treatment of Infections of the Neck. Carl H. McCaskey, M.D.	