

Index

- active listening, 30, 31, 49, 63, 110
- alexithymia, 56
- altruism
AOTA definition, 42
basis of the concept, 30
compassion as determinant of, 11
- altruistic behaviour
meditation and, 64
research into, 56
- American Medical Association, code of practice, 37
- American Occupational Therapy Association (AOTA), code of practice, 42
- American Psychiatric Association (APA), code of practice, 39–40
- amygdala, and visual preference for suffering due to compassion training, 53
- ‘amygdala hug’ exercise, 92
- appraisals, compassion-related, 15, 62
- attention, research into, 56
- attentiveness and engagement, demonstrating compassion through, 49–50
- Australian Medical Association, code of practice, 37
- autopilot
breaking out of, 84
breaking out of, Three-Step Breathing Space exercise, 85
evolutionary perspective, 84
- awareness
benefits and drawbacks of ‘autopilot’, 84
cultivating mindfulness and, 7–8
developing good foundations for, 84
- importance of in generating compassionate practice, 48–51
meaning of, 84
role of mindfulness and in supporting compassion/self-compassion, 89
role of mindfulness in cultivating, 84
of the habitual, 84
- Baguley, S. I., 20, 46, 47
- Baqeas, M. H., 62
- Barreto, M., 63, 104
- ‘barriers’ vs ‘challenges’, importance of the distinction, 63
- beneficence, AOTA principle, 42
- Böckler, A., 57
- body awareness, research into the impact of mental training on, 56
- Body Scan exercise, 86–7
- Bosshard, M., 79
- Box Breathing exercise, 92
- Brahma Viharas (Buddhist virtues), 12, 30
- brain
empathy and the brain, 28, 54–5
involvement in compassion and compassion training, 6
pathways activated by compassion, 28
re-shaping the way our brains work with meditation, 64
studies examining relationship between brain structure and compassion, 53
see also functional magnetic resonance imaging (fMRI); neuroscience of compassion.
- brain lesion studies, 54
- brain plasticity
mind training and, 57
research into, 56
- breath-focused meditation, technique, 66
- breathing exercises
Box Breathing exercise, 92
Rectangle Breathing exercise, 92
Three-Step Breathing Space, 85
- British Association of Social Workers (BASW), code of practice, 41
- Buddhist tradition, 11
Brahma Viharas (virtues), 12, 30
compassion in, 12–13
Dalai Lama, 12
‘four immeasurables’, 12, 30
mindfulness, 12
- building compassion into medical training, 33–4
- Bunjak, A., 12
- burnout, 6, 15, 60
as common experience of healthcare professionals, 44, 90, 114
comparison with compassion fatigue, 62
lessened by compassionate care, 33
literature on, 100
reduction strategies, 24, 109
relationship with empathy, 23, 27, 28
research on links between emotionally demanding work and, 41
- Byrne, M., 31
- care priority, support for compassion as, 25
- caring, professionalisation of, 17
- caring behaviour, comparison with rescuing behaviour, 29

- 'challenges' vs 'barriers', importance of the distinction, 63
- clinical practice, reasons for the erosion of compassion in, 19, 44
- Code of Ethics for Social Work* (BASW), 41
- Code of Professional Conduct and Ethics for Registered Nurses and Registered Midwives* (Nursing and Midwifery Board of Ireland), 41
- The Code: Professional Standards of Practice and Behaviour for Nurses, Midwives and Nursing Associates* (Nursing and Midwifery Council), 40
- codes of practice
- American Occupational Therapy Association, 42
 - British Association of Social Workers, 41
 - challenges of defining compassion for, 17
 - compassion in, 44
 - evolution of, 36
 - international importance accorded to compassion in, 5
 - Nursing and Midwifery Board of Ireland, 41
 - Nursing and Midwifery Council (UK), 40
- codes of practice for medical doctors
- American Medical Association, 37
 - Australian Medical Association, 37
 - General Medical Council (UK), 36–7
 - Irish Medical Council, 37
 - New Zealand Medical Association, 37
- codes of practice for psychiatrists, 38–40
- American Psychiatric Association, 39–40
 - College of Psychiatrists of Ireland, 39
 - Royal College of Psychiatrists (UK), 36, 38–9
- cognitive behaviour therapy (CBT), 76
- collaboration, resilience and, 108–9, 110
- College of Psychiatrists of Ireland, code of practice, 39
- common humanity, exercises to deepen the sense of, 93–4
- communication, fostering open communication, 110
- communication skills
- active listening, 30, 31, 49, 63, 110
 - attending to non-verbal cues, 31
 - benefits of role play, 30
 - comparison with compassion, 30–2
 - empathic communication, 31
 - lack of outcomes evaluation in courses focusing on, 31
 - open-ended questions, 30
 - relationship with compassion and empathy, 23
 - training recommendations, 31
 - value of for compassionate leadership, 31
- compassion
- absence of in healthcare systems, 114
 - brain pathways activated by, 28
 - building compassion into medical training, 33–4
 - comparison with empathy, 23, 27, 54–5, 62
 - components of, 14
 - conceptual background, 3–4, 11–12, 17
 - defining, 11, 13–14, 22
 - elusiveness of the concept, 16
 - fluid nature of, 17
 - impeded by systemic factors, 106
 - related terms, 4–5
 - relationship between medical professionalism and, 5, 36
- compassion fatigue, 6
- Baqeas and colleagues' study, 62
 - comparison with burnout, 62
 - Covid-19 pandemic and, 23–4
 - 'empathic distress fatigue' as suggested replacement, 62
 - evolutionary perspective, 62
 - interventions to minimise occurrence of, 24
 - literature on, 100
 - meaning of, 62
 - systemic drivers of, 62, 108
- Compassion in Care: Ten Things You Can Do to Make a Difference* (RCPsych), 38
- compassion in healthcare, 15–16, 114–16
- background to, 4
 - Baguley and colleagues' study, 45–6
 - research recommendations, 47
 - benefits, 81
 - combining evidence with practical strategies, 115
 - cultural perspectives, 47–8
 - evidence base, 45
 - importance of, 115–16
 - Jiménez-Picón and colleagues' systematic review, 49–50
 - meaning of, 45–6
 - practical perspective, 46
 - research interest, 15–16
 - Sinclair and colleagues' model, 46–7
 - Singh and colleagues' study, 47–8
 - value of, 106
- Compassion in Practice* (Commissioning Board Chief Nursing Officer and Department of Health Chief Nursing Adviser), 40
- compassionate care
- barriers to and facilitators of, 6, 63–4
 - benefits of, 3, 9, 17, 20, 33, 38

- challenges of teaching clinicians how to practice, 33
- challenges posed by healthcare systems, 23–5
- compassion as core value, 44
- features of, 5
- first steps in teaching and modelling, 33
- key components, 20
- Maddox and Barreto's study, 63–4
- staff perceptions, 63
- systemic factors, 6, 64, 98
- themes, 63
- Welsh initiative, 31
- The Compassionate Mind* (Gilbert), 77
- Compassionate Mind Foundation, 7, 13
- founding, 76
- Compassionate Mind Training, 7, 76, 92
- compassion focused therapy (CFT), 7
 - background to, 76–7
 - benefits for clients, 77
 - evidence base, 80
 - importance of positive emotions, 78
 - influences, 76–7
 - key attributes for cultivation of compassion, 77–8
 - managing habitual patterns with, 76
 - role of body awareness, 77
 - techniques involved, 80
 - 'third wave' status, 76
- contextualization, resilience and, 108–9
- Core Values for Psychiatrists* (RCPsych), 39
- cortisol stress reactivity, research into the impact of mental training on, 56
- Covid-19 pandemic
 - commencement of the outbreak, 99
 - impact on compassion in healthcare, 4, 44
 - impact on healthcare providers, 23
 - pandemic-driven research, 60–1, 99
- prevalence of psychological distress caused by, 99
- resilience and, 6, 8, 60–1, 99
- healthcare workers, 99–100, 103
- Cultivating Awareness and Mindfulness, 83
- cultivation of compassion, requirement for engagement with suffering, 30
- cultural perspectives of compassion in ethnically diverse populations, 47–8, 49
- 'The current state of empathy, compassion and person-centred communication training in healthcare: an umbrella review' (*Patient Educ Couns*), 31
- Dalai Lama, 12
- Declaration of Geneva* (WMA), 39
- depression
 - and difficulties experiencing positive emotions, 78
 - effects of CFT on, 80
 - low self-compassion associated with, 90
 - meditation response, 55, 64
 - reduced by self-compassion, 71–3
 - ruminations associated with relapse, 73
 - sensitivity to suffering associated with, 13
 - shame and, 78
- Desbordes, G., 55
- development of compassion
 - compassion for oneself, 90–3 *see also* self-compassion.
 - for everyone, 93–7
 - Imaginative Identification exercise, 94
 - for other people in our lives, 93
 - Well-Wishing, Compassion, and Loving Kindness exercise, 96–7
- devices, benefits of disconnecting from, 102, 103
- diet, importance of maintaining a balanced diet, 101
- difficult conversations
 - temptation to delay, 16
 - value of compassion for, 17
- distress, recognition of at the root of compassion, 33
- distress tolerance, role of in cultivation of compassion, 78
- doctor-patient relationships, importance of empathy and compassion in, 33
- efficiency and throughput
 - emphasis, impact on health systems, 19
- Egan, S. J., 72–3
- emotional intelligence
 - benefits of, 49
 - defined, 49
 - link between compassion and, 49
- empathic communication, Byrne and colleagues' findings, 31
- empathy
 - basis of psychological models, 54
 - comparison with compassion, 23, 27, 28–9, 54–5, 62
 - defined, 27, 28
 - role of in cultivation of compassion, 77
 - and the brain, 28, 54–5
 - topics introduced in the 'teaching' of, 30
- empathy training, effects on the brain, 54
- end-of-life care
 - compassion-focused initiatives, 25
 - cultural perspective, 48
 - Irish Medical Council's ethical guidance, 22, 37
- engagement
 - demonstrating compassion through attentiveness and, 49–50
 - importance of in generating compassionate practice, 48–51
- equanimity
 - benefits of, 21
 - meaning of, 21, 22

- equanimity (cont.)
 and resilience, 104–5
 erosion of compassion, reasons
 for, 19, 44
 ethical guidance
 American Medical
 Association, 22
 Canadian Medical
 Association, 22–3
 challenges of defining
 compassion for, 17
 compassion in, 22–3
 General Medical Council, 22
 international importance of
 compassion in, 5
 Irish Medical Council, 22
 patients' views, 23
 for psychiatrists, 38–40
 RCPsych's core values
 framework, 22
 ethnically diverse populations,
 cultural perspectives of
 compassion in, 47–8, 49
 evidence-based medicine/care
 combining evidence with
 practical strategies, 115
 compassion in a world of, 1–2
 dominance in medical
 education, 21
 as potential driver of loss of
 empathy in clinical
 care, 22
 evolutionary perspective of
 compassion, 14–15
 empirical foundations, 15
 likely roots of
 compassion, 29
 major life tasks providing
 a basis for action, 14
 self-compassion, 73–4
 evolutionary perspectives
 'autopilot', 84
 compassion fatigue, 62
 of how we view other
 people, 93
 rescuing behaviour as root of
 compassion, 29
 risk avoidance, 84
 exercise, benefits of regular
 exercise for physical and
 mental health, 100
 Fan, Y., 54
 fear
 of criticism, potential
 consequences, 104
 healthcare professionals'
 experience, 2
 Feldman, J. L., 12, 14
 food, importance of
 maintaining a balanced
 diet, 101
 Friendship Bench therapy
 model, Zimbabwe, 24
 functional magnetic resonance
 imaging (fMRI)
 imaging technique, 52
 meditation research, 65
 the neural basis of
 compassion, 52–4
 noise generated by, 53
 see also brain; neuroscience
 of compassion.
 Garnett, A., 23
 General Medical Council (UK),
 code of practice, 36–7
 Gilbert, Jean, 13, 76
 Gilbert, Paul, 7, 13, 14, 16,
 29, 76
 Gillespie, Chris, 13, 76
 Global Compassion
 Coalition, 62
Good Medical Practice (GMC),
 36, 38
 good medicine, key
 components, 20
*Good Psychiatric Practice: Code
 of Ethics* (RCPsych), 38
 Goss, Ken, 13, 76
 grief, 13
 guided imaginative practice,
 and resilience, 102–3
 health systems
 absence of compassion
 in, 114
 building compassionate
 cultures in healthcare
 organisations, 109–11
 building compassionate
 health systems, 8–9
 compassion as central
 value, 44
 compassion in, 106,
 112–13, 115
 compassionate leadership,
 107–8
 and collectivity, 111–12
 fostering open
 communication, 110
 fragmented structure, 25
 impact of valuing
 throughput and
 efficiency on, 19
 leading by example, 109
 need for change, 114
 overstretching of services as
 reason for erosion of
 compassion, 19
 recognition and reward for
 compassion, 110
 resilience in, 108–9
 role in limiting compassion
 and empathy, 44
 and self-compassion, 110–11
 staff support, 109
 systemic factors, 6, 8, 98
 healthcare, emotional toll of
 working in, 19
 healthcare workers
 expectations of
 detachment, 20
 impact of current landscape
 of healthcare systems
 on, 1–2
 importance of paying
 attention to their
 physical and mental
 health, 8
 management of
 emotions, 33
 postgraduate medical
 training experience, 2
 sacrifices of, 2
 solutions for addressing
 issues in healthcare, 2, 3
 heart-rate variability (HRV)
 increase associated with
 cultivation of
 compassion, 52–3
 research into regulation
 of, 56
 Hippocratic Oath,
 modification, 35
 horrified anxiety, comparison
 with compassion, 5,
 32, 33
 Hughes Spence, S., 99
 Imaginative Identification
 exercise, 94
 imaging, *see* functional
 magnetic resonance
 imaging (fMRI).
 insula
 relationship with
 compassion, 53, 54

- relationship with
 empathy, 54
- interoception
 meaning of, 65
 proprioception *vs.*, 65
 role of in self-regulation, 65
- Irish Medical Council, code of
 practice, 37
- Irons, Chris, 13, 76
- Jeamjitvibool, T., 61
- Jiménez-Picón, N., 49
- Johns Hopkins Hospital, 21
- Kim, J. J., 52
- kindness
 comparison with
 compassion, 29–30
 the concept of, 29
- Klimecki, O. M., 54
- Kuyken, W., 14
- Lasagna, Louis, 35
- leadership
 compassionate leadership in
 healthcare
 organisations, 107–8,
 111–12
 by example, 109
 four pillars of compassionate
 leadership, 31
 Östergård and colleagues’
 systematic review,
 107, 112
 role of listening, 107–8
- Leading Change, Adding Value:
 A Framework for
 Nursing, Midwifery and
 Care Staff* (NHS
 England), 41
- Lee, Deborah, 13, 76
- listening
 active listening, 30, 31, 49,
 63, 110
 role of in compassionate care,
 46, 49
 role of in leadership, 107–8
- Liu, Y., 61
- Lockwood, P. L., 56
- Lowens, Ian, 13, 76
- Lyng, H. B., 108
- Maddox, L., 63, 104
- major depressive disorder
 (MDD), benefits of
- strengthening self-
 compassion for, 73
- Malenfant, S., 15
- Mascaro, J. S., 79, 81
- medical professionalism and
 compassion
 overview, 35–6
 codes of practice for medical
 doctors, 36–8
 ethical guidance and codes of
 practice for
 psychiatrists, 38–40
 formal relationship, 5, 36
 other healthcare
 professionals, 40–2
 see also codes of practice.
- medical training
 building compassion
 into, 33–4
 the concept of equanimity in
 clinical practice, 21
 postgraduate experience of
 healthcare
 professionals, 2
 teaching compassion, 20–2
 value of patient and
 provider-informed
 models of
 compassion, 47
- meditation
 breath-focused, 66
 Desbordes and colleagues’
 findings, 55
 effect on depression, 55, 64
 fMRI research, 65
 improving mental health
 through meditation,
 101, 103
 research into meditation, 56
 re-shaping the way our
 brains work with
 meditation, 64
 and resilience, 64–6
- mental health
 benefits of connections with
 other people for, 101
 building and sustaining
 compassion in mental
 healthcare, 5
 improvement strategies, 103
 improving through
 meditation and
 mindfulness, 101, 103
 relationship with physical
 health, 8
- mental training
 Böckler and colleagues’
 findings, 57
 research into benefits for
 attention, compassion,
 and theory of
 mind, 56–7
 research into the nature and
 effects of, 56
 structural effects, 57
 Trautwein and colleagues’
 examination, 56–7
 Valk and colleagues’
 findings, 57
- Mid Staffordshire NHS
 Foundation Trust,
 *Report of the Mid
 Staffordshire NHS
 Foundation Trust Public
 Inquiry*, 38
- Millard, L. A., 80
- mindfulness, 8
 benefits of for patients and
 the healthcare
 system, 50
 benefits of regular
 practice, 12
 the Buddhist idea of, 12
 cultivating awareness
 and, 7–8
 defined, 12
 foundations of, 84
 Jiménez-Picón and
 colleagues’ systematic
 review, 49–50
 mindfulness of feelings/
 feeling-tone, 87–8
 mindfulness of the
 body, 85–7
 Body Scan, 86–7
 mindful walking, 87
 Three-Step Breathing
 Space, 85
 open-ended questions in
 teachings, 30
 and resilience, 64–6
 role of awareness and
 mindfulness in
 supporting compassion/
 self-compassion, 89
 role of mindfulness in
 cultivating
 awareness, 84
 of states of mind/
 emotions, 88

- mindfulness (cont.)
 of thoughts, 88
 topics involved in teaching
 mindfulness, 30
- moral injury, 6
 as common human
 experience, 71
 the concept of, 68, 70
 cumulative, 70–1
 examples of, 70–1
 and self-compassion, 70–1
 types of, 70
- moral judgement, compassion
 as source of, 11
- motivation, relationship with
 compassion, 13, 14,
 29, 33
- National Health Service (NHS)
 guiding principles, 35–6
*Report of the Mid
 Staffordshire NHS
 Foundation Trust Public
 Inquiry*, 38
- Neff, Kristin, 71, 72, 90
- negative emotions mistaken for
 compassion, 32
- neuroplasticity, re-shaping the
 way our brains work
 with meditation, 64
- neuroscience of
 compassion, 11
 associated neural
 locations, 53
 challenges for the field, 53
 empathy and the brain, 54–5
 fMRI studies, 52–4
 Intersectional Neuroscience
 framework, 65
 meditation research, 65
 mental training, nature and
 effects of, 56, 57
 neural correlates of
 compassion, 53
 neural locations associated
 with empathy, 54
 neurophysiological and
 behavioural markers
 study, 52–3
 reasons for divergence of
 neuroanatomical
 findings, 54
 research findings, 55–6
 practical
 implications, 56–7
 research on, 6
- research
 recommendations, 57–8
 ReSource Project, 56
 visual attention to suffering
 after compassion
 training study, 53
see also brain; functional
 magnetic resonance
 imaging (fMRI).
- New Zealand Medical
 Association, code of
 practice, 37
- NHS Wales, four pillars of
 compassionate
 leadership, 31
- non-judgment, role of in
 cultivation of
 compassion, 78
- non-verbal cues, 31
- Novak, L., 56
- Nursing and Midwifery Board
 of Ireland, code of
 practice, 41
- Nursing and Midwifery
 Council (UK), code of
 practice, 40
- Occupational Therapy
 Code of Ethics
 (AOTA)*, 42
- open-ended questions, in
 mindfulness
 teachings, 30
- Osler, William, 21, 22
- Östergård, K., 107, 112
- outcomes, impact of
 prioritisation on
 patient-doctor
 relations, 19
- oxytocin, 15
- pain, relationship with
 empathy, 28
- Paterson, R., 38
- patient and provider-informed
 models of
 compassion, 46–7
- patient perspectives
 experiences of
 compassionate care,
 20, 45–6
 preferences for personalised
 and humane clinical
 care, 20
 Sinclair and colleagues’
 model, 46–7
- value of the patient-doctor
 relationship, 20
- patient safety, prioritisation
 of, 37
- patient-reported outcomes,
 positive impact of
 compassion on, 15
- patients and carers, support for
 compassion as care
 priority, 25
- person-centred care
 compassion as core value of,
 23, 81
 the model of, 1
- physicians, actions of
 experienced by patients
 as compassionate,
 20, 45
- physiology, role of in
 connections between
 compassion and
 evolution, 15
- pity, comparison with
 compassion, 32, 33
- positive coping, and the effect
 of resilience on anxiety
 among healthcare
 workers, 61
- Principles of Medical Ethics
 (AMA)*, 37
- Principles of Medical Ethics with
 Annotations Especially
 Applicable to Psychiatry
 (APA)*, 39
- problem solving therapy (PST),
 Friendship Bench
 programme, 24
- Professional Ethics for
 Psychiatrists* (College of
 Psychiatrists of
 Ireland), 39
- professional standards for
 clinicians
 explicit reference to
 compassion in, 35–6
see also codes of practice;
 ethical guidance.
- proprioception
 interoception *vs.*, 65
 meaning of, 65
- pro-social behaviours
 compassion described as, 11
 neural basis, 11, 55–6
 research into the impact of
 mental training
 on, 56–7

- research into the impact of
 - mindfulness and meditation on, 65
- provider perspective,
 - mirroring of aids and barriers to compassionate care, 63
- psychological perspectives,
 - dimensions of the construct of compassion, 11
- psychotherapy, Gilbert on the evolution of compassion into, 14, 16
- Rectangle Breathing exercise, 92
- relational communication, 31
- religious and spiritual figures,
 - compassion associated with, 11
- Report of the Mid Staffordshire NHS Foundation Trust Public Inquiry* (Francis), 38
- rescuing behaviour
 - comparison with caring behaviour, 29
 - as evolutionary root of compassion, 29
- research
 - Baguley and colleagues, 47
 - brain plasticity, 56
 - Byrne and colleagues, 31
 - components of compassion, 5
 - Covid-19 pandemic driven research, 60–1, 99
 - cultural perspectives, 47–8
 - recommendations for further research, 48
 - Desbordes and colleagues, 55
 - doctor-patient relationships, 33
 - Egan and colleagues, 72–3
 - empathic communication, 31
 - fMRI studies of meditation, 65
 - Hughes Spence and colleagues, 99
 - impact of mindfulness and meditation on pro-social behaviours, 65
 - Jiménez-Picón and colleagues, 49–50
 - leadership, 107, 112
 - limitations of research on compassion in healthcare, 16, 45
 - Maddox and Barreto, 63–4
 - meditation training, 55
 - mental training, 56–7
 - impact on cortisol stress reactivity, 56
 - impact on pro-social behaviours, 56–7
 - mindfulness and emotional intelligence, the relationship between, 49–50
 - Neff and colleagues, 71, 90
 - neuroscience and compassion, 6
 - Östergård and colleagues, 107, 112
 - patient experiences of compassionate care, 20, 45–6
 - patient-centred model of compassionate care, 46–7
 - resilience, 99
 - Schairer and colleagues, 33
 - self-compassion, 71–3
 - Sinclair and colleagues, 46–7
 - Singh and colleagues, 47–8
 - staff perceptions of compassionate care, 63
 - Svendsen and colleagues, 73
 - theory of mind, 56
 - Trautwein and colleagues, 56–7
 - Valk and colleagues, 57
- resilience
 - and barriers to compassionate care, 63–4
- brain training's strengthening potential, 63
- building physical and mental resilience as a solid basis for compassion, 100–2
- challenges of working in healthcare for, 60
- and compassion, 6
- dangers of over-emphasis on personal resilience, 61–2
- developing, 8
- equanimity and, 104–5
- guided imaginative practice, 102–3
- in health systems, 108–9
- in healthcare settings, 98–9
- Hughes Spence and colleagues' study, 99
- importance of self-care for, 103–4
- Jeamjitvibool and colleagues' study, 61, 99
- Liu and colleagues' study, 61
- Lyng and colleagues' exploration, 108, 109
- meaning of, 60, 98
- misuse and overuse of the term, 98
- relevant factors, 61, 98, 108–9
- role of meditation and mindfulness, 64–6
- self-compassion and, 73
- and the Covid-19 pandemic,
 - healthcare workers, 99–100, 103
 - pandemic-driven research, 60–1, 99
 - value of for navigating systemic challenges, 66
- ReSource Project, 56
- risk, evolutionary perspective of avoidance, 84
- role play, benefits of, 30
- Royal College of Psychiatrists (RCPsych)
 - on building and sustaining compassion in mental healthcare, 5
 - code of practice, 36, 38–9
- rumination
 - dangers of, 73
 - triggers for, 72
- 'safeness', 'safety' vs, 104
- Schairer, C. E., 33
- self-awareness, role of in equanimity, 22
- self-care, 8, 68
- self-compassion
 - 'amygdala hug' exercise, 92
 - benefits of, 73, 104
 - in body and mind, 73, 74
 - Box Breathing exercise, 92
 - building, 8
 - comparison with self-pity, 32
 - the concept of, 6–7, 68–9

- self-compassion (cont.)
 Covid-19 and the need for, 4, 6, 8, 99–100
 developing, 90–3
 effectiveness of self-compassion related therapies, 71–2
 Egan and colleagues' review of, 72–3
 evolutionary perspective, 73–4
 health systems and, 110–11
 importance of for compassionate leadership, 112
 and impossible choices, 69
 key elements, 90
 as key organisational value, 9
 meaning of, 68
 mindful self-compassion, 71–2
 misunderstanding of, 68
 moral injury in relation to, 70–1
 myths and misunderstandings about, 72
 Neff and colleagues' conceptualisation, 71, 90
 positive associations, 71
 and prevention and treatment of anxiety and depression, 72–3
 Rectangle Breathing exercise, 92
 and resilience, 73
 role of in wellbeing, 90
 self-pity vs self-compassion, 72
 Svendsen and colleagues' study, 71–2, 73
 Three-Stage Self-Compassion exercise, 91
 understanding self-compassion, 72–3
 Wilson and colleagues' systematic review, 71–2
 self-pity, 32, 72
 shame
 and compassion in clinical settings, 78–9
 and depression, 78
 experienced by people working and training in health services, 79
 Sinclair, S., 13, 46
 Singer, Tania, 54, 56
 Singh, P., 47, 48, 54, 63
 sleep, importance for wellbeing, 101
 'sonder', the concept of, 93
 Spiro, H., 22
 staff
 requirements for delivery of compassionate care, 63–4
 supporting wellbeing of, 109
 Stevens, L., 28
 suffering
 amygdala responses after compassion training, 53
 arising from the cost of helping, 30
 as common human experience, 73
 common reactions to suffering of another person, 64
 compassion as emotional response to, 13
 constraints on responding to, 15
 engaging with, 33
 impact of increased sensitivity to, 13
 as problem compassion evolved to meet, 14
 requirements for engaging with, 13
 Svendsen, J. L., 73
 Sweileh, W. M., 62
 sympathy
 comparison with compassion, 27–8
 meaning of, 28
 role of in cultivation of compassion, 77
 systemic factors
 compassion fatigue, 62, 108
 compassionate leadership in healthcare organisations, 107–8
 examples of systemic challenges, 6, 64, 98
 in health systems, 8, 106
 to provision of compassionate care, 64
 value of resilience for navigating systemic challenges, 66
 teaching, New Zealand Medical Association's ethical guidance on, 38
 teaching compassion, 20–2
 teaching compassionate care first steps, 33
 optimal approach, 17
 technology
 benefits of disconnecting from, 102, 103
 and the depersonalisation of patient-doctor interactions, 19
 theory of mind, research into, 56
 therapy
 compassion-based, 7, 75–8
 evidence for the approach, 80–1
 in practice, 79–80
 shame and compassion in clinical contexts, 78–9
see also compassion focused therapy (CFT).
 threat, effects of practising compassion on neural networks associated with, 53
 Three-Step Breathing Space exercise, 85
 throughput and efficiency emphasis, impact on health systems, 19
 touch, cultural perspective, 48
 'Toward a compassionate intersectional neuroscience: increasing diversity and equity in contemplative neuroscience' (Weng et al.), 65–6
 training in compassion effects on the brain, 54
 neuroscientific basis, 57
 trauma, self compassion and recovery from, 73–4
 Trautwein, F-M., 56
 United Kingdom (UK), guiding principles of the NHS, 35–6
 vagus nerve, 15, 65
 values terminology
 communication skills, 30–2
 empathy, 28–9

- interchangeability in use of, 27, 44
kindness, 29–30
sympathy, 27–8
vasopressin, 15
Vision, Mission, Values and Goals (APA), 39
Wallace, B. A., 12
warmth, Gilbert's emphasis on, 78
weakness, association of compassion with, 28
Welford, Mary, 13, 76
Well-Wishing, Compassion, and Loving Kindness exercise, 96–7
Weng, H. Y., 53, 55, 65–6
Wilson, A. C., 71–2
Woodruff, C. C., 28
Woollands, Diane, 13, 76
working conditions, 7, 71
World Medical Association (WMA), *Declaration of Geneva*, 39
Zhou, Y. C., 30
Zimbabwe
 Friendship Bench therapy model, 24
 prevalence of common mental disorders, 24

