

Behavioural and Cognitive Psychotherapy

Published for the British Association for Behavioural and Cognitive Psychotherapies (BABCP)

Editor

Paul M Salkovskis, University of Bath, UK

Behavioural and Cognitive Psychotherapy is an international multi-disciplinary journal aimed primarily at members of the helping and teaching professions. The journal features original research papers, covering both experimental and clinical work, that contribute to the theory, practice and evolution of cognitive and behaviour therapy. Under the guidance of an international editorial team, *Behavioural and Cognitive Psychotherapy* aims to reflect and influence the continuing changes in the concepts, methodology and techniques of behavioural and cognitive psychotherapy. A particular feature of the journal is its broad-ranging scope - both in terms of topics and types of study covered.

Price information

is available at: <http://journals.cambridge.org/bcp>

Free email alerts

Keep up-to-date with new material – sign up at
<http://journals.cambridge.org/alerts>

For free online content visit:
<http://journals.cambridge.org/bcp>



*Behavioural and Cognitive
Psychotherapy*
is available online at:
<http://journals.cambridge.org/bcp>

To subscribe contact
Customer Services

in Cambridge:
Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:
Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email
subscriptions_newyork@cambridge.org

CAMBRIDGE

JOURNALS

Behaviour Change

Journal of the Australian Association for Cognitive and Behaviour Therapy (AACBT)

Editor

Ross Menzies, University of Sydney, Australia

Behaviour Change has long been considered a leader in its field. It is a quarterly journal that publishes research involving the application of behavioural and cognitive-behavioural principles and techniques to the assessment and treatment of various problems.



Behaviour Change
is available online at:
<http://journals.cambridge.org/bec>

To subscribe contact
Customer Services

in Cambridge:
Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:
Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email
subscriptions_newyork@cambridge.org

Free email alerts

Keep up-to-date with new material – sign up at
journals.cambridge.org/bec-alerts

For free online content visit:
<http://journals.cambridge.org/bec>

 CAMBRIDGE
UNIVERSITY PRESS

CAMBRIDGE

JOURNALS

Brain Impairment

A Journal of the Australian Society for the Study of Brain Impairment (ASSBI)

Editors

Jacinta Douglas, *La Trobe University, Australia*

Robyn Tate, *Royal Rehabilitation Centre, Sydney, Australia*

A multidisciplinary Journal of the Australian Society for the Study of Brain Impairment. Topics covered include neurology, neuropsychology, psychiatry, clinical psychology, neuropathology, occupational therapy, physiotherapy, speech pathology and anatomy. Submissions are welcome across the full range of conditions that affect brain function (stroke, tumour, dementing illnesses, traumatic brain injury, epilepsy etc.) throughout the lifespan.



Brain Impairment
is available online at:
<http://journals.cambridge.org/bim>

To subscribe contact
Customer Services

in Cambridge:
Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:
Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email
subscriptions_newyork@cambridge.org

Free email alerts

Keep up-to-date with new material – sign up at
journals.cambridge.org/bim-alerts

For free online content visit:
<http://journals.cambridge.org/bim>

 **CAMBRIDGE**
UNIVERSITY PRESS

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. **Tables** Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

EDITORIAL

Toward a limited realism for psychiatric nosology based on the coherence theory of truth

Kendler KS 1115

COMMENTARY

A commentary on Kendler (2014)

Bebbington PE 1119

REVIEW ARTICLES

Assessment of cannabis use disorders: a systematic review of screening and diagnostic instruments

López-Pelayo H, Batalla A, Balcells MM, Colom J & Gual A 1121

Meta-analysis of emotion recognition deficits in major depressive disorder

Dalili MN, Penton-Voak IS, Harmer CJ & Munafò MR 1135

Social neuroscience in psychiatry: unravelling the neural mechanisms of social dysfunction

Fett A-KJ, Shergill SS & Krabbendam L 1145

ORIGINAL ARTICLES

Impulsivity and opioid drugs: differential effects of heroin, methadone and prescribed analgesic medication

Baldacchino A, Balfour DJK & Matthews K 1167

10-year outcome study of an early intervention program for psychosis compared with standard care service

Chan SKW, So HC, Hui CLM, Chang WC, Lee EHM, Chung DWS, Tso S, Hung SF, Yip KC, Dunn E & Chen EYH 1181

Disorder-dissociated effects of fluoxetine on brain function of working memory in attention deficit hyperactivity disorder and autism spectrum disorder

Chantiluke K, Barrett N, Giampietro V, Brammer M, Simmons A & Rubia K 1195

Dysfunction of emotional brain systems in individuals at high risk of mood disorder with depression and predictive features prior to illness

Whalley HC, Sussmann JE, Romaniuk L, Stewart T, Kiely S, Lawrie SM, Hall J & McIntosh AM 1207

The influence of negative life events on hippocampal and amygdala volumes in old age: a life-course perspective

Gerritsen L, Kalpouzos G, Westman E, Simmons A, Wahlund L-O, Bäckman L, Fratiglioni L & Wang H-X 1219

Temporal delay discounting in acutely ill and weight-recovered patients with anorexia nervosa

Ritschel F, King JA, Geisler D, Flohr L, Neidel F, Boehm I, Seidel M, Zwipp J, Ripke S, Smolka MN, Roessner V & Ehrlich S 1229

Abnormal brain responses to social fairness in depression: an fMRI study using the Ultimatum Game

Gradin VB, Pérez A, MacFarlane JA, Cavin I, Waiter G, Engelmann J, Dritschel B, Pomi A, Matthews K & Steele JD 1241

Delusion proneness and 'jumping to conclusions': relative and absolute effects

van der Leer L, Hartig B, Goldmanis M & McKay R 1253

Efficacy of bilateral repetitive transcranial magnetic stimulation for negative symptoms of schizophrenia: results of a multicenter double-blind randomized controlled trial

Dlabac-de Lange JJ, Bais L, van Es FD, Visser BGJ, Reinink E, Bakker B, van den Heuvel ER, Aleman A & Knegtering, H 1263

Childhood trauma is associated with a specific admixture of affective, anxiety, and psychosis symptoms cutting across traditional diagnostic boundaries

van Nierop M, Viechtbauer W, Gunther N, van Zelst C, de Graaf R, ten Have M, van Dorsselaer S, Bak M, Genetic Risk and outcome of Psychosis (GROUP) investigators & van Winkel R 1277

Altered performance in attention tasks in patients with seasonal allergic rhinitis: seasonal dependency and association with disease characteristics

Trikotaj K, Buske-Kirschbaum A, Schmitt J & Plessow F 1289

Social-economical decision making in current and remitted major depression

Pulcu E, Thomas EJ, Trotter PD, McFarquhar M, Juhasz G, Sahakian BJ, Deakin JFW, Anderson IM, Zahn R & Elliott R 1301

Failure of deactivation in the default mode network: a trait marker for schizophrenia?

Landin-Romero R, McKenna PJ, Salgado-Pineda P, Sarro S, Aguirre C, Sarri C, Compte A, Bosque C, Blanch J, Salvador R & Pomarol-Clotet E 1315

Antidepressant, antipsychotic and psychological interventions in subjects at high clinical risk for psychosis: OASIS 6-year naturalistic study

Fusar-Poli P, Frascarelli M, Valmaggia L, Byrne M, Stahl D, Rocchetti M, Codjoe L, Weinberg L, Tognin S, Xenaki L & McGuire P 1327

Correspondence 1341