


THE
**JOURNAL OF LARYNGOLOGY,
 RHINOLOGY, AND OTOTOLOGY:**

A RECORD OF CURRENT LITERATURE
 RELATING TO
THE THROAT, NOSE, AND EAR.

*Printed and Published Monthly by
 ADLARD & SON & WEST NEWMAN, Ltd., Bartholomew Close, London, E.C. 1.*

A SAFE JUNKER'S INHALER

As made for MORRIS RIGBY, M.R.C.S., L.R.C.P.Lond., Capt., R.A.M.C.T.,
 Anæsthetist, Sussex County Hospital, and 2nd Eastern
 General Hospital, Brighton.



Can be used with safety in darkened rooms for Laryngological Operations, etc.

Rigby's Chloroform Inhaler complete in case £3 8s. 3d.
Rigby's Chloroform Bottle only £1 5s. 0d.

GRANDS PRIX:

Paris 1900, Brussels 1910, Buenos Aires 1910.



Gold Medal Allahabad 1910.

Manufactured by
DOWN BROS., LTD.,
 Surgical Instrument Makers,
 21 & 23, ST. THOMAS'S ST., LONDON, S.E.
 (opposite Guy's Hospital.)

Telegrams:
 "DOWN, LONDON."

Telephone:
 Hop. 4400 (4 Lines)

Prepaid Annual Subscription, 30s. (8 dollars) post free.

Single Copies, Three Shillings.

ENTERED AT STATIONERS' HALL.

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

LISTERINE

*A safe, non-poisonous, unirritating
antiseptic solution*

LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhœa occurring in infants and adults.

LISTERINE literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St. Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOTOLOGY.

Founded in 1887 by **MORELL MACKENZIE** and **NORRIS WOLFENDEN**.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

H. S. BIRKETT, C.B., M.D., Brig.-Gen. C.A.M.C. (Montreal).	Sir StCLAIR THOMSON, M.D., F.R.C.S.(London). (Pres. Laryng. Sect. Internat. Cong.)
A. BROWN-KELLY, D.Sc., M.D. (Glasgow).	HERBERT TILLEY, M.D., F.R.C.S. (London). (Pres. Otol. Sect. R.S.M.)
A. CHEATLE, F.R.C.S. (Pres. Otol. Sect. Internat. Cong.)	LOGAN TURNER, M.D. (Edinburgh).
DUNDAS GRANT, M.A., M.D., F.R.C.S.(London).	E. B. WAGGETT, D.S.O., M.B. (Pres. Laryng. Sect. R.S.M.)
WILLIAM HILL, M.D. (London).	P. WATSON-WILLIAMS, M.D. (Bristol).
J. MACINTYRE, M.B., C.M. (Glasgow).	MACLEOD YEARSLEY, F.R.C.S. (London).
Sir W. MILLIGAN, M.D., M.Ch. (Manchester).	

EDITOR:

DAN MCKENZIE, M.D., F.R.C.S.E. (London),

ABSTRACTS EDITOR:

W. D. HARMER, M.C.(Cantab.), M.B., F.R.C.S.(London).

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

DRS. J. STODDART BARR (Glasgow), BRADY (Sydney, N.S.W.),
JOHN DARLING (Edinburgh), J. K. MILNE DICKIE (Edinburgh),
DONELAN (London), CLAYTON FOX (London), J. S. FRASER (Edinburgh),
PERRY GOLDSMITH (Toronto), THOS. GUTHRIE (Liverpool), A. HUTCHISON (Brighton),
J. D. LITHGOW (Edinburgh), A. MCCALL (Bournemouth),
CHICHELE NOURSE (London),
KNOWLES RENSHAW (Manchester), ARCHER RYLAND (London),
LINDLEY SEWELL (Manchester), ALEX. R. TWEEDIE (Nottingham),
C. E. WEST (London), G. HAROLD L. WHALE (London),
WRIGHT (Bristol), and WYLIE (London).

AND THE ASSISTANCE OF

MR. GEORGE BADGEROW (London), DR. J. BARR (Glasgow),
GRAZZI (Florence), A. BROWN KELLY (Glasgow),
E. LAW (London), HOLGER MYGIND (Copenhagen), D. PATERSON (Cardiff),
URBAN PRITCHARD (London), F. A. ROSE (London), A. SANDFORD (Cork),
SENDZIAK (Warsaw), H. TILLEY (London), RAYMOND VEREL (Aberdeen),
E. WAGGETT (London), SIR R. WOODS (Dublin).

CONTRIBUTORS TO THIS NUMBER.

DR. J. S. FRASER.	DR. IRWIN MOORE.	CAPT. H. LAWSON WHALE.
DR. W. T. GARRETSON.	CAPT. J. K. MILNE-DICKIE.	MR. MACLEOD YEARSLEY.
	MR. THOMAS GUTHRIE.	

CONTENTS.

Special Articles—	PAGE
<p>Reports for the Year 1918 from the Ear and Throat Department of the Royal Infirmary, Edinburgh. Part I.—The Complications of Chronic Middle-ear Suppuration. Indications for, Technique and Results of, the Radical and Modified Radical Mastoid Operations; Details Regarding the Labyrinthine and Intracranial Complications of Chronic Middle-ear Suppuration.—J. S. FRASER and W. T. GARRETSON</p>	373
<p>The Aqueduct of Fallopius and Facial Paralysis (<i>Continued from p. 344</i>).—DAN MCKENZIE</p>	383
<p>The Treatment of Enlarged or Diseased Tonsils in Cases where Surgical Procedures are Contra-indicated.—IRWIN MOORE</p>	387
Societies' Proceedings—	
ROYAL SOCIETY OF MEDICINE—	
LARYNGOLOGICAL SECTION.—Communications by G. S. HETT and J. L. AYMARD	400
Abstracts—	
NOSE.—Ozæna.—Ozæna Vaccines.—Parosmia	409
LARYNX.—Ankylosis of the Crico-arytænoid Joint.—Early Training of Defective Speech	410
EAR.—The Bárány Test in Pathologic Cases.—Tests for Malingerer.—Sound Perception in Deaf-mutes.—Modification in the Treatment of Intracranial Complications of Otitis. Temporal and Occipital Trephining.—The Aurist and Lip-reading.—Central Deafness.—Vestibular Reactions in Central Nervous Disease.—Cerebral Abscess of Otitic Origin with Aseptic Meningitis.—Injuries of the External Auditory Canal resulting from Projectiles.—Congenital Fistula of Ear.—Ear Protectors.—Osteo-sclerosis of the Temporal Bone in Chronic Suppuration.—Changes Methods and Advances in the Treatment of Progressive Deafness following Chronic Hyperplastic Otitis Media.—Cerebro-spinal Fever.—Chronic Suppurative Otitis Media and Exemption from Military Service.—Syndrome of Gradenigo Following a Case of Acute Mastoiditis Complicated by Phlebitis of the Cavernous Sinus.	411
MISCELLANEOUS.—Tic Douloureux: Treatment by Alcohol Injections.	421
Correspondence	422
Notes and Queries	423
Books Received	424

APOTHESINE

(P., D. & Co.)

A Local Anæsthetic of Exceptional Merit.


APOTHESINE is the hydrochloride of gamma-diethyl-amino-propyl cinnamate. It is not a derivative of cocaine, but is produced synthetically. It is readily soluble in water; the solution is remarkably stable and may be sterilised by boiling without undergoing deterioration.

APOTHESINE, injected hypodermically, has the same effect on the peripheral sensory nerves as cocaine, and though, as is the case with other synthetic analgesics, this effect is not developed quite so quickly, it is quite as profound and more persistent than that produced by cocaine.

APOTHESINE is much less toxic than cocaine. It is less irritating to the tissues, also, hence it does not interfere with healing. Normal doses have no effect upon respiration or circulation.

Further particulars will be forwarded on request by

PARKE, DAVIS & Co., 50, Beak St., Regent St., **LONDON, W. 1.**



KINÉSIPHONE

OF

:: Dr. MAURICE ::

FOR THE

Treatment of the

DEAF

BY THE

**Re-education of the
Hearing Faculties**

(used by numbers of Medical
Specialists of all Nations).



For further particulars & scientific
literature on the subject

Apply to—

— **M. LARCHER** —
Rue de Bellefond 1, PARIS.

NOW READY.

*Fully Illustrated in Colours and Black and White.*Price **20/-** net.

MEDICAL ANNUAL, 1919.

A YEAR-BOOK OF TREATMENT,
AND PRACTITIONER'S INDEX:

*Being a Review of the World's Progress in Medicine and
Surgery. Arranged in Alphabetical Order for Easy Consultation.*

Contributors:

E. WYLLYS ANDREWS, A.M., M.D., Chicago.
JOSEPH BLOMFIELD, B.A., M.D.
FRANCIS J. CHARTERIS, M.D., B.CH.
JOHN D. COMRIE, M.D., F.R.C.P.
CAREY F. COOMBS, M.D., F.R.C.P.
W. H. DOLAMORE, M.R.C.S., L.D.S.R.C.S.
W. E. FOTHERGILL, M.A., M.D.
JOHN S. FRASER, M.B., F.R.C.S.
HERBERT FRENCH, M.A., M.D.
EDWARD W. GOODALL, M.D., B.S.
MAJOR E. W. HEY GROVES, R.A.M.C.(T.).
C. THURSTAN HOLLAND, M.R.C.S., L.R.C.P.
J. RAMSAY HUNT, M.D., New York.
ROBERT HUTCHISON, M.D., F.R.C.P.
CECIL A. JOLL, M.S., M.B.
FREDERICK LANGMEAD, M.D., F.R.C.P.

ARTHUR LATHAM, M.A., M.D., F.R.C.P.
E. G. GRAHAM LITTLE, M.D., F.R.C.P.
C. F. MARSHALL, M.D., F.R.C.S.
R. FOSTER MOORE, M.A., F.R.C.S.
CAPT. MAURICE NICOLL, R.A.M.C.
HERBERT S. PENDLEBURY, M.A., F.R.C.S.
BEDFORD PIERCE, M.D., F.R.C.P.
JOSEPH PRIESTLEY, B.A., M.D., D.P.H.
SIR LEONARD ROGERS, Lt.-Col. I.M.S., M.D.
F.R.C.S.
J. D. ROLLESTON, M.A., M.D.
A. RENDLE SHORT, M.D., B.S., F.R.C.S.
J. W. THOMSON WALKER, F.R.C.S.
W. I. DE COURCY WHEELER, F.R.C.S.
P. WATSON WILLIAMS, M.D.
S. A. KINNIER WILSON, M.A., M.D., F.R.C.P.

Associate Editors:

(Medicine) CAREY F. COOMBS, M.D., F.R.C.P.; (Surgery) A. RENDLE SHORT, M.D., B.S., F.R.C.S.

THE new volume of the *Medical Annual* is of unusual value and interest. The experiences gained by the War have produced advances in medical science and practice which, under ordinary conditions, would have required many years to reach.

This progress will be found chronicled in the *Annual*, and adapted in every way possible to the requirements of the practitioner.

From Press Notices.

British Medical Journal.—"Good reading, and an excellent investment."

Lancet.—"A valuable addition to the library of the Medical Practitioner; contains in one volume a practical summary of the progress of medicine during the past year."

Last year's volume was exhausted soon after publication, and, to avoid disappointment, early application is advised for this issue.

Bristol: JOHN WRIGHT & SONS LTD.
London: SIMPKIN, MARSHALL & CO. LTD.