

Papers to appear in forthcoming issues

Allouche, J.-P., Clarke, M. and Sidorov, N.	Periodic unique beta-expansions: the Sharkovskii ordering
Baladi, V. and Smiana, D.	Alternative proofs of linear response for piecewise expanding unimodal maps
Balibrea, F., Downarowicz, T., Hric, R., Snoha, L. and Špitalský, V.	Almost totally disconnected minimal systems
Banyaga, A. and Hurtubise, D. E.	The Morse–Bott inequalities via a dynamical systems approach
Barral, J. and Seuret, S.	The singularity spectrum of the inverse of cookie-cutters
Barwell, A., Good, C., Knight, R. and Raines, B. E.	A characterization of ω -limit sets in shift spaces
Bayart, F., Costakis, G. and Hadjiloucas, D.	Topologically transitive skew-products of operators
Bergelson, V. and Håland Knutson, I. J.	Weak mixing implies weak mixing of higher orders along tempered functions
Blokh, A., Buff, X., Chéritat, A. and Oversteegen, L.	The solar Julia sets of basic quadratic Cremer polynomials
Boissy, C. and Lanneau, E.	Dynamics and geometry of the Rauzy–Veech induction for quadratic differentials
Bonatti, C. and Guelman, N.	Transitive Anosov flows and Axiom A diffeomorphisms
Bonatti, Ch., Gómez-Mont, X. and Vila-Freyer, R.	Statistical behaviour of the leaves of Riccati foliations
Bourgain, J., Lindenstrauss, E., Michel, P. and Venkatesh, A.	Some effective results for $\times a \times b$
Bowen, L.	Invariant measures on the space of horofunctions of a word hyperbolic group
Boyland, P.	Transitivity of surface dynamics lifted to Abelian covers
Burguet, D.	A direct proof of the tail variational principle and its extension to maps
Buzzi, J.	Maximal entropy measures for piecewise affine surface homeomorphisms
Carvalho, A. N., Langa, J. A. and Robinson, J. C.	Lower semicontinuity of attractors for non-autonomous dynamical systems
Ceccherini-Silberstein, T. and Coornaert, M.	Induction and restriction of cellular automata
Cellarosi, F.	Renewal-type limit theorem for continued fractions with even partial quotients
Chandramouli, V. V. M. S., Martens, M., De Melo, W. and Tresser, C. P.	Chaotic period doubling

- Chazottes, J.-R., Collet, P., Redig, F. and Verbitskiy, E. A concentration inequality for interval maps with an indifferent fixed point
- Chierchia, L. and Pusateri, F. Analytic Lagrangian tori for the planetary many-body problem
- Cuny, C. The a.s. convergence of the one-sided ergodic Hilbert transform
- Curry, C. P., Mayer, J. C., Meddaugh, J. and Rogers, J. T. Any counterexample to Makienko's conjecture is an indecomposable continuum
- Dajani, K., Hartono, Y. and Kraaikamp, C. Mixing properties of (α, β) -expansions
- De Simone, E. and Kupiainen, A. KAM theorem and renormalization group
- Díaz, L. J. and Gorodetski, A. Non-hyperbolic ergodic measures for non-hyperbolic homoclinic classes
- Díaz, L. J., Horita, V., Rios, I. and Sambarino, M. Destroying horseshoes *via* heterodimensional cycles: generating bifurcations inside homoclinic classes
- Dooley, A. H. and Golodets, V. Ya. The geometric dimension of an equivalence relation and finite extensions of countable groups
- Dooley, A. H. and Mortiss, G. On the critical dimensions of product odometers
- dos Santos, N. M. and Urzúa-Luz, R. Minimal homeomorphisms on low-dimension tori
- Dutkay, D. E., Jorgensen, P. E. T. and Picioroaga, G. Unitary representations of wavelet groups and encoding of iterated function systems in solenoids
- Einsiedler, M. and Fish, A. Rigidity of measures invariant under the action of a multiplicative semigroup of polynomial growth on \mathbb{T}
- Eisner, T. and Serény, A. Category theorems for stable semigroups
- Faller, B. and Pfister, C.-E. A point is normal for almost all maps $\beta x + \alpha \pmod{1}$ or generalized β -transformations
- Feng, D.-J. and Shu, L. Multifractal analysis for disintegrations of Gibbs measures and conditional Birkhoff averages
- Fenley, S., Feres, R. and Parwani, K. Harmonic functions on \mathbb{R} -covered foliations
- Fleischmann, D. S. A family of entire functions with Baker domains
- Förster, M. and Schleicher, D. Parameter rays in the space of exponential maps
- Gelfert, K. and Rams, M. The Lyapunov spectrum of some parabolic systems
- Glasner, E. and Ye, X. Local entropy theory
- Goetz, A. and Quas, A. Global properties of a family of piecewise isometries
- Góra, P. Invariant densities for piecewise linear maps of the unit interval
- Gutkin, E. and Rams, M. Growth rates for geometric complexities and counting functions in polygonal billiards
- Herreros, P. Blocking: new examples and properties of products
- Hu, H. and Vaienti, S. Absolutely continuous invariant measures for non-uniformly expanding maps
- Huveneers, F. Subdiffusive behavior generated by irrational rotations

- Ingle, W., Kaufmann, J. and Wolf, C. Natural invariant measures, divergence points and dimension in one-dimensional holomorphic dynamics
- Iommi, G. Multifractal analysis of Lyapunov exponent for the backward continued fraction map
- Ito, H. Birkhoff normalization and superintegrability of Hamiltonian systems
- Jiménez López, V. and Peralta-Salas, D. Global attractors of analytic plane flows
- Jung, U. Open maps between shift spaces
- Käenmäki, A. and Shmerkin, P. Overlapping self-affine sets of Keakeya type
- Kanai, M. Rigidity of the Weyl chamber flow, and vanishing theorems of Matsushima and Weil
- Kawahira, T. Tessellation and Lyubich–Minsky laminations associated with quadratic maps I: pinching semiconjugacies
- Kohlenbach, U. and Leuştean, L. A quantitative mean ergodic theorem for uniformly convex Banach spaces
- Leplaideur, R. and Rios, I. On t -conformal measures and Hausdorff dimension for a family of non-uniformly hyperbolic horseshoes
- Li, L. On Moser’s boundedness problem of dual billiards
- Li, W., Llibre, J. and Wu, H. Normal forms for almost periodic differential systems
- Massart, D. Vertices of Mather’s beta function, II
- Matsuzaki, K. and Yabuki, Y. The Patterson–Sullivan measure and proper conjugation for Kleinian groups of divergence type
- Melbourne, I., Niţică, V. and Török, A. Transitivity of Euclidean-type extensions of hyperbolic systems
- Monteil, T. Finite blocking property vs. pure periodicity
- Morris, I. D. The Mañé–Conze–Guivarc’h lemma for intermittent maps of the circle
- Pask, D., Raeburn, I. and Weaver, N. A. A family of 2-graphs arising from two-dimensional subshifts
- Pries, C. Equicontinuous geodesic flows
- Rayskin, V. Theorem of Sternberg–Chen modulo the central manifold for Banach spaces
- Roy, E. Poisson suspensions and infinite ergodic theory
- Roy, M., Sumi, H. and Urbański, M. Lambda-topology vs. pointwise topology
- Sadovskaya, V. Dimensional characteristics of invariant measures for circle diffeomorphisms
- Sander, E. and Yorke, J. A. A classification of explosions in dimension one
- Savinien, J. and Bellissard, J. A spectral sequence for the K -theory of tiling spaces
- Törnquist, A. Conjugacy, orbit equivalence and classification of measure preserving group actions
- Towsner, H. Convergence of diagonal ergodic averages
- Tsukamoto, M. Deformation of Brody curves and mean dimension

- Wang, X. and Zhang, G. Constructing ergodic exponential maps with dense post-singular orbits
- Yuri, M. Entropy production at weak Gibbs measures and a generalized variational principle
- Zaïmi, T. On numbers having finite beta-expansions
- Zhang, X. Embedding diffeomorphisms in flows in Banach spaces
- Zhu, Y., Li, Z. and Li, X. Preimage pressure for random transformations

INSTRUCTIONS FOR CONTRIBUTORS

Editorial Policy

The journal welcomes high quality contributions on topics closely related to dynamical systems and ergodic theory. Submissions in the field of differential geometry, number theory, operator algebra, differential, topological, symbolic, measurable dynamics and celestial and statistical mechanics are especially welcome. Expository survey papers and reviews of relevant books will be published from time to time.

Submission of typescripts

Two copies of the manuscript should be submitted to an executive or managing editor whose interest is closest to the material of their article. In case of doubt authors may send manuscripts to the Managing Editors at the University of Warwick. A paper may also be submitted electronically in postscript form as an attachment to an email, i.e. not in the body of an email. Please also send the \TeX file. If you are unable to do this, please submit the manuscript in printed form. The editor in charge of the paper will acknowledge receipt of the paper. **It is important that authors inform the editor of any changes of postal and/or e.mail address** while their paper is under consideration.

The editor will send the manuscript to the referee electronically, if possible, and also airmail a copy to him/her. However, the editor can decide if the material is inappropriate for the journal and will also make the final decision regarding acceptance or rejection. Should you need further information you should communicate in the first instance with the editor in charge of your paper. In an attempt to decrease the journal's backlog an editor may decline a submission (without using the normal refereeing process) if he/she considers that a 'reasonable' referee might not recommend the paper sufficiently strongly, or (possibly) if the paper is more than 30 pages long. Such summary action, with its inherent risk of unfairness, seems preferable to introducing a moratorium (the only other alternative) and has the advantage that delayed negative decisions might be avoided. This policy will be reviewed at a later date.

Submission of a paper is taken to imply that it has not been previously published and that it is not being considered for publication elsewhere. Authors of articles published in the journal assign copyright to Cambridge University Press (with certain rights reserved) and you will receive a copyright assignment form for signature on acceptance of your paper.

The journal strongly recommends submission of accepted papers in \LaTeX using the ETDS \LaTeX class file. Papers that use this class file will be processed more efficiently. A $\text{\LaTeX}2\epsilon$ file `etds.cls` is available via anonymous ftp from the Cambridge University Press site at `ftp.cup.cam.ac.uk` in the directory `/pub/texarchive/journals/latex/etds/etds-cls/`. In case of difficulties with these files, please contact `etds@sunrise-setting.co.uk` or the Journal editorial office at `etds@maths.warwick.ac.uk`. Alternatively, authors may use "article" style.

On final acceptance of a paper, authors should send the \LaTeX source code on disc including the figures (line figures only) and all author-defined macro and style files, to the Managing Editors, together with a hard copy produced using the same file. Discs should be in Apple Mac or PC format and will not be returned. The publisher reserves the right to typeset any article by conventional means if the author's \TeX code presents problems in production.

Typescript

Papers should be typed, double-spaced, on one side only and with generous margins. The pages must be numbered.

The first page should give the title, the author's name and institution, and a short abstract intelligible to mathematicians.

The title, while brief, must be informative (e.g. *A new proof of the ergodic theorem*, whereas *Some applications of a theorem of Birkhoff* would be useless).

Notation

It is important that mathematician's expressions are clear to a printer (who is not a mathematician). For instance, n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponents like $\exp\{z^2 \sin \theta / (1 + y^2)\}$ should be shown in this and no other way.

In the typescript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced type is shown by wavy underlining.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , \circ , \circ , 0 , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; 1 , l ; ε , ϵ ; κ , k .

There is no need to underline Greek or script letters provided these are clearly typed. Any special symbols should be explained on a separate sheet of directions for the printer.

If an author wishes to mark the end of the proof of a theorem, the sign \square may be used.

Footnotes should be avoided.

Diagrams

Figures and drawings should be on separate sheets in black ink or produced by computer to comparable quality. Photocopies are acceptable only if they are as clear as the originals. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the typescript. The author's name in pencil must be on all separate sheets of diagrams.

Figures should be used sparingly and only when they greatly clarify the exposition.

Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures.

References

References should be collected at the end of the paper numbered in alphabetical order of the author's names. A reference to a book should give the title, in italics, and then in roman type the publisher's name and the place and year of publication:

[4] N. Dunford and J. T. Schwartz. *Linear Operators*. Part I. Wiley, New York, 1958.

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Titles should be abbreviated as in *Mathematical Reviews*:

[6] J. E. Littlewood. The 'pits effect' for functions in the unit circle. *J. Analyse Math.* **23** (1970), 236–268.

Proofs

Authors receive one set of proofs for correction. If excessive alterations to the original manuscript are requested after the paper has been typeset, the author will be charged the cost of resetting. For papers with more than one author the proofs are sent to the first named author unless the editor receives other instructions. **It is important that proofs are corrected and returned promptly.**

Offprints

50 offprints of each article will be supplied free to each first named author. Extra offprints may be purchased from the publisher if ordered at proof stage.

Ergodic theory and dynamical systems

VOLUME 29 PART 1 FEBRUARY 2009

CONTENTS

<i>Barge, M. and Smith, M.</i> Augmented dimension groups and ordered cohomology	1
<i>Bezuglyi, S., Kwiatkowski, J. and Medynets, K.</i> Aperiodic substitution systems and their Bratteli diagrams	37
<i>Fan, A.-H., Liao, L.-M., Wang, B.-W. and Wu, J.</i> On Khintchine exponents and Lyapunov exponents of continued fractions	73
<i>Jajte, R. and Paszkiewicz, A.</i> Ergodic theorem for the algebra of operators in \mathbb{L}^p	111
<i>Kalinin, B. and Sadovskaya, V.</i> On Anosov diffeomorphisms with asymptotically conformal periodic data	117
<i>Keen, L. and Zhang, G.</i> Bounded-type Siegel disks of a one-dimensional family of entire functions	137
<i>Müller, J. and Spandl, C.</i> Embeddings of dynamical systems into cellular automata	165
<i>Pacifico, M. J., Pujals, E. R., Sambarino, M. and Vieitez, J. L.</i> Robustly expansive codimension-one homoclinic classes are hyperbolic	179
<i>Peres, Y. and Shmerkin, P.</i> Resonance between Cantor sets	201
<i>Robinson, M.</i> An asymptotic-numerical approach for examining global solutions to an ordinary differential equation	223
<i>Valdez, F.</i> Billiards in polygons and homogeneous foliations on C^2	255
<i>Wojtkowski, M. P.</i> Abstract fluctuation theorem	273
<i>Yayama, Y.</i> Dimensions of compact invariant sets of some expanding maps	281
Papers to appear in forthcoming issues	317

Cambridge Journals Online

For further information about this journal please
go to the journal website at:
journals.cambridge.org/ets

CAMBRIDGE
UNIVERSITY PRESS