

ORIGIN OF GRANITES

KEY WORD/SUBJECT INDEX

- Accumulation, 167
AFC process, 127
Allanite, 161
Anatexis, 135 ff., 223
Andalusite, 198
Andean, 123
Andesites, 78, 341
Anorthosite complexes, 342
Antarctic Peninsula, 127
Antarctica, 209
Apatite, 160
Archaean granites, 344
Ascent, 147
Ash-flow tuffs, 198, 268
ASI value, 172
Assimilation, 294
Asymmetry, 105 ff.
- Baja California, 105 ff.
Bandelier system, 257 ff.
Base-level liquid, 261
 magma, 261
Basement terrane, 79, 170
Basin and Range Province, 323
Batholiths, 280
¹⁰Be, 342
 in andesites, 341
Biotite, 183
Bullenbalong Suite, 173
- Calc-alkaline magmas, 209
Caldera, 102, 242, 289
Caledonian Fold Belt, 74
California, 105
 batholith, 105
Cauldron subsidence, 88
Chemical composition, 185
 variations, 110
Chile, northern, 129
CIPP, 260
CLPD, 260
Collision, 339 ff.
Compositional gradients, 281
Compressibility of melts, 341
Contamination, 140
Contiguity, 143
Continental crust, 135 ff.
 collisions, 344
Convection, 238
Convective mixing, 140
Cooma Granodiorite, 171
Cordilleran granites, 75, 106
Cretaceous, 105 ff.
Critical melt fraction, 228
Crustal contamination, 126
 evolution, 285
 heterogeneity, 135 ff.
 material, 187
 melting, 71 ff., 132, 202
 rheology, 135 ff.
- Crust-mantle mixing, 126
Crystal fractionation, 204
 -rich inclusions, 304
Crystals, 239
Cumulate, 166, 293
- Density structure, 282
 filtration, 339 ff.
D/H analyses, 317
Differentiation, 257 ff.
Diffusion, 138
Diorite, 87 ff.
- Efficiency, differential, 229
 integral, 229
Emplacement, 147
Enclaves, 91
Experiments, 237
Extractable melt, 228
(F + Li + B)/H₂O, 205
Faults, 339 ff.
Feldspar, 318
Felsic, 200
Fertile window, 172
Fluid dynamics, 237
 inclusions, 306
Fluids, 138, 187
Fractionation, 99, 165, 169 ff., 197 ff., 294
Fusion cycle, 227
- Gabbro, 109
Gas chromatography, 309
Geochemistry, 94, 105 ff.
Geochronology, 105 ff.
Glasses, 197 ff.
Granitoid, 289
Granodiorite, 87 ff., 105 ff.
Great Basin, 323
Greywacke, 169 ff.
- H₂O–CO₂ phase separation, 306
Heat of fusion, 226
 production, 137
Heterogeneity, 140
Himalaya, 183
Himalayan-type, 344
H-isotope, 189
Hornblende, 158
Hot Stokes diapirism, 135 ff.
Hybrid magmas, 239, 294
Hybridisation, 132, 237 ff.
Hydrofracturing, 343
Hydrothermal fluids, 317
- Iapetus Suture, 79
Idaho Batholith, 327
Ignimbrite, 290
Inclusion, 293
Incubation period, 225
Intracrustal, 73
Intrusions, 237, 270

I-type, 73, 109, 125
 Isotopic compositions, 171
 variations, 114
 Jahns–Burnham proposal, 300
 Jemez Mountains complex, 257
 Kaiko project, 340
 Lachlan Fold Belt, 72, 169
 Layers, 237
 Leucogranite, 167, 183, 242
 Lower crustal melting, 280
 Mafic granulites, 209
 magma, repeated influx of, 258
 migmatites, 209
 Magma, 169
 batches, 187
 chambers, 237
 mixing, 94, 99, 123 ff., 295, 339 ff.
 rheology, 135 ff., 245 ff.
 zoned, 100
 Magmatic, 201
 evolution, 276
 fluid, 309
 phenocrysts, 201
 Major element, 203
 Mass balance, 209
 Melt extraction, 135 ff.
 Melting, 169 ff., 237
 near-localised partial, 209
 of the floor, 239
 partial, 183, 204
 Metapelites, 203
 Meteoric waters, 318
 Migmatites, 171, 183
 Mineralisation, 274
 Mixed-magma, 87
 Moruya Suite, 77
 M-type, 82
 Muscovite, 198
 Mylonites, 87 ff.

 Nd-isotope, 127, 187
 New Britain, 76

 $^{18}\text{O}/^{16}\text{O}$, 317
 Obsidian glasses, 200
 Ocean ridges, 339
 O-isotope, 187, 317
 Open systems, 258

 Paragenetic sequence, 157 ff.
 Partition coefficients, 163
 Pegmatites, 299
 Peninsular Ranges Batholith, 106, 320
 Peraluminous, 172, 200
 Petrogenesis, 105 ff.
 Petrology, 289 ff.
 Physical effects, 239
 Pluton, 197 ff., 295
 ,high-level, 257 ff.
 ,zoned, 157
 Plutonic arc, 105 ff.
 stage, 258
 Pyrenees, 333

 Quartz, 318
 Questa caldera, 268

 Rare earth element (REE), 157, 276
 Real time studies, 345
 Recharge, 294
 Recycling, 339 ff.
 Regional-aureole, 171
 extension, 275
 Remagmatism, 77
 Restite, 173, 201, 240
 model, 73
 Resurgent plutons, 273
 Rhyodacite, 87 ff.
 Ridge processes, 340
 Ring dyke, 91, 271
 fault, 91

 Sediments, 190
 Segregation, 142
 Serpentinisation, 340
 Shale, 169 ff.
 Sierra Nevada Batholith (SNB), 323, 343
 Silicic magma chambers, 257 ff.
 Source regions, 136
 rock, 71 ff., 118, 171, 188
 Sphene, 158
 Stepwise fusion, 227
 Stopping, 339 ff.
 Strain, 245 ff.
 Strathbogie Suite, 179
 Strontium, 289
 $^{87}\text{Sr}/^{86}\text{Sr}$, 127, 187, 320
 S-type, 169
 Subduction, 130, 184, 340,
 angle of, 130
 -related magmatism, 128
 terraces, 342
 Subsidius changes, 209
 Suites, 73, 169
 Supracrustal, 169

 Tanco, 299
 Tectonic, 245 ff.
 control of crust-mantle mixing, 130
 Texture, 91
 Theoretical models, 237
 Thermal structure, 284
 Thrusting, 183 ff.
 Tonalite, 109
 Transport, 146
 Triggering tectonic event, lag behind, 233
 Two-mica, 197 ff.

 Underplate, 345
 Underplating, 79, 339 ff.
 Uplift rate, 225

 Vancouver Island, Canada, 341
 Vapour-absent melting, 180
 Volatiles, 340
 Volcanic rocks, 73
 stage, 258
 Volcanism, 197 ff., 257 ff.

 Water, 189
 /rock ratio, 318
 cooling, 339 ff.
 Yellowstone Plateau, 330

 Zircon, 161
 Zonation, 293

Instructions to authors

Transactions of the Royal Society of Edinburgh: Earth Sciences appears quarterly, publishing studies on all aspects of the earth sciences and related planetary sciences. Substantial contributions to both information and understanding that emphasise principles and are relevant to a worldwide readership are welcome. Normally there is an upper limit of 25 000 words, but most contributions are expected to be shorter. Discussions of papers previously published in the *Transactions* and reviews of topics of current interest are also invited. There are no page charges but subventions towards cost are welcome. If the use of foldouts or colour illustrations is envisaged, the Editorial Office should be consulted prior to submission.

1. Submission

Membership of the Society is not a pre-requisite for submission. Three copies of manuscripts should be sent to the Publications Secretary, The Royal Society of Edinburgh, 22 George Street, Edinburgh EH2 2PQ, Scotland. Three copies of illustrations at publication size should also be submitted; for these sets, photocopies of line drawings are adequate, but not of photographs. Illustrations suitable for reproduction (see 3.1) may be requested subsequently. All submissions will be sent to two reviewers. Papers by more than one author must be submitted with a statement signed by each author, to the effect that the paper in its entirety is approved by the joint authors and naming the author who will be responsible for correspondence.

2. Preparation of papers

2.1. Manuscripts

Manuscripts should be typed on A4 (295×210 mm) or quarto paper with double spacing throughout and wide margins. A title that is concise and informative, a heading of not more than 50 typewriter strokes for use at the top of text pages and name(s) of author(s) are to be given on the first page. An abstract of not more than 200 words, intelligible without reference to the text or references, should be given on the second page, with a list of key words not in the title making up no more than 150 typewriter strokes. The text should begin on the third page. Where possible, annotated illustrations and tables should be used in place of text. Give full postal address(es) at the end of the references. Tables and a list of figure captions should be on separate pages.

Editorial details. Words to be printed in italics, e.g. names of taxa, should be underlined. Use capital letters for formal terms only, in both text and headings. The metric system should be used throughout. Abbreviations should omit the full-stop, e.g. 2 mm, 3 km and 6 kb. Compass points are to be abbreviated to N, NW, NW-SE etc. Map references should be in square brackets, e.g. [NM 4437 0293]. Do not use footnotes except in tables. Examples of references in the text are: Jennings and Smith (1967) record . . . Bracketed references should be as follows: (James 1931), (Jennings & Smith 1967, p. 132), (Jenkins 1947, 1950; Brock 1975). Indicate in the margins approximate positions for insertion of illustrations and tables. For particular treatment of palaeontological specialities consult *PALAEONTOLOGY* **15**, 676–81.

2.2. Headings

Primary headings, including Acknowledgements and References, are to be numbered 1, 2, 3 etc. (as in these Instructions) and secondary headings 1.1, 1.2, 1.3 etc.; these are to begin at the left-hand margin and should not be underlined.

Show tertiary headings by wavy underlining. These should be indented and followed by a full-stop, four spaces and then the text of the sub-section. The introductory section requires no heading. Cross-references in the text should be to a section or sub-section, e.g. (see 2.3), not to a page.

3. Illustrations and tables

3.1. Illustrations

Illustrations, labelled figures (Fig. 1, 2, 3 etc.) are printed within the body of the text at column (85 mm) or page (177 mm) width, or page length (253 mm), but allowance must be made for figure captions. Where appropriate, group material into one figure and label a, b, c etc. In the case of groups of photographs, labels and annotation should be on the appropriate photograph, not in the space between photographs. No lettering should be less than 1 mm high at reproduction size (the use of capital letters throughout improves clarity after reduction). Transfer lettering is preferred. Large figures can be subdivided for reproduction on facing pages. Photographs should be high quality glossy prints with good contrast at final size and with a scale, or magnification in the caption. They should be mounted on *white* card, even if a black background is required in the published version (this requirement should be specified in an accompanying letter). In the case of fossil illustrations illumination should be top left. Originals of line drawings are usually required, either at publication size, or ×150%, but high quality prints on matt paper at publication size may be acceptable.

3.2. Tables

Tables (1, 2, 3 etc.) will generally be set up in type and reproduced at column or page width, although certain tables are better presented using transfer lettering; these should be submitted in the same way as line illustrations. Each table should have a heading and be on a separate sheet. For layout of analytical data see tables published in previous issues. Authors will be asked to send published analyses of igneous rocks to the UK-IGBA file.

4. References

Set out as indicated below. Abbreviate journal and series titles according to Part 2 (1975) of BS 4148 (*The abbreviation of titles of periodicals*. Word-abbreviation list. London: British Standards Institution). This system uses capitals throughout and no full-stops. Authors who are unable to obtain this list should give journal titles in full (in capitals). Indicate volume numbers of journals and series by wavy underlining and book titles by single underlining.

- Amstutz, G. C. 1968. Spilites and Spilitic Rocks. In Hess, H. H. & Poldervaart, A. (eds) *Basalts*, 737–53. New York: Interscience.
- Dick, J. R. F. 1978. On the Carboniferous shark *Tristychius arcuatus* Agassiz from Scotland. *TRANS R SOC EDINBURGH* **70**, 63–109.
- Duff, K. L. 1978. Bivalvia from the English Lower Oxford Clay (Middle Jurassic). *PALAEONTOGR SOC MONOGR.*
- Ferguson, J. & Currie, K. L. 1971. Evidence of liquid immiscibility in ultrabasic dikes, Ontario. *J PETROL* **12**, 501–85.
- Hatch, F. H., Wells, A. K. & Wells, M. K. 1972. *Petrology of the Igneous Rocks*, 13th edn. London: George Allen & Unwin.

5. Proofs and offprints

One set of proofs will be sent to the author (or senior author of a joint paper). Fifty free offprints are provided and additional copies can be ordered when proofs are returned.

TRANSACTIONS OF
THE ROYAL SOCIETY OF EDINBURGH:
EARTH SCIENCES

Volume 79

1988

Parts 2 and 3

SYMPOSIUM

**organised jointly by The Royal Society of Edinburgh and The Royal Society of London
on
The Origin of Granites**

(Issued 19 September 1988)

ISSN 0263-5933

TREASO 79 71-346 (1988)

Published by the Royal Society of Edinburgh
22 George Street, Edinburgh EH2 2PQ

*Printed in Northern Ireland
by The Universities Press (Belfast) Ltd.*