

THE
GEOLOGICAL MAGAZINE

VOL. XCIX OF WHOLE SERIES

JANUARY-DECEMBER, 1962

Stephen Austin & SONS LTD
ORIENTAL AND GENERAL PRINTERS
HENTFORD - HERTS

GEOLOGICAL MAGAZINE

with which is incorporated

THE GEOLOGIST

FOUNDED IN 1864 BY THE LATE DR. HENRY WOODWARD, F.R.S.

Edited by

O. M. B. BULMAN, Sc.D. A.R.C.Sc., F.R.S.,

S. R. NOCKOLDS, Ph.D., F.R.S.,

and

W. B. HARLAND, M.A.

assisted by

PROFESSOR W. G. FEARNSIDES, M.A., F.R.S.

PROFESSOR LEONARD HAWKES, D.Sc., F.R.S.

PROFESSOR O. T. JONES, M.A., D.Sc., F.R.S.

PROFESSOR SIR WILLIAM PUGH, O.B.E., D.Sc., F.R.S.

PROFESSOR C. E. TILLEY, Ph.D., F.R.S.

Vol. XCIX of Whole Series

JANUARY—DECEMBER, 1962

STEPHEN AUSTIN & SONS, LTD.
CAXTON HILL, WARE ROAD, HERTFORD, HERTS

CONTENTS

ARTICLES

(Figures in bold type denote number of issue)

- ADAMS, C. G., & H. J. C. KIRK.**
The Madai-Baturong Limestone Member of the Chert-Spilite Formation,
North Borneo, **4**, 289–303.
- ANGUS, N. S.**
Ocellar Hybrids from the Tyrone Igneous Series, Ireland, **1**, 9–26.
- BLACK, M.**
Fossil Coccospheres from a Tertiary Outcrop on the Continental Slope,
2, 123–127.
- BLYTH, F. G. H., & D. J. SHEARMAN.**
A Conglomeratic Grit at Knowle Wood, near Woolley, South Devon,
1, 30–32.
- BOWES, D. R.**
Kentallenite-Lamprophyre-Granite Age Relations at Kentallen, Argyll,
2, 119–122.
- BOWES, D. R., & A. E. WRIGHT.**
Washout Structures in the Dalradian near Kentallen, Argyll, **1**, 53–56,
- BRISTOW, C. M.**
The Geology of the Katmaian Volcanics of the Upper Oramutia Valley,
Kenya, **2**, 153–163.
- BULMAN, O. M. B.**
On the Genus *Amplexograptus* Lapworth, Elles and Wood, **5**, 459–467.
- BUTLER, B. C. M.**
Biotite- and Spheene-rich Rocks in the Moine Series of Ardnamurchan,
Argyllshire, **2**, 173–182.
- CANNON, R. T.**
The Gneisses of the Bartica Assemblage, British Guiana, **2**, 164–172.
- CARMICHAEL, I.**
A Note on the Composition of some Natural Acid Glasses, **3**, 253–264.
- CHEENEY, R. F.**
Early Tertiary Fold Movements in Mull, **3**, 227–232.
- DEARNLEY, R.**
Diopside-Orthoclase-Hornblende Rocks from the Lewisian Paragneisses
of South Harris, Outer Hebrides, **1**, 27–29.
- DEWEY, J. F.**
The Provenance and Emplacement of Upper Arenigian Turbidites in
Co. Mayo, Eire, **3**, 238–252.
- EWART, A.**
Hydrothermal Alteration in the Carrock Fell Area, **1**, 1–8.
- FLETCHER, B. N.**
Some Holothurian Spicules from the Ampthill Clay of Melton, near
Hull (Yorkshire), **4**, 322–326.
- FRANCIS, E. H., & C. J. C. EWING.**
Skipsey's Marine Band and Red Coal Measures in Fife, **2**, 145–152.
- FROST, M. J.**
Metamorphic Grade and Iron-Magnesium Distribution between Co-
Existing Garnet-Biotite and Garnet-Hornblende, **5**, 427–438.
- FULLER, M. D.**
A Magnetic Fabric in Till, **3**, 233–237.

- FYSON, W. K.
Tectonic Structures in the Devonian Rocks near Plymouth, Devon, 3, 208–226.
- GANGOPADHYAY, P. K., & M. R. W. JOHNSON.
A Study of Quartz Orientation and its Relation to Movement in Shear Folds, 1, 69–84.
- HAWKES, D. D.
The Structure of the Scotia Arc, 1, 85–91.
- HAWKINS, A. B.
The Buried Channel of the Bristol Avon, 4, 369–374.
- HOLLAND, C. H., J. D. LAWSON, & V. G. WALMSLEY.
Ludlovian Classification—A Reply, 5, 393–398.
- HOUTZ, R. R., & H. W. WELLMAN.
Turbidity Current at Kadavu Passage, Fiji, 1, 57–62.
- HUDSON, J. D.
Pseudo-pleochroic Calcite in Recrystallized Shell-limestones, 6, 492–500.
- HUTCHINS, P. F.
Authigenic Minerals in Carboniferous Sediments from Central Vestspitsbergen, 1, 63–68.
- KENNEDY, W. Q.
Some Theoretical Factors in Geomorphological Analysis, 4, 304–312.
- KLEIN, G. deV.
Sedimentary Structures in the Keuper Marl (Upper Triassic), 2, 137–144.
- LINDSTRÖM, M.
A Structural Study of the Southern End of the French Jura, 3, 193–207.
- MIDDLEMISS, F. A.
Vermiform Burrows and Rate of Sedimentation in the Lower Greensand, 1, 33–40.
- MILLER, T. G.
On *Hemimrypa hibernica* M'Coy, 4, 313–321.
- MOHR, P. A.
A Suspected Spilitic Rock from the Lower Cambrian Manganese Shale Group of the Harlech Dome, North Wales, 3, 265–272.
- NEALE, J. W., & W. A. S. SARJEANT.
Microplankton from the Speeton Clay of Yorkshire, 5, 439–458.
- NEVILL, W. E.
Stratigraphy and Origin of the Cork Red Marble, 6, 481–491.
- NORRIS, G.
Some Glacial Deposits and their Relation to the Hippopotamus-bearing Beds at Barrington, Cambridgeshire, 2, 97–118.
- PHILIP, G. M.
The Evolution of *Gryphaea*, 4, 327–344.
A Note on the Morphology of *Holectypus*, 4, 345–347.
- PHIPPS, C. B.
The Revised Ludlovian Stratigraphy of the Type Area—A Discussion, 5, 385–392.
- PRICE, N. J.
The Tectonics of the Aberystwyth Grits, 6, 542–557.
- RAMSAY, J. G.
The Geometry of Conjugate Fold Systems, 6, 516–526.
- RAY, P. S.
A Note on Some Acid Breccias in the Kilchrist Vent, Skye, 5, 420–426.
- REID, R. E. H.
Sponges and the Chalk Rock, 3, 273–278.

- RICE, R. J.
A Drift-filled Valley at Thistleton on the Rutland-Lincolnshire Border, **5**, 468–474.
- STEVENS, N. C.
The Petrology of Mt. Alford Ring-Complex, S.E. Queensland, **6**, 501–515.
- STEWART, A. D.
Greywacke Sedimentation in the Torridonian of Colonsay and Oronsay, **5**, 399–419.
- SUGDEN, W., & W. S. MCKERROW.
The Composition of Marls and Limestones in the Great Oolite Series of Oxfordshire, **4**, 363–368.
- SUTTON, J., & J. WATSON.
An Interpretation of Moine-Lewisian Relations in Central Ross-shire, **6**, 527–541.
- TANK, R. W.
Clay Mineralogy of Selected Clays from the English Wealden, **2**, 128–136.
- TAYLOR, G. H., & A. C. COOK.
Sclerotinite in Coal—its Petrology and Classification, **1**, 41–52.
- WALL, D.
Evidence from Recent Plankton Regarding the Biological Affinities of *Tasmanites* Newton 1875 and *Leiosphaeridia* Eisenack 1958, **4**, 353–362.
- WELLMAN, H. W.
A Graphical Method for Analysing Fossil Distortion Caused by Tectonic Deformation, **4**, 348–352.
- WYLLIE, P. J.
The Petrogenetic Model, an Extension of Bowen's Petrogenetic Grid, **6**, 558–569.

REVIEWS

- Arctic, Geology of the, **2**, 189.
Crystallometry, **1**, 94.
Earth, Study of the, **6**, 576.
Earth Today, The, **2**, 187.
Field Geology, Manual of, **4**, 380.
Geophysics, Applied, **6**, 576.
Geophysics, Methods and Techniques in, **2**, 187.
Geophysics für Geologen, Grundlagen der Angewandten, **2**, 190.
Mid-Tertiary Stratigraphical Correlation, Fundamentals of, **4**, 380.
Minerals, On the External Characters of, **5**, 480.
Minerals, Rocks, and Gemstones, **3**, 288.
Mining Research, International Symposium on, **3**, 288.
Palaeoclimatology, Descriptive, **2**, 188.
Paraguay, Geologie von, **6**, 575.
Publications Received, **1**, 95 ; **2**, 191 ; **4**, 383 ; **6**, 577.
Sea, A Hole in the Bottom of the, **2**, 190.
Variscan Fold Belt, Some Aspects of the, **4**, 381.

CORRESPONDENCE

- AGER, D. V. The Occurrence of Pedunculate Brachiopods in Soft Sediments, **2**, 184–186.
- BAILEY, E. B. ? Early Tertiary Fold Movements in Mull, **5**, 478–479.
- BOSE, M. K. Pre-Cambrian Perthisites in Nyasaland, **1**, 92.
- CASEY, R. Validation of the name *Nothodiscus* for a Genus of Cretaceous Ammonites, **5**, 479–480.

- CHUBB, L. J. Pattern of Islands, **3**, 279–281.
 COLLÉE, A. L. G. Tie-lines of Co-existing Pyroxenes, **3**, 283–284.
 DEARMAN, W. R. The Structure of Mid-Devon and North Cornwall, **5**, 476–478.
 FYSON, W. K. Origin of Fracture and Slaty Cleavage, **6**, 570–571.
 HALLAM, A. The Evolution of *Gryphaea*, **6**, 571–574.
 JONES, K. A. Origin of Albite Porphyroblasts, **1**, 92–93.
 McCALL, G. J. H. Volcanic Rocks of the Oramutia Section, Central Kenya, **5**, 475–476.
 MOREL, S. W. Pre-Cambrian Perthosites in Nyasaland, **6**, 575.
 MYERS, J. New Record of *Antraconauta tenuis*, **1**, 94.
 READING, H. G., & A. B. POOLE. Malvern Tectonics, **4**, 377–379.
 SIMPSON, S. Structures of Devon and Cornwall, **3**, 284–286.
 STEARNS, H. T. Pattern of Islands, **3**, 282–283.
 SUTTON, J. Torridonian Microfossils, **4**, 379.
 SUTTON, J., & J. V. WATSON. Festoon Bedding, **3**, 286–287.
 TRENDALL, A. F. Origin of Albite Porphyroblasts, **1**, 94.
 TURNER, J. S. The Type-Species of *Aganides*, *Clymenia*, and *Cyrthoceratites*, **2**, 183–184.
 WHITWORTH, T. Malvern Structures, **4**, 375–377.
 WILLIAMS, E. Origin of Fracture and Slaty Cleavage, **6**, 570.

PLATES

- I. Textures of Ocellar Hybrids, **1**, facing p. 26.
- II–IV. Sclerotinites in Coal, **1**, facing p. 52.
- V. Washout Structures in the Dalradian, **1**, facing p. 56.
- VI. Carbonate Replacement of Quartz and Feldspar, **1**, facing p. 68.
- VII. Quartz Orientation in Shear Folds, **1**, facing p. 84.
- VIII. Tertiary Coccospheres, **2**, facing p. 126.
- IX. Tertiary Coccospheres and Coccoliths, **2**, facing p. 127.
- X. Basic Inclusions within Gneisses, Bartica Assemblage, British Guiana, **2**, facing p. 172.
- XI. Biotite-sphene Rocks in the Moine Series, Ardnamurchan, **2**, facing p. 182.
- XII. Thin Sections of Upper and Lower Breccia, **4**, facing p. 302.
- XIII–XIV. Fossils from Madai-Baturong Limestone, **4**, facing p. 302.
- XV. *Hemitrypa hibernica* M'Coy, **4**, facing p. 320.
- XVI. Tectonic Deformation of Fossils, **4**, facing p. 352.
- XVII. Recent Phytoplankton and *Tasmanites*, **4**, facing p. 362.
- XVIII. Acid Breccias from the Kilchrist Vent, Skye, **5**, facing p. 426.
- XIX–XX. Microplankton from the Speeton Clay, **5**, facing p. 458.
- XXI. Pseudo-pleochroic Calcite and Aragonite in Jurassic Lamellibranch Shells, **6**, facing p. 500.
- XXII. Aberystwyth Grits, **6**, facing p. 557.