

CORRIGENDUM

Fibrous root growth and water use of sugar beet

KAY F. BROWN AND P. V. BISCOE


J. agric. Sci., Camb. (1985), **105**, 679–691

The authors regret that the following changes should be made to the paper.

On page 686, column 1, line 16, the words 'The mean value from Table 3 was ...' should be replaced by 'The ratios from Table 3 were ...'.

On page 686, column 2, line 6, '... 16% in sugar beet ...' should be replaced by '... 13% in sugar beet ...'.

On page 686, Fig. 8, the last section of the legend is incorrect and should read '▨, Shoot; □, storage root; ■, fibrous root'. The sugar-beet graph should be replaced by the following version.



On page 687, Fig. 10 should be replaced by the following version.




Fig. 10. Ratio of fibrous root to total dry matter in two nitrogen treatments. ●—●, N₁; ○—○, N₀.

CAMBRIDGE

Root Development and Function

Edited by P. J. GREGORY, J. V. LAKE and D. A. ROSE

This volume examines root development and root function in relation to a whole range of environmental factors including temperature, light, water, aeration, gravity and the mechanical strength of the soil.

Consideration is also given to the effects of some of these factors on mycorrhizae and nitrogen-fixing bacteria, which in turn influence root function.

The papers have been arranged in pairs, one each on root development and root function at four levels of organisation – cells, tissues, single plants and plant communities. The final chapter reviews some of the main themes raised in the volume and indicates the way that research at the cellular and tissue levels may progress in the future.

Society for Experimental Biology
Seminar Series 30

206 pp. 1987 0 521 32931 0

£20.00 net

For further information on these titles, please write to Shelby Howe at the address below.

Developmental Mutants in Higher Plants

Edited by H. THOMAS and D. GRIERSON

This volume looks at the effect of specific mutations, each of which alters development at one or more phases of the plant life cycle including: flower formation; fruit and seed development; and leaf morphogenesis and senescence. The study of such mutants has tremendous potential for advancing our understanding of the regulatory and developmental processes of plants and also has important implications for agriculture and horticulture.

Many of the major issues of modern developmental biology are addressed, notably pattern formation, regulation of gene expression, hormone action, environmental control and tissue culture. The book will also serve as a reference source of defined genotypes for physiological and biochemical studies of plant growth and differentiation.

Society for Experimental Biology
Seminar Series 32

304 pp. 1987 0 521 32844 6

£25.00 net

Cambridge University Press

The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU

Continued from back cover

	PAGE
MUIR, P. D., SYKES, A. R. and BARRELL, G. K. Calcium metabolism in red deer (<i>Cervus elaphus</i>) offered herbages during antlerogenesis: kinetic and stable balance studies	357
WRIGHT, D. and HUGHES, LL. G. Relationships between time, temperature, daylength and development in spring barley	365
SUTTON, J. D., BINES, J. A., MORANT, S. V., NAPPER, D. J. and GIVENS, D. I. A comparison of starchy and fibrous concentrates for milk production, energy utilization and hay intake by Friesian cows	375
MEELU, O. P., SAGGAR, S., MASKINA, M. S. and REKHI, R. S. Time and source of nitrogen application in rice and wheat	387
ESSIEN, A. I. and FETUGA, B. L. Effects of sex, age and body weight on selected organs of indigenous Nigerian pigs: liver, kidney, heart, lung-and-trachea	393
SINGH, HARSHARN and GILL, H. S. Interacting effects of magnesium with nitrogen on the growth and yield of wheat	399
SHORT NOTES	
ADETUYI, F. C. Response of three potato genotypes to density and method of cultivation	405
VAJRABUKKA, C., THWAITES, C. J. and FARRELL, D. J. The effects of duration of sprinkling and temperature of the drinking water on the feed intake and growth of pigs at high ambient temperature	409
PILL, W. G. and ROJAS, J. E. Response of fluid-drilled 'Grand Rapids' lettuce seeds to high temperature and low moisture	411

THE JOURNAL OF AGRICULTURAL SCIENCE

CONTENTS

Vol. 109 Part 2 October 1987

	PAGE
WILLIAMS, A. H. and WILLIS, G. L. The effect of sympathectomy on wool growth and catecholamine innervation of the skin in Wiltshire Horn sheep	209
FRISCH, J. E. Physiological reasons for heterosis in growth of <i>Bos indicus</i> × <i>Bos taurus</i>	213
DAVIES, D. A. Long-term effects of improvement methods on <i>Molinia caerulea</i> dominant rough grazing on wet hill land. 1. Pasture production, quality and botanical composition	231
DAVIES, D. A. Long-term effects of improvement methods on <i>Molinia caerulea</i> dominant rough grazing on wet hill land. 2. Mineral composition of herbage and soil physical, chemical and biological characteristics	243
EL SHAER, H. M., OMED, H. M., CHAMBERLAIN, A. G. and AXFORD, R. F. E. Use of faecal organisms from sheep for the <i>in vitro</i> determination of digestibility	257
ROOKE, J. A. and ARMSTRONG, D. G. The digestion by cattle of silage and barley diets containing increasing quantities of fishmeal	261
AMIR, D., THIMONIER, J. and GACITUA, H. The effect of a light pulse and melatonin, alone or in combination, on the reproductive performance of Finn-cross ewes in spring in Israel	273
SHARMA, K. N., RANA, D. S. and BHANDARI, A. L. Influence of growing various crops in five fixed cropping sequences on the changes in phosphorus and potassium content of soil	281
ABAYOMI, A. Y. Growth, yield and crop quality performance of sugarcane cultivar Co 957 under different rates of application of nitrogen and potassium fertilizers	285
KIBON, A. and HOLMES, W. The effect of height of pasture and concentrate composition on dairy cows grazed on continuously stocked pastures	293
NARWAL, S. S., DAHIYA, D. S., SINGH, G. and MALIK, D. S. Response of maize cultivars to sowing in the winter	303
WILLIAMS, INGRID H., MARTIN, A. P. and KELM, MARIA. The phenology of the emergence of brassica pod midge (<i>Dasineura brassicae</i> Winn.) and its infestation of spring oil-seed rape (<i>Brassica napus</i> L.)	309
PHILLIPPO, M., HUMPHRIES, W. R. and GARTHWAITE, P. H. The effect of dietary molybdenum and iron on copper status and growth in cattle	315
PHILLIPPO, M., HUMPHRIES, W. R., ATKINSON, T., HENDERSON, G. D. and GARTHWAITE, P. H. The effect of dietary molybdenum and iron on copper status, puberty, fertility and oestrous cycles in cattle	321
PHIPPS, R. H., SUTTON, J. D., WELLER, R. F. and BINES, J. A. The effect of concentrate composition and method of silage feeding on intake and performance of lactating dairy cows	337
NOUR, A. Y. M. and THONNEY, M. L. Carcass, soft tissue and bone composition of early and late maturing steers fed two diets in two housing types and serially slaughtered over a wide weight range	345

Continued inside back cover

© Cambridge University Press 1987

COPYING. This journal is registered with the Copyright Clearance Center, 27 Congress Street, Salem, Mass. 01970. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of \$5.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0021-8596/87 \$5.00 + 0.00.

ISI Tear Sheet Service, 3501 Market Street, Philadelphia, Pennsylvania 19106, USA, is authorized to supply single copies of separate articles for private use only.

For all other use, permission should be sought from Cambridge or the American Branch of Cambridge University Press.