

Index

- abiotic processing, stages of, 467–468
- abiotic reactions, 430, 457, 467
- abiotic sulfurization, 483–484
- abyssal peridotite, 455–456
- accretionary cycle, 277
- accumulation curve, 631
- acetate, in ultramafic systems, 495
- acetogenesis, 483
- active volcanoes
 - emissions from, 194–197, 216
 - temporal variability of, 208–209
- adiabatic mantle, 166–167
- affinity, 590
- aldehyde disproportionation reactions, 433–434
- aldol reactions, 434
- Alfred P. Sloan Foundation, 1
- aliphatic chains, 462
- alkalinity, cycle of, biological evolution and, 296
- alkanes, 424, 426–427
- alkenes, 424
- alloy–silicate melt partitioning, 29
 - coefficients, 16–17
 - $D_c^{\text{alloy/silicate}}$ and, 25
 - hydrogen and, 25–26
 - of LEVEs, 20–21
 - LEVEs and, 25
- American–Antarctic Ridge, 255–257
- anabolic reactions, 607–608
- anaerobic methane-oxidizing archaea (ANME), 530–531, 534
- anhydrous MORBs, 135–136
- animation, as substitution reaction, 430–433
- ANME. *See* anaerobic methane-oxidizing archaea
- Anthropocene, 627
- antigorite, 285–286
- aqueous electrolytes, 368
 - in confined liquids, 372
- aquifers, 191–192
- aragonite, 74, 137
- archaea
 - anaerobic methane-oxidizing, 530–531, 534
 - in subsurface biome, 533–534
- Archean, 283
- Ashadze, 494
- asthenospheric mantle, 70–72, 78–80
- atmosphere loss, MO and, 17–19
- atmospheric recycling, of sulfur, 100–102
- ATP, 588
- Aulbach, S., 68
- axial diffuse vents
 - basalts and, 492
 - oceanic rocky subsurface and, 492
- axial high temperature
 - basalts, 488–492
 - oceanic rocky subsurface and, 488–492
- Azores, 240–242
- Bagana, 217
- Baltic Sea, 527–528
- basalts. *See also* mid-ocean ridge-derived basalts
 - axial diffuse vents and, 492
 - axial high temperature, 488–492
 - carbon content of, 4–5
 - carbon dioxide and, 144
 - ocean islands and, 144
- benzaldehyde, 433–434
- benzene, 426
- Berner's model, 336
- bicarbonate ions, 19
- bioavailability, of OC, 505
- biofilm-based metabolisms, 504
- biogeochemical cycling, 480
 - reaction rate controls, 505
- biogeochemistry, of deep life, 561–562
- biological evolution, 299–300
 - alkalinity, cycle of and, 296
 - dioxygen cycle and, 294–296
 - subduction and, 294
- biomass, 587–588
 - deep biosphere, 588
 - energy limits and, 588
- bioorthogonal non-canonical amino tagging (BONCAT), 563
- biotic recycling, of sulfur, 100–102

- bipartite networks, 642–643
- Birch–Murnaghan equation of state (BMEOS), 171
- Birch's law, 50
- BMEOS. *See* Birch–Murnaghan equation of state
- Boltzmann constants, 395
- BONCAT. *See* bioorthogonal non-canonical amino tagging
- Brazilian diamonds, 103
- bridgmanite, 75–76, 90–91
- Brillouin scattering, 77
- Brønsted acid catalysis, 422
- BSE. *See* Bulk Silicate Earth
- bulk rock investigations, 449–451
- bulk silicate, 112
- Bulk Silicate Earth (BSE), 322, 325
 - carbon in, 10–14, 25–26
 - C/H ratio of, 14, 19
 - chondrites, 6–7
 - C/N ratios of, 14, 19
 - C/S ratio of, 16–18
 - D/H ratio of, 7–9
 - equilibrium accretion and budget of, 19–21
 - hydrogen in, 10–12
 - LEVE budgets of, 14–19, 25–26
 - magma ocean differentiation and budget of, 19–21
 - nitrogen in, 10–12
 - S/N ratio of, 16–18
 - sulfur in, 10–12
 - volatile budget of, 19–21
- Bureau, H., on diamond formation, 106–108
- CaCO₃, 56. *See also* carbonates
 - deep carbon stored as, 74
 - in dolomite, 73–74
- calcite, 74
- calcium silicate perovskite, 112
 - Ti-poor, 112–113
 - Ti-rich, 112–113
- calderas
 - emissions and, 201–206, 209
 - temporal variability of, 209
 - unrest in, 203–204
- Calvin–Benson–Bassham cycle, 564–565
- CaMg(CO₃), 73–74. *See also* carbonates
- Canary Islands, 143, 149–150, 240–242
- Candidate Phyla Radiations, 556–565
- Cannizzaro reactions, 433–434
- Cape Vede, 149–150
- carbide, 29, 461
 - atomic scale structure of, 47
 - crystalline, 47
 - in Fe(Ni) alloys, 72
 - graphite–Fe, 8
 - molten iron, 47
- carbide inner core model, 41–42
- carbon. *See also* deep carbon; organic carbon
 - abundance, 11–14
 - abundance of, in mantle, 67–73
 - in basalts, 4–5
 - baseline, 347–348
 - in BSE, 10–14, 25–26
 - in chondritic building blocks, 12
 - across CMB, 55–56
 - in continental lithosphere, 70–72
 - of continental subsurface, 500–501
 - in convecting mantle, 70–72, 254–257
 - in core formation, 20
 - in core over time, 55–56
 - in core–mantle segregation, 24–25
 - defining, 40
 - dissolved inorganic, 480–489
 - distribution of, 80–81, 276
 - on Earth, 4–5
 - in E-chondrites, 11–12
 - estimates of abundance of, 66–67
 - in exogenic systems, 347–348
 - extraction of, from mantle, 67–73
 - feedbacks, 299
 - in Fe(Ni) alloys, 72
 - forms of, 11–14, 66
 - fractionation of, 18–19
 - inheritance of, in mantle, 68
 - isotopic composition of, 8–9
 - as light element in core, 27–28, 40, 55
 - in mantle, 238
 - mantle melting and, 257–262
 - melting points and, 53–54
 - in meteorites, 11–14
 - mineral ecology, 630–633
 - movement of, 1
 - outgassed from volcanoes, 211–215
 - oxidation of, 418–419
 - oxidized form, 70–72
 - in partial melting, 258
 - perturbations in flux of, 277–278
 - polymorphs, 73–74
 - ratios, 11–14
 - in redox reactions, 80–81
 - reduced form, 70–72
 - residence time of, 277–278
 - sedimentary, 133
 - solidus and, 264
 - solubility, 18, 20–21
 - sources of, 211–215
 - speciation of, from mantle, 67–73
 - stability of, 70–72
 - in subconduction zones, 133
 - temporal distribution of, 628–629
 - in ultramafic systems, 494
 - in ureilites, 16
 - volcanic, 215
- carbon budgets, 4–5
 - constraints on, 56–57
 - of core, 40–41
 - from core accretion, 66–67
 - from core–mantle differentiation, 66–67

- ingassing, 66
- of Moon, 8–11
- outgassing, 66
- volcanic carbon and, 216–217
- carbon cycle, 57
 - cadence of, 278–279
 - carbon deposition centers and, 276–278
 - carbonate melts in, 129
 - components of, 277
 - continental, 499
 - contingency at, 299–300
 - deep water and, 105–106
 - diamonds and, 94–95
 - longevity of, 278–279, 299
 - long-term, 276–278
 - mantle transition zone and, 102–103
 - non-steady-state dynamic of, 299
 - organic chemistry of, 416–420, 438–439
 - pace of, 278–279
 - prediction of, 280–281
 - pulse of, 278–279, 292, 299
 - self-stabilizing feedbacks, 299
 - subduction, 276
 - subduction zones and, 416–417
 - supercontinent assembly and, 625–626
 - surface processes and, 279–283
 - tectonic, 279, 293–295
- carbon deposition centers, carbon cycle and, 276–278
- carbon dioxide, 455–456. *See also* emissions, carbon dioxide
 - atmospheric plumes of, 188–189
 - basalts and, 144
 - bulk, 135–136
 - decadal averages of, 196–197
 - degassing, 238–264
 - diffuse emissions, 191–192, 201–206
 - direct measurement of, 191
 - dissolution, 21–22
 - eclogites and, 146–147
 - experimental containers and, 457–458
 - during explosive eruptions, 197–198
 - flux, 195–196, 242–243, 250
 - global emission rates of, 193–194
 - groundwater and, 191–192
 - incipient melting and, 165–166, 170–171, 177
 - indirect measurement of, 190–191
 - in magmas, 238–264
 - as magmatic volatile, 188
 - in mantle, 67–68, 177
 - mantle plumes and, 251–254
 - melt density and, 170–171
 - methanation, 367–375
 - methane and, 95–96
 - in mid-ocean ridge system, 242–243
 - in MORBs, 243, 250–251
 - OIB, 252
 - partial melting and, 165–166
 - peridotite and, 146–147
 - primary magma, 253
 - saturation, 238–264
 - solubility of, 238
 - volcanic, 190
- carbon distribution, in core formation, 22–25
- carbon dynamics, at subduction/collision transition, 292–293
- carbon flux, 150–151, 339–341
 - carbonate precipitation and, 331–333
 - carbonate weathering and, 330–331
 - metamorphic inputs, 329–330
 - OC weathering and, 330–331
 - outputs, 331–334
 - silicate weathering and, 331–333
 - subduction zones and, 281
 - volcanic inputs, 328–329
- Carbon in Earth*, 1
- carbon isotopes
 - composition, 103
 - of diamonds, 103
 - in fluid-buffered systems, 97
 - fractionation, 97
 - of PDAs, 109
 - redox-neutral formation and, 96–98
- carbon neutrality, of subduction zones, 283–284
- carbon phase
 - diagram, 595
 - oxygen fugacity of, 76–77
- carbon reservoirs, 323–324
 - deep, 74–75
 - sizes of, 41
- carbon solubility, 18
 - in magmas, 67–68
 - subduction zone and, 284–285
- carbon speciation
 - in MO, 22
 - oxy-thermobarometry and, 76–77
- carbon transformation pathways, in subduction zones, 277–278
- carbon transport, 133
 - in cratonic lithospheric mantle, 142
 - under nanoconfinement, 363–364
 - in subduction zone, 289
- carbonaceous chondrites, LEVEs in, 15–29
- carbonaceous matter (CM)
 - abiotic formation of, 466–468
 - accumulation of, 466
 - composition of, 466–467
 - experimental occurrences of, 461–465
 - formation of, 464
 - future research on, 469–470
 - in hydrothermal experiments, 462–463
 - in hydrothermally altered mantle-derived rocks, 449
 - limits to knowledge about, 469–470
 - oxygen fugacity and, 462–463
- carbonate basalt, 113
- carbonate ions, 19

- carbonate melts
 - in carbon cycle, 129
 - compositions, 137–138
 - in cratonic lithospheric mantle, 138–139, 142–143
 - from diapirs, 287–288
 - extraction of, 148
 - from hot slabs, 287–288
 - importance of, 150
 - incipient melting of, 166–168
 - in intraplate settings, 143
 - under mid-ocean ridges, 147–148
 - migration of, 129, 132
 - at ocean islands, 143
 - silicate melts and, 168–169
 - stability fields of, 147
 - structure of, 168–169
 - with subconduction zones, 132–134
 - in upper mantle, 129
 - in various geodynamic settings, 166–168
- carbonate stability
 - constraints on, 130–131
 - oxygen fugacity and, 130
- carbonate weathering, carbon flux and, 330–331
- carbonated basalts
 - bulk compositions, 137
 - melt stability of, 179
- carbonated MORBs, 135–136
- carbonated sediment
 - melting of, 134–138
 - potassium in, 137–138
 - solidus of, 135–136
 - in transition zone, 134–138
 - in upper mantle, 134–138
- carbonates
 - assimilation, 70
 - breakdown of, 80–81
 - in cratonic lithospheric mantle, 140–142
 - experimental calibrations, 140–142
 - Fe-bearing, 75
 - formation of, 133
 - in mantle, 72–73, 143–145
 - mineral dissolution of, 133–134
 - Na-carbonate, 137
 - pelagic, 296–299
 - phase at solidus, 135–136
 - precipitation, 331–333
 - pump, 279–280
 - redox constraints on, 140–142
 - seismic detectability of, 77
 - silicate and, 142–143
 - solubility of, 285
 - stability fields of, 147
 - structure of, 282
 - thermoelastic properties of, 77–78
- carbonate–silicate melts, formation of, 69
- carbonatite melts, 173
 - mobility of, 168–178
- carbonatites, 133–134
 - abundance of, 149
 - classification of, 148
 - crustally emplaced, 147–150
 - deep, 144
 - emplacement of, 149
 - evolution of, 149
 - formation of, 144, 149
 - limits to knowledge and, 150–151
 - magmas, 130
 - magmatism of, 149
 - ocean islands and, 149
 - in subconduction zones, 134
- carbon-bearing fluids
 - complexity in, 358, 360
 - fluid–fluid interactions, 366
 - guest molecules in, 366–372
 - nanoconfinement and, 363
- carbon-bearing phases
 - limits to knowledge about, 81–82
 - stable forms of, 66
- carbon-bearing reactants, in experiments, 458–461
- carbonite peridotite
 - in mantle, 131–132
 - melting of, 131–132
- CARD. *See* catalyzed reporter deposition
- Carnegie Institute of Science, 388–389
- CaSiO₃-perovskite, 112–113
 - retrogressed, 114–115
- CaSiO₃-walstromite, 91–92
- catabolic reactions, 599–601
- catalyzed reporter deposition (CARD), 562–563
- cathodoluminescence, of Marange diamond, 95
- CaTiO₃-perovskite, 112–113
- C-bearing phases, in E-chondrites, 11–12
- cell counts, 586
- cellular bioenergetics, 566–567
- cementite. *See* Fe₃C
- Cenozoic, 276, 293
- Census of Deep Life, 558
- C/H ratios
 - of BSE, 14, 16–19
 - bulk weight, 13–14
 - subchondritic, 19
- C–H species, stabilization of, 19
- Le Chatelier's Principle, 420
- chlorite, 285–286
- chondrites
 - BSE, 6–7
 - CI, 6–7
 - E-chondrites, 6–7, 11–12, 15
 - EH, 15
 - EL, 15
 - ordinary, 15–16
- chondritic building blocks, carbon in, 12
- CI, chondrites, 6–7

- Circulation Obviation Retrofit Kit, 528–530
- Claisen–Schmidt condensation, 434
- climate, 188, 215
 - stability of Earth, 4
- climatic drivers
 - in elemental cycling, 319–321
 - negative feedbacks and, 319–321
- clinopyroxene, 136–137
- CLIPPIR diamonds, 114
 - inclusions in, 114–115
 - silicates in, 114–115
- closed-system volcanoes, 209
- CM. *See* carbonaceous matter
- CMB. *See* core–mantle boundary
- C/N ratios
 - of BSE, 14, 19
 - bulk weight, 13–14
 - superchondritic, 19
- Coast Range Ophiolite Microbial Observatory (CROMO), 532
- C–O–H fluids, 134
- cold oxic basement, subsurface biome of, 530
- compositional expansion coefficients, 41–50
- compressional-wave velocity, 53
- conductive geotherms, 132
- confined liquids
 - aqueous electrolytes in, 372
 - reactivity and, 374–375
 - solubility and, 369–370
 - volatile gas solubility in, 370–372
- continent. *See* supercontinent assembly
- continental crust, 326–327
- continental lithosphere, carbon in, 70–72
- continental lithospheric mantle, 326–327
- continental rifts, emissions and, 201–206
- continental subsurface, 497–498
 - biomes, 524–527
 - carbon content of, 500–501
 - carbon cycling, 499
 - deep bedrock in, 503–504
 - deep coal beds in, 503
 - environments, 498–501
 - hydrocarbon reservoirs in, 502–503
- continental weathering, 310
- convecting mantle, 237
 - carbon in, 70–72, 254–257
 - limits of knowledge about, 263–264
 - melting, 257–262
 - plumes, 251–254
 - sampling, 240–242
- convective geotherms, 132
- core, 4–5
 - carbon as light element in, 27–28, 40, 55
 - carbon budgets of, 40–41
 - carbon in, over time, 55–56
 - composition, 57
 - Fe₇C₃ at, 55
 - limits to knowledge about, 57–58
 - pressure of, 44
 - recovery, 237
- core accretion
 - carbon budget from, 66–67
 - multistage, 25–26
 - simulation of, 24–25
- core formation
 - carbon distribution in, 22–25
 - carbon in, 20
 - D_c^{alloy/silicate} in, 22–25
 - disequilibrium, 26–27
 - LEVEs in, 20
 - multistage, 23–26, 28
 - proto-Earth, 26–27
 - single-stage, 28
 - sulfide segregation and, 16–18
- core–mantle boundary (CMB)
 - carbon across, 55–56
 - chemical equilibrium at, 55–56
 - pressure for, 54–55
 - temperature at, 53
- core–mantle differentiation, carbon budget from, 66–67
- core–mantle fractionation, 23–24
- core–mantle segregation, 5, 22–23
 - carbon in, 24–25
- cracking reactions, 496–497
- cratonic lithospheric mantle
 - carbon transport in, 142
 - carbonate melts in, 138–139, 142–143
 - carbonates in, 140–142
 - deep, 142–143
 - kimberlite in, 138–139
 - metasomatism of, 142–143
 - oxygen fugacity in, 141
 - reduction of, 141
- Cretaceous Peninsular Ranges, 344–345
- CROMO. *See* Coast Range Ophiolite Microbial Observatory
- crustally emplaced carbonatites, 147–150
- cryptic methane cycle, 405–406
- C/S ratios
 - of BSE, 16–18
 - bulk weight, 13–14
 - of fumaroles, 193
 - temporal variability and, 210–211
- C/X ratios, 5
- cycloalkanes, 426
- cyclohexane, 423–426
- cyclohexanol, 426
- Darcy's law, 177
- D_c^{alloy/silicate}
 - alloy–silicate melt partitioning and, 25
 - in core formation, 22–25
 - sulfur in, 25

- DCO. *See* Deep Carbon Observatory
- deamination
 rates, 431–432
 as substitution reaction, 430–433
- DECADE. *See* Deep Earth Carbon Degassing
- decompression melting, 257
- deep bedrock, in continental subsurface, 503–504
- deep biosphere
 adaptations for survival in, 539, 568–569
 biomass, 588
 energetics, 585
 limits to knowledge about, 505–506
 locations, 481
 metabolism, 562–565
 similarities across, 504–505
- deep carbon
 as CaCO_3 , 74
 organic chemistry of, 416–420, 438–439
 reservoir, magnesite as, 74–75
 science, emergence of, 1
 subduction, 288–289
- Deep Carbon Observatory (DCO), 1, 90, 388–389
 Carbon Mineral Challenge, 632
 data and, 620
 DMGC and, 115–116
 Integrated Field Site Initiatives, 641
 on volcanism, 189–190
- deep carbonates, 144
- deep coal beds, in continental subsurface, 503
- Deep Earth Carbon Degassing (DECADE), 195, 206, 217–218
 on volcanism, 189–190
- deep life, 539–541
 biogeochemistry of, 561–562
- deep mantle
 oxy-thermobarometry of, 76–77
 redox freezing in, 111–114
- Deep Sea Drilling Program (DSDP), 250
- deep water
 carbon cycle and, 105–106
 diamonds and, 105
 in ringwoodite, 106
- degassing
 diffuse, 199–201, 204
 MO, 5
 passive, 197, 206–207
- dehydration, 436
 aqueous alcohol, 421–422
 as elimination reaction, 420–423
- dehydrogenation reactions, 423–427
- depleted MORB mantle (DMM), 211–215
- Desulfovibrio indonesiensis*, 570–571
- devolatilization pattern, 285–286
- D/H ratio, of BSE, 7–9
- diagenesis, 430
- DIAL. *See* differential absorption LIDAR
- diamantiferous peridotite, 70
- diamonds
 Brazilian, 103
 Bureau on, 106–108
 carbon cycle and, 94–95
 carbon isotope composition of, 103
 carbonates in, 135
 CLIPPIR, 114–115
 crystallization from single carbon fluid species, 97–98
 deep water and, 105
 defects in, 92
 depth of formation, 91–92
 diagnostic tools for, 107
 experiments for studying, 106–108
 Frost on, 106–108
 FTIR maps and, 92–94
 future research on, 115–116
 geobarometry of, 91
 HDF migration and, 99–100
 history of, 93–94
 inclusion entrapment, 106–108
 isochemical precipitation, 97
 Jagersfontein, 103
 Kankan, 103
 limits to knowledge about, 115–116
 lithospheric, 89–90
 mantle metasomatism and formation of, 99–100
 from mantle transition zone, 103–104
 Marange, 95
 metasomatic fluids and formation of, 98–100
 Monastery, 103
 monocrystalline growth of, 107
 natural growth media, 107
 Northwest Territories Canadian, 99–100
 obtaining, 89–90
 platelets in, 93–94
 polycrystalline formation of, 108–109
 precipitation of, and methane, 95–96
 Proterozoic lherzolitic formation, 110–111
 redox freezing and, 111–114
 redox-neutral formation of, 96–98
 scanning electron microscope images of, 107–108
 sublithospheric, 89–90
 super-deep, 105
 synthesizing, 106–107
 thermal modelling of, 92–94
 trapping of inclusions in, 92
- Diamonds and the Mantle Geodynamics of Carbon (DMGC)
 DCO and, 115–116
 goals of, 115–116
 research areas of, 90
 on super-deep diamonds, 105
- diapirs, carbonate melt from, 287–288
- DIC. *See* dissolved inorganic carbon
- dielectric constants, in nanoconfinement, 372–374
- differential absorption LIDAR (DIAL), 190–191
- differential equations, first order, 317

- diffuse degassing, 199–201, 204
 - emissions from, 207–208
- diffuse emissions, 191–192, 201–207
- diffusion
 - pore, 364–366
 - surface, 364–365
 - viscosity-diffusion, 171–172
- diffusion-sink experiments, 176
- dioxygen cycle, biological evolution and, 294–296
- disequilibrium core formation, 26–27
- disproportionation reactions, 433–434
 - aldehyde, 433–434
- dissolution, of siderites, 462–463
- dissolved inorganic carbon (DIC), 480–489
- dissolved organic carbon (DOC), 480–489
 - solubilization of, 484
- DMGC. *See* Diamonds and the Mantle Geodynamics of Carbon
- DMM. *See* depleted MORB mantle
- DOC. *See* dissolved organic carbon
- dolomite
 - CaCO₃ in, 73–74
 - crystal structure of, 73–74
 - high-pressure polymorphs and, 73–74
 - iron and, 73–74
 - MgCO₃ in, 73–74
- dolomitic carbonite, 132
- Dorado Outcrop, 492–493
- dormancy, 588–589
- dormant volcanoes, emissions from, 198
- down-going slab materials, 133
- DDSP. *See* Deep Sea Drilling Program
- E. coli*, 570–571
- EAR. *See* East African Rift
- Earth. *See also* Bulk Silicate Earth
 - carbon on, 4–5
 - climate stability of, 4, 313
 - life on, 4
 - mantle reservoir of, 4–5
 - organic chemistry and, 415–416
 - proto-Earth core formation, 26–27
 - structure of, 4–5
 - surface temperature of, 313
 - whole-Earth carbon cycle, 315–316, 338–341
- Earth Microbiome Project, 641
- EarthChem Library, 240–242, 623
- EAS. *See* electrophilic aromatic substitution
- East African Rift (EAR), 149, 205–206, 217, 328–329
- East Pacific Rise, 179, 240–241
- Ebelman reaction, 292
- EC. *See* Eddy covariance
- E-chondrites
 - carbon in, 11–12
 - C-bearing phases in, 11–12
 - LEVEs and, 15
 - model, 6–7
- eclogite, 70
 - carbon dioxide and, 146–147
 - in mantle, 144
 - melting, 215
- eclogite-derived melts, 146–147
- eclogitic lithospheric diamonds, 90
- Eddy covariance (EC), 191
- Eger Rift, 206
- EH chondrites, 15
- elastic geobarometry, 91–92
- electrical conductivity
 - anomalous, 181
 - enhancement, 176–177
 - incipient melting and, 173–174, 179
 - melt mobility and, 179
 - in olivine matrix, 174
- electrophilic aromatic substitution (EAS), 433–434
- elemental cycling
 - basic concepts of, 315
 - climatic drivers in, 319–321
 - negative feedback in, 319–321
 - residence time in, 315–319
 - steady state in, 315–319
- elimination reactions
 - dehydration as, 420–423
 - hydration as, 420–423
- EM1 OIB, 102
- EMFDD reaction, 131
- emissions, carbon dioxide
 - from active volcanoes, 194–197, 216
 - calderas and, 201–206, 209
 - constraints, 207
 - continental rifts and, 201–206
 - cumulative, 201–202
 - data distribution, 203
 - decadal averages of, 196–197
 - diffuse, 191–192, 201–207, 216
 - from diffuse degassing, 207–208
 - from dormant volcanoes, 198
 - estimation of, 197
 - during explosive eruptions, 197–198
 - fumaroles and, 198–201
 - global of carbon dioxide, 193–194
 - hydrothermal systems, 201–206
 - measurement of, 199–201
 - next iteration of, 206–208
 - over geologic time, 215
 - plume gas, 188, 201–203
 - quantifying, 215–217
 - synthesis of, 215–217
 - temporal variability of, 208–209
 - vent, 216
- EMOD buffers, 96–97
- endogenic systems, 314–315
- energy limits, 585
 - anabolism and, 607–608
 - biomass and, 588

- energy limits (cont.)
 - density and, 603–605
 - maintenance in, 586–587
 - microbial states and, 586–589
 - time and, 606–607
- Enermark field, 526–527
- entropy, 590
 - changes in, 590
 - defining, 590
- enzyme evolution, 635–636
- equilibrium accretion, BSE budget and, 19–21
- eruption forecasting, temporal variability and, 209–211
- eukaryotes, in subsurface biome, 535–536
- eutectic composition, 41–42
 - of Fe–O binary system, 42–43
 - of Fe–S binary system, 42–43
 - of Fe–Si binary system, 42–43
- exogenic reservoirs, 327–328
- exogenic systems, 314–315
 - carbon flux, 331
 - carbon in, 347–348
- experimental containers, carbon dioxide and, 457–458
- extreme cellular biophysics, 570–572
- extreme molecular biophysics, in subsurface environment, 567–570
- Fe₃C
 - density of, 47–48
 - inner core phase and, 50–52
 - natural form of, 44–48
 - near iron end member, 48
 - orthorhombic, 44–48
- Fe₇C₃
 - constraints from, 52
 - at core, 55
 - electrical resistivity of, 55
 - sound velocities of, 52
- Fe-bearing carbonates, melting of, 75
- Fe–C alloy
 - constraints from, 52
 - elasticity parameters for, 45
 - liquid, 49, 52
 - melting temperatures of, 53–55
 - near iron end member, 52
 - slab-derived, 56
 - sound velocities of, 50
- Fe–C binary system, 41–42
 - densities of, 44, 48
- FeCO₃, 78–79
- feedback loops, 317–318
- Fe–H, sound velocities of, 53
- Fe–light element alloys
 - melting curve parameters, 52
 - sound velocities of, 52–53
- Fe(Ni) alloys
 - carbide in, 72
 - carbon in, 72
 - precipitation curve, 70–71
- Fe–Ni–C alloys, solidus temperature ranges in, 72
- Fe–O binary system
 - characterizing, 44
 - eutectic composition, 42–43
 - melting temperatures, 55
 - sound velocities of, 53
- ferropericlase, 76
- Fe–S binary system
 - characterizing, 42
 - eutectic composition, 42–43
 - eutectic point of, 55
 - melting temperatures, 55
 - sound velocities of, 53
- Fe–Si binary system
 - characterizing, 42–44
 - eutectic composition, 42–43
 - melting temperatures, 55
 - sound velocities of, 53
- FISH. *See* fluorescent *in situ* hybridization
- Fisher–Tropsch process, 460–461
- flank gas emission, 188
- fluid addition, 215
- fluid inclusions, in oceanic lithosphere, 456–464
- fluid–fluid interactions, 366
- fluorescent *in situ* hybridization (FISH), 562–563
- flux melting, 144
- formaldehyde, 459
- formate, in ultramafic systems, 495
- founder effect, 540
- Fourier-transform infrared spectroscopy (FTIR) maps, 190–191, 238, 451–452
 - diamonds and, 92–94
- Friedel–Crafts reaction, 434
- Frost, D. J., 69
 - on diamond formation, 106–108
- FTIR. *See* Fourier transform infrared spectroscopy maps
- FTT reactions, 457–458
 - magnetite and, 464
- fumaroles, 213–214
 - C/S ratios of, 193
 - emission rates and, 198–201
- G protein-coupled receptors (GPCRs), 568
- Gakkel Ridge, 240–241, 250
- Galapagos Spreading Center, 248–249
- Garrett melt inclusion, 246–247
- gas giants, growth of, 10
- generalized inverse Gauss–Poisson (GIGP), 631–632
- genetic drift, 540
- Genomic Standard Consortium, 641
- geobarometry
 - of diamonds, 91
 - elastic, 91–92
- geo–bio interactions, 640–643
- geochemical tracers, 68
- geologic time
 - emissions over, 215
 - volcanic carbon and, 215

- geological cycle, 294
 GeoMapApp, 241–242
 geomimicry, 439
 geotherms
 conductive, 132
 convective, 132
 Gibbs energy, 589–599
 changes in, 591
 composition and, 599–601
 densities, 604–605
 molal, 604
 pressure and, 599–601
 standard state, 592–595
 surveying, 601–603
 temperature and, 599–601
 GIGP. *See* generalized inverse Gauss–Poisson
 global emission rates, of carbon dioxide, 193–194
 Global Volcanism Program (GVP), 197
 Volcanoes of the World, 194
 GOSAT. *See* Greenhouse Gases Observing Satellite
 GPCRs. *See* G protein-coupled receptors
 grain boundaries, 361–362
 Grand Tack scenario, 8–11
 graphite, 29
 exhausting, 259–260
 formation, 465–466
 in mantle, 259–260
 thermodynamic predictions, 465
 graphite–Fe–carbide, 8
 graphitization, 282–283
 green chemistry, 439
 greenhouse conditions, 342
 Greenhouse Gases Observing Satellite (GOSAT),
 192–193
 greenhouse intervals, 342–343
 groundwater
 carbon dioxide and, 191–192
 Vesuvio, 191–192
 Guaymas Basin, 527–528
 guest molecules, in carbon-bearing fluids, 366–372
 Gulf of Mexico, 527–528
 Gutenberg discontinuity, 164–165
 GVP. *See* Global Volcanism Program

Halicephalobus mephisto, 535
 harzburgite, 132
 Hashin–Shtrikman upper-bound (HS+) model,
 174–176
 Hauri, E. H., 189–190, 248–249, 264, 323
 Hawaii melt inclusions, 263
 Hazen, R. M., 630–632
 HDF microinclusions, in lithospheric diamonds, 99
 HDF migration, diamonds and, 99–100
 heat flux, from hotspots, 252
 Helgeson–Kirkham–Flowers (HKF) equations, 596
 helium, 213–215, 244–245
 hematite–magnetite, 457
 hematite–magnetite–pyrite, 457

 heteroatoms, 456
 HFSE. *See* high-field-strength element
 high-field-strength element (HFSE), 98–99
 highly siderophile element (HSE), 15–29
 sulfide segregation and, 16–18
 HIMU OIB, 102
 histone-like nucleoid structuring proteins (HNS), 568
 HKF equations. *See* Helgeson–Kirkham–Flowers
 equations
 Holocene, 194
 hot slabs, carbonate melt from, 287–288
 hothouses, 345–346
 hot spots, 240–242, 257
 heat flux from, 252
 HS+ model. *See* Hashin–Shtrikman upper-bound
 model
 HSE. *See* highly siderophile element
 hydration, as elimination reaction, 420–423
 hydraulic fracturing, 526–527
 hydrocarbon reservoirs, in continental subsurface,
 502–503
 hydrocarbons, short-chain, 495
 hydrogen
 alloy–silicate melt partitioning and, 25–26
 in BSE, 10–12
 fractionation of, 18–19
 isotopic composition of, 8–9
 methane and, 459–460
 hydrogenation reactions, 423–427
Hydrogenophaga, 531–532
 hydrogenotrophic methanogenesis, 483
 hydrolyzable amino acids, 495
 hydrothermal
 carbon pump, 279–280, 283
 circulation, 495–496
 experiments, CM in, 462–463
 petroleum, 484–497
 reactions, 436–437
 hydrothermal systems
 abundance of, 204
 emissions and, 201–206
 sedimented, 496–497
 volcanism and, 204
 hydrothermally altered mantle-derived rocks, CM in,
 449

 ICB. *See* inner core boundary
 ICDP. *See* International Continental Drilling Programs
 icehouse conditions, 342
 icehouse drivers, 344–345
 Iceland, 240–242
 igneous aquifers, 499–502
 IMLGS. *See* Index to Marine and Lacustrine
 Geological Samples
 incipient melting
 carbon dioxide and, 165–166, 170–171, 177
 of carbonate melt, 166–168
 composition, 167

- incipient melting (cont.)
 - defining, 163–165
 - density, 170–171
 - electrical conductivity and, 173–174, 179
 - interconnectivity, 175–176
 - limits of knowledge about, 182
 - mantle convection and, 181–182
 - melt mobility of, 177–179
 - origins, 164
 - of peridotite, 179
 - profiles, 167–168
 - of silicate melt, 166–168
 - stability fields in, 165–166
 - transport properties, 171–172
 - types of, 177–178
 - viscosity-diffusion, 171–172
 - water and, 165–166, 170–171
- Index to Marine and Lacustrine Geological Samples (IMLGS), 240–241
- inner core
 - Fe₃C and, 50–52
 - late veneer, 8–11
 - phase, 50–52
 - sound velocities in, 50–51
- inner core boundary (ICB), 41–42
- insoluble organic molecules (IOMs), 11
- Integrated Ocean Drilling Program (IODP), 250, 527
- International Continental Drilling Programs (ICDP), 641
- International Ocean Discovery Program (IODP), 641
- interphase boundaries, 361–362
- Interunion Commission on Biothermodynamics, 596–597
- intraplate settings, carbonate melts in, 143
- inverse Monte Carlo simulations, 26–27
- IODP. *See* Integrated Ocean Drilling Program, International Ocean Discovery Program
- IOMs. *See* insoluble organic molecules
- iron
 - carbon alloys, 40–41
 - dolomite and, 73–74
 - melting point, 53–54
 - redox capacity of, 107–108
 - spin state, 78–79
- iron end member
 - Fe₃C near, 48
 - Fe–C alloy near, 52
- iron–light element systems
 - binary phase relations, 41–42
 - phase relations of, 41–44
- isotope clumping, 388
 - kinetics, 393–399
- isotopic reservoirs, 401–405
- Jagersfontein diamonds, 103
- Jagersfontein kimberlite, 76
- Juan de Fuca Ridge, 240–241, 248–249, 493, 528–530
 - warm anoxic basement of, 528–530
- Jupiter, 8–11
- Kaapvaal cratons, 69, 101, 103
- Kankan diamonds, 103
- karpatite, 450–451
- Kerguelen Islands, 143
- kerogen, 282–283
- Kidd Creek, 400–401
- Kilauea, 253
- kimberlite, 89–90, 106–107, 139–140
 - in cratonic lithospheric mantle, 138–139
 - eruption dates, 93, 111
 - genesis of, 140
 - group 1, 139
 - group 2, 139
 - Jagersfontein, 76
 - magmatism, 110–111
 - origins of, 139
 - oxygen fugacity and, 130–131
 - parental magma composition, 139–140
- kinetic array, 399–401
- kinetic inhibition, 419–420
- kinetic minimum, 293
- kinetic rate constants, 340
- kinetics
 - isotope clumping, 393–399
 - Michaelis–Menten, 393–399
- Kokshetav, 292
- LAB. *See* lithosphere–asthenosphere boundary
- labile amino acids, 497
- large igneous provinces (LIPs), 254
- large ion lithophile element (LILE), 98–99
- large number of rare events (LNRE), 630–631
- late accretion, 14–16
- LEED. *See* low-energy electron diffraction
- LEVEs. *See* life-essential volatile elements
- Lewis acid catalysis, 422
- lherzolite, 132
- LIDAR. *See* Light Detection and Ranging
- life, records of, 294
- life-essential volatile elements (LEVEs), 4, 28–29
 - alloy–silicate melt partitioning and, 25
 - alloy–silicate partitioning of, 20–21
 - budgets of BSE, 14–19, 25–26
 - in carbonaceous chondrites, 15–29
 - constraints from isotopes of, 7–8
 - in core formation, 20
 - delivery timing of, 17–18
 - distributions of, 5–6
 - E-chondrites and, 15
 - initial distributions of, 20
 - isotopic compositions of, 5
 - limits of knowledge, 29
 - origins of, 11, 19–20

- solubility data for, 19
- unknowns involving, 29
- Light Detection and Ranging (LIDAR), 190–191
- light elements, 49
 - carbon as, in core, 27–28, 40
- lignin phenols, 481–483
- Ligurian Tethyan ophiolites, 453–454
- LILE. *See* large ion lithophile element
- LIPs. *See* large igneous provinces
- liquid Fe–C alloy, 49
 - constraints from, 52
 - elasticity parameters for, 46
 - sound velocities of, 52
- liquid outer core, oxygen in, 44
- lithophile elements, 6–7
- lithosphere–asthenosphere boundary (LAB), 164
 - defining, 181
 - geophysical discontinuities, 181
 - thermal, 167–168
- lithospheric diamonds, 89–90
 - classification of, 90
 - composition of, 90
 - eclogitic, 90
 - formation of, 90
 - HDF microinclusions in, 99
 - peridotitic, 90
 - reduced mantle volatiles in, 94–96
 - refertilization in, 110
- lithospheric mantle, continental, 326–327
- lithospheric reservoir, 348
- LNRE. *See* large number of rare events
- Logatchev hydrothermal fields, 449–450, 494
- Loihi, 253
- longevity, of carbon cycle, 278–279
- Lost City, 404–405
- low energy states, 589
- low-velocity zone (LVZ), 164–165, 181
 - limits of knowledge about, 182
- low-energy electron diffraction (LEED), 452–453
- Lucky Strike segment, 240–241
- LVZ. *See* low-velocity zone
- macrofauna, 481
- magma ocean (MO)
 - atmosphere interactions, 17–19
 - BSE budget and, 19–21
 - carbon speciation in, 22
 - degassing, 5
- magmas, carbon dioxide in, 238–264
- magnesite, as deep carbon reservoir, 74–75
- magnesium budgets, 492–493
- magnetite, 459
 - FTT and, 464
- MAGs. *See* metagenome-assembled genomes
- Maier–Kelley formulation, 596
- Main Ethiopian Rift (MER), 205–206
- maintenance
 - in energy limits, 586–587
 - measurements of, 587
- Manam, 217
- mantle. *See also* convecting mantle; cratonic
 - lithospheric mantle; deep mantle; upper mantle
 - abundance of carbon in, 67–73
 - adiabatic, 166–167
 - asthenospheric, 70–72, 78–80
 - carbon dioxide in, 67–68, 177
 - carbon in, 238
 - carbonate in, 143–145
 - carbonate minerals in, 72–73
 - carbonite peridotite in, 131–132
 - convection, 181–182
 - deep, 76–77, 111–114
 - degassing, 339–342
 - eclogite in, 144
 - extraction of carbon from, 67–73
 - graphite in, 259–260
 - incipient melting and, 181–182
 - ingassing, 339–342
 - inheritance of carbon at, 68
 - oxidation of, 258
 - oxidized carbon in, 77–78
 - peridotite in, 113–114, 144
 - resistive lids, 164–165
 - slab-derived fluids in, 134
 - speciation of carbon from, 67–73
 - sulfur in, 100–102
- mantle geodynamics. *See* Diamonds and the Mantle
 - Geodynamics of Carbon
- mantle melting regime, 164
 - carbon and, 257–262
- mantle metasomatism, 100–101
 - characterizing, 163
 - defining, 163–165
 - diamond formation and, 99–100
- mantle plumes
 - carbon dioxide and, 251–254
 - convecting, 251–254
- mantle reservoirs
 - of Earth, 4–5
 - modern, 322–326
 - primitive, 322–326
- mantle transition zone
 - carbon cycle and, 102–103
 - diamonds from, 103–104
 - hydration state of, 105
- MAR. *See* Mid-Atlantic Ridge
- Marange diamonds, 95
 - cathodoluminescence of, 95
 - methane and, 95–96, 98
 - RIFMS for, 98
- Mars, 26–27, 259–260, 321
- Masaya, 209
- mass-independent fractionation (MIF), 100–101

- MED. *See* Mineral Evolution Database
- melt, incipient. *See* incipient melting
- melt composition, melt mobility and, 177–179
- melt density
- calculation of, 170–171
 - carbon dioxide and, 170–171
 - curve, 170–171
 - water and, 170–171
- melt inclusions
- data sets, 240–242
 - Garrett, 246–247
 - glassy, 253
 - Hawaii, 263
 - isotopic heterogeneity in, 246–248
 - MORB, 244–248
 - OIBs and, 252–253
 - Siqueiros, 246–247
 - volumes, 242
- melt mobility
- electrical conductivity and, 179
 - of incipient melts, 177–179
 - melt composition and, 177–179
- melt stability, of carbonated basalts, 179
- melts. *See specific types*
- Menez Gwen, 494
- MER. *See* Main Ethiopian Rift
- Mesozoic, 276
- metagenome-assembled genomes (MAGs), 558–560
- metamorphic inputs, carbon flux, 329–330
- metamorphism, defining, 188
- metasomatic fluids, diamond-forming, 98–100
- metasomatism. *See also* mantle metasomatism
- of cratonic lithospheric mantle, 142–143
 - overprints, 142
- metatranscriptomics, 560
- meteorites, carbon in, 11–14
- methanation, carbon dioxide, 367–375
- methane, 388–389, 447–448, 459, 489
- biogenic, 503
 - carbon dioxide and, 95–96
 - cycling, 504
 - in diamond precipitation, 95–96
 - formation, 403, 465–466
 - hydrogen and, 459–460
 - limits to knowledge about, 409
 - in Marange diamonds, 95–96, 98
 - oxidation, 405–409
 - production of, 459–460
 - synthesis of, 95–96
 - thermodynamic equilibrium and, 388–389
 - in ultramafic systems, 494–495
- methanogenesis
- differential reversibility of, 406
 - reversibility of, 394
- methanol, 459
- formation of, 459
- methylcyclohexanol, 435–436
- MgCO₃, 56. *See also* carbonates
- in dolomite, 73–74
- Michaelis–Menten kinetics, 393–399
- microbial array, 399–401
- microbial ecosystems, 640–643
- microbial metabolism, in subsurface environment, 562–565
- microbial states, energy limits and, 586–589
- micro-Raman spectroscopy, 91–92
- microscale, *in situ* investigations at, 451–464
- Mid-Atlantic Ridge (MAR), 240–241, 494
- mid-ocean ridge system
- carbon dioxide in, 242–243
 - carbonate melts under, 147–148
- mid-ocean ridge-derived basalts (MORBs), 112–113, 213, 237
- anhydrous, 135–136
 - bulk compositions of, 135–136
 - carbon dioxide in, 243, 250–251
 - carbonated, 135–136
 - chemistry of, 135–136
 - compositions, 137, 248–251
 - eruption of, 243
 - melt inclusions, 244–248
 - oxidation of, 69
 - oxygen fugacity and, 69
 - samples, 243–244
 - solubility in, 243–244
 - vapor-undersaturated, 246
 - variations in, 248–251
- MIF. *See* mass-independent fractionation
- Mineoka ophiolite complex, 455–456
- Mineral Evolution Database (MED), 621
- Miyakejima volcano, 195
- MO. *See* magma ocean
- modern mantle reservoirs, 322–326
- molecular lubrication, pore diffusion and, 365–366
- Momotombo, 209
- Monastery diamonds, 103
- montmorillonites, 464–465
- Moon
- carbon budgets of, 8–11
 - formation of, 11, 26–27
- MORBs. *See* mid-ocean ridge-derived basalts
- Mount Etna, 208, 328–329
- Multi-Gas measurements, 190–191
- Murowa, 93
- Na-carbonate, at solidus, 137
- Nankai Trough, 527–528
- nanoconfinement
- carbon transport under, 363–364
 - carbon-bearing fluids and, 363
 - dielectric constants in, 372–374
- nanoporosity, 359–360, 362–363
- features of, 360–363
- NanoSIMS, 562–563

- National Centers for Environmental Information (NCEI), 240–241
- National Oceanographic and Atmospheric Association, 240–241
- NBO/T approach, 21–22
- NCEI. *See* National Centers for Environmental Information
- negative feedback, 317–318, 338
 climatic drivers and, 319–321
 in elemental cycling, 319–321
- Neoproterozoic, 346–347
- network analysis, 640–643
- Newer Volcanics of Victoria, 132
- Nibelungen, 494
- nitrogen
 aggregation, 93
 in BSE, 10–12
 depletion, 18–19
 fractionation of, 18–19
 isotopic composition of, 8–9
 as siderophile elements, 25
- nitrogen cycle, mantle transition zone and, 102–103
- nominal oxidation state of carbon (NOSC), 587–588
- non-ideal conditions, 598
- Northwest Territories Canadian diamonds, 99–100
- NOSC. *See* nominal oxidation state of carbon
- novel genes, 564–565
- Nuna, 629
- Nyiragongo volcano, 195, 201–206
- OC. *See* organic carbon
- Ocean Drilling Program (ODP), 492–493
 Hole 735B, 455
 Leg 201, 527–528
- ocean island basalt (OIB), 237
 carbon dioxide in, 252
 chemistry of, 135–136
 melt inclusions and, 252–253
 sulfides from, 101–102
- ocean islands
 basalts and, 144
 carbonate melts beneath, 143
 carbonatites and, 149
- oceanic crust, 487–488
 axial diffuse vents and, 492
 axial high temperature and, 488–492
 characteristics, 491
 fluid inclusions in, 456–464
 recharge water and, 487–488
 ridge flanks and, 492–493
 subsurface biome of, 528
 ultramafic systems and, 493–495
 warm anoxic basement, subsurface biome of, 528–530
- OCO-2. *See* Orbiting Carbon Observatory
- ODP. *See* Ocean Drilling Program
- OET. *See* oxygen exposure time
- OIB. *See* ocean island basalt
- Oldoinyo Lengai, 198–199
- oligomer dissociation, 569
- olivine, 132
 carbonation of, 462
 olivine matrix, electrical conductivity in, 174
- Olmani Cinder cone, 132
- OMI. *See* Ozone Monitoring Instrument
- Opalinus Clay, 526–527
- orangeites, 139
- Orbiting Carbon Observatory (OCO-2), 192–193
- ordinary chondrites, 15–16
- organic carbon (OC), 282
 anaerobic breakdown of, 483
 bioavailability of, 505
 burial rate, 333
 carbon flux and, 330–331
 dissolved, 480–489
 oxidation of, 481
 particulate, 480–489
 weathering, 330–331
- organic chemistry
 bonds in, 415–416
 of carbon cycle, 416–420, 438–439
 of deep carbon, 416–420, 438–439
 Earth and, 415–416
- organic matter preservation, in sedimentary subsurface, 484–485
- organic oxidations, 427–429
- orthopyroxene, 132
- oxidation
 aqueous, 428
 of carbon, 418–419
 methane, 405–409
 organic, 427–429
 of organic carbon, 481
- oxidized carbon, in mantle, 77–78
- oxygen, in liquid outer core, 44
- oxygen exposure time (OET)
 models of, 486–487
 sedimentary subsurface and, 486
- oxygen fugacity, 17–18, 21–22, 150–151
 of carbon phases, 76–77
 carbonate stability and, 130
 CM and, 462–463
 in cratonic lithospheric mantle, 141
 kimberlite and, 130–131
 magnitude of, 131
 MORBs and, 69
- oxy-thermobarometry
 carbon speciation and, 76–77
 of deep mantle, 76–77
- Ozone Monitoring Instrument (OMI), 193, 206–207
 data sets, 197
- pace, of carbon cycle, 278–279
- PAH. *See* polycyclic aromatic hydrocarbon
- Paleocene–Eocene thermal maximum (PETM), 319

- partial melting
 - carbon dioxide and, 165–166
 - carbon in, 258
- particulate organic carbon (POC), 480–489
 - microorganisms accessing, 484
- PDAs. *See* polycrystalline aggregates
- Pearson correlation coefficients, 246–247
- pelagic carbonates, in subduction zone, 296–299
- periclase, 113–114
- peridotite, 130, 144–145
 - abyssal, 455–456
 - carbon dioxide and, 146–147
 - incipient melting of, 179
 - in mantle, 113–114, 144
 - solidus of, 258
- peridotitic lithospheric diamonds, 90
- permeability, 177, 203–204
- perturbations, 277–278
- Peru Margin, 527–528
- petit spot volcanism, 179, 238
- PETM. *See* Paleocene–Eocene thermal maximum
- petrogenic carbon, 481–483
- Phanerozoic, 149, 281–282
- phase relations, of iron–light element systems, 41–44
- Photobacterium profundum*, 570–571
- piezolyte, 570
- Pitcairn, 253
- Planck constants, 395
- planetary embryos, 28–29
 - sulfur in, 26
- plume gas emissions, 188, 201–203
- POC. *See* particulate organic carbon
- Poisson's ratio, 77–78
- polycrystalline aggregates (PDAs), 108–109
 - absolute ages of, 109
 - carbon isotope values of, 109
 - formation of, 109
- polycrystalline diamond formation, 108–109
- polycyclic aromatic hydrocarbon (PAH), 450–451, 497
- pore diffusion
 - molecular lubrication and, 365–366
 - steric effects and, 364–365
- porosity. *See* nanoporosity
- potassium, in carbonated sediment, 137–138
- predictive reaction-rate models, 432–433
- PREM model, 50
- pressure–temperature plot, silicate melts and, 144–145
- primary magma carbon dioxide, 253
- primitive mantle reservoirs, 322–326
- process end members, 401–402
- propanoic acid, 428
- protein expression, 635–636
- protein unfolding, 569
- Proterozoic, 283
- Proterozoic lherzolitic diamond formation, 110–111
 - through time, 110–111
- protoplanetary bodies, 20
- P–T trajectories, 285–287, 289
 - subduction zone, 289–290
- pulse, of carbon cycle, 278–279
- pumps
 - carbonate, 279–280
 - hydrothermal carbon, 279–280
 - soft-tissue, 279–280
- pyrite–pyrrhotite–magnetite, 457
- QFM buffer, 258
- quartz–fayalite–magnetite, 457
- radiogenic isotopes, 237–238
- rare biosphere, 525–526
- rare earth elements (REE), 129
- Rayleigh isotopic fractionation in multi-component systems (RIFMS), 97, 109
 - for Marange diamonds, 98
- reactivity, confined liquids and, 374–375
- recharge water, oceanic rocky subsurface and, 487–488
- recycling processes, 164
- Redoubt Volcano, 204
- redox capacity
 - of iron, 107–108
 - of sulfides, 107–108
- redox constraints, on carbonates, 140–142
- redox freezing
 - in deep mantle, 111–114
 - defining, 113–114
 - diamonds and, 111–114
- redox processes, in subduction zone, 290–291
- redox reactions, 75, 81
 - carbon in, 80–81
- redox-neutral formation
 - carbon isotope fractionation and, 96–98
 - of diamonds, 96–98
- reduced mantle volatiles
 - in lithospheric diamonds, 94–96
 - in sublithospheric diamonds, 94–96
- REE. *See* rare earth elements
- refractory elements, constraints from isotopes of, 6–7
- refractory garnet peridotites, 111
- remineralization, 481
- reservoirs
 - carbon, 41, 323–324
 - deep carbon, 74–75
 - exogenic, 327–328
 - hydrocarbon, 502–503
 - isotopic, 401–405
 - lithospheric, 348
 - mantle, 4–5, 322–326
 - Solar, 8–9
- residence time
 - defining, 318–319
 - in elemental cycling, 315–319
- response time, defining, 318–319

- Rhine Graben, 206
 ribosomal gene sequencing, 558
 ridge flanks
 advective flow through, 492
 oceanic rocky subsurface and, 492–493
 RIFMS. *See* Rayleigh isotopic fractionation in multi-component systems
 ringwoodite, deep water in, 106
 Rio Grande Rift, 206
 rocks. *See specific types*
 Rodinia, 620, 629
 supercontinent assembly of, 623–625
 Rotorua, 201–204
 RRUFF Project, 633

 S isotopic systematics, 100–101
 in sulfide inclusions, 101
 Sabatier reaction, 395–398
Saccharomyces cerevisiae, 570–571
 SAGMEG. *See* South African Gold Mine
 Miscellaneous Euryarchaeal Group
 SAGs. *See* single-cell amplified genomes
 sapropels, 484
 scanning electron microscope images, of diamonds, 107–108
 scanning transmission X-ray microscope, 485
 Schoell plot, 402
 seafloor dredging, 237–238
 seafloor weathering feedback, 338
 secondary ion mass spectrometry (SIMS), 238
 sedimentary aquifers, 499–502
 sedimentary carbon, 133
 subduction, 280–281
 sedimentary subsurface, 481
 chemical composition of, 481–484
 organic matter preservation in, 484–485
 oxygen exposure time and, 486
 sorption in, 485–486
 sedimented hydrothermal systems, 496–497
 selective preservation, 483–484
 serpentinized oceanic rocks, 451–452
Serpentinomonas, 531–532
 shear-wave velocity, 53
 Shimokita Peninsula, 527–528
 siderites, 461
 dissolution of, 462–463
 siderophile elements, 6–7
 nitrogen as, 25
 silicate, 4, 310. *See also* Bulk Silicate Earth
 carbonate and, 142–143
 silicate melt, 21–22
 carbonate melts and, 168–169
 extraction of, 148
 formation of, 143–144
 incipient melting of, 166–168
 pressure–temperature plot and, 144–145
 stability fields of, 147
 structure of, 168–169
 in upper mantle, 143–144
 in various geodynamic settings, 166–168
 viscosity–diffusion and, 172
 silicate weathering
 carbon flux and, 331–333
 feedback, 334–338
 global rates of, 336–337
 silicates, in CLIPPIR diamonds, 114–115
 SIMS. *See* secondary ion mass spectrometry
 single-carbon species, 459
 single-cell amplified genomes (SAGs), 558–560
 single-species ecosystems, 525–526
 SiO₂
 bulk, 135–136
 in subduction zone, 291
 SIP. *See* stable isotope probing
 Siqueiros Fracture Zone, 245–246
 Siqueiros melt inclusion, 246–247
 Siqueiros Transform, 240–241
 slab-derived fluids, in mantle, 134
 slave cratons, 101
 SLiMEs. *See* subsurface lithoautotrophic microbial ecosystems
 small polar compounds, 496
 small volcanic plumes, 198–201
 smectite clays, 464–465
 S/N ratio, of BSE, 16–18
 snowballs, 346–347
 soft-tissue pump, 279–280
 Solar reservoir, 8–9
 solidus
 carbon and, 264
 carbonate phase at, 135–136
 of carbonated sediment, 135–136
 curves, 136
 Na-carbonate at, 137
 of peridotite, 258
 solubility
 confined liquids and, 369–370
 of DOC, 484
 sorption, in sedimentary subsurface, 485–486
 sound velocities
 of Fe–C alloy, 50
 in inner core, 50–51
 South African Gold Mine Miscellaneous Euryarchaeal Group (SAGMEG), 534
 Southwest Indian Ridge, 255–257
 spin transition, 77–78
 diagram, 78–79
 spot measurements, 195–196
 SRB. *See* sulfate-reducing bacteria
 stability fields, in incipient melting, 165–166
 stable isotope probing (SIP), 562–563
 steady state
 in elemental cycling, 315–319
 transition to new, 321–322

- steric effects
 - pore diffusion and, 364–365
 - surface diffusion and, 364–365
- Stromboli, 208
- S-type asteroids, 7–9
- subaerial volcanic budget, 206–207
- sub-arc depths, 133–134
- subconduction zone
 - carbon in, 133
 - carbonate melts with, 132–134
 - carbonatites in, 134
 - cross-section of, 134
- subduction, 215, 311
 - biological evolution and, 294
 - carbon cycling, 276
 - cycle, 277
 - deep carbon, 288–289
 - flux, 334
 - sedimentary carbon, 280–281
 - shelf carbon, 276–278
- subduction zones, 300
 - carbon cycle and, 416–417
 - carbon flux and, 281
 - carbon neutrality of, 283–284
 - carbon solubility and, 284–285
 - carbon transformation pathways in, 277–278
 - carbon transport in, 289
 - dissolution in, 285–287
 - models of, 310–312
 - pelagic carbonates in, 296–299
 - P–T trajectories, 289–290
 - redox processes in, 290–291
 - SiO₂ in, 291
 - sources and sinks, 279–280
 - tectonic building blocks at, 292–293
 - thermal anomalies in, 289
 - water in, 291–292
- subduction/collision transition, carbon dynamics at, 292–293
- sublithospheric diamonds, 89–90
 - formation of, 90–91
 - inclusions in, 96
 - reduced mantle volatiles in, 94–96
 - study of, 90–91
- sub-seafloor sediments, subsurface biomes, 527–528
- substitution reaction
 - amination as, 430–433
 - deamination as, 430–433
- subsurface biome, 524–526, 572–573. *See also*
 - continental subsurface;
 - deep biosphere
 - adaptations for survival in, 539, 568–569
 - archaea in, 533–534
 - of cold oxic basement, 530
 - continental, 524–527
 - deep life in, 539–541
 - defining, 524–525
 - diffusivity in, 537
 - ecology in, 536
 - eukaryotes in, 535–536
 - evolution of, 536
 - extreme cellular biophysics in, 570–572
 - extreme molecular biophysics in, 567–570
 - genetic potential of, 558–561
 - global trends in study of, 533
 - habitable zones, 525–526
 - interactions in, 534–535
 - isolates, 534–535
 - microbial metabolism in, 562–565
 - of oceanic crust, 528
 - of other environments, 532–533
 - pH of, 537–538
 - pressure effects in, 567
 - salinity in, 538
 - sub-seafloor sediments, 527–528
 - temperature of, 538–539
 - of ultra-basic sites, 530–532
 - viruses in, 536
 - of warm anoxic basement, 528–530
- subsurface lithoautotrophic microbial ecosystems (SLiMEs), 499–502
- sulfate-reducing bacteria (SRB), 526–527
- sulfide segregation
 - HSEs and, 16–18
 - post-core formation, 16–18
- sulfur
 - abundance of, 100–101
 - atmospheric recycling of, 100–102
 - biotic recycling of, 100–102
 - in BSE, 10–12
 - in D_c^{alloy/silicate}, 25
 - fractionation of, 18–19
 - isotope composition, 8
 - isotope measurements, 101
 - as magmatic volatile, 188
 - in mantle, 100–102
 - in planetary embryos, 26
 - solar nebula condensation temperature, 14
- sulfurization, abiotic, 483–484
- sulfide inclusions, 100
 - S isotopic systematics in, 101
- sulfides
 - from OIB, 101–102
 - redox capacity of, 107–108
- supercontinent assembly, 621
 - carbon cycle and, 625–626
 - of Rodinia, 623–625
- super-deep diamonds
 - discovery of, 105
 - DMGC on, 105
- surface diffusion, steric effects and, 364–365
- surface processes, carbon cycle and, 279–283
- Taupo Volcanic Zone (TVZ), 201–204, 217
- Tavurvur, 217
- TDLS. *See* tunable diode laser spectrometers

- tectonic building blocks, 292
 - at subduction zone, 292–293
- tectonic carbon cycle, 279, 293–295
- temporal variability, 208–209
 - of active volcanoes, 208–209
 - of calderas, 209
 - C/S ratios and, 210–211
 - of emissions, 208–209
 - eruption forecasting and, 209–211
- terrestrial building blocks, 6–7
- tertiary alcohols, 436
- tetracarbonates, 80–81
- TGA. *See* thermogravimetric analyses
- theoretical modeling, constraints from, 6–7
- thermal anomalies, in subduction zone, 289
- thermochronometer, 92
- thermodynamics
 - equilibrium, 388–389
 - graphite, 465
 - methane and, 388–389
 - predictions, 457, 465–466
- thermogravimetric analyses (TGA), 451–452
- time, energy limits and, 606–607
- Titan, 632
- titanium, 457–458
- transition zone, carbonated sediment in, 134–138
- Tropospheric Ozone Monitoring Instrument (TROPOMI), 193
- tunable diode laser spectrometers (TDLS), 192
- tunneling, 399–400
- Turrialba Volcano, 209
- TVZ. *See* Taupo Volcanic Zone
- UAVs. *See* unmanned aerial vehicles
- ultra-basic sites, subsurface biome of, 530–532
- ultramafic systems
 - acetate in, 495
 - carbon in, 494
 - formate in, 495
 - methane in, 494–495
 - oceanic rocky subsurface and, 493–495
- United States Geological Survey (USGS), 623
- unmanned aerial vehicles (UAVs), 192, 198
- upper mantle
 - carbonate melts in, 129
 - carbonated sediment in, 134–138
 - schematic representations of, 141
 - silicate melt in, 143–144
- ureilites, carbon in, 16
- Urey reaction, 284–285
- USGS. *See* United States Geological Survey
- vapor bubble volumes, 242
- vent emissions, 216
- Venus, 321
- Vesuvio groundwater, 191–192
- Vinet equation of state, 171
- viruses, in subsurface biome, 536
- viscosity-diffusion
 - changes in, 172
 - incipient melting, 171–172
 - silicate melt and, 172
- volatile elements. *See* life-essential volatile elements
- volatile gas solubility, in confined liquids, 370–372
- volcanic arcs, 284
- volcanic carbon
 - carbon budget and, 216–217
 - flux of, 215
 - geologic time and, 215
 - limits to knowledge about, 217–218
- volcanic carbon dioxide, 190
 - advances in, 192–193
- volcanic inputs, carbon flux, 328–329
- volcanoes and volcanism
 - active, 194–197, 208–209, 216
 - carbon outgassed from, 211–215
 - closed-system, 209
 - DCO on, 189–190
 - DECADE on, 189–190
 - defining, 188
 - dormant, 198
 - hydrothermal systems and, 204
 - petit spot, 179, 238
 - small volcanic plumes, 198–201
 - subaerial volcanic budget, 206–207
- warm anoxic basement, subsurface biome of, 528–530
- water. *See also* dehydration
 - deep, 105–106
 - incipient melting and, 165–166, 170–171
 - as magmatic volatile, 188
 - melt density and, 170–171
 - recharge, 487–488
 - in subduction zone, 291–292
- weathering
 - carbonate, 330–331
 - continental, 310
 - organic carbon, 330–331
 - seafloor weathering feedback, 338
 - silicate, 331–338
- wehrlite, 132
- whole-Earth carbon cycle
 - box model, 315–316
 - modeling, 338–341
- World Energy Council, 204
- xenoliths, 66–67
- X-ray diffraction, 91–92
- X-ray emission spectroscopy, 77
- X-ray microscope, scanning transmission, 485
- Yellowstone, 217
- Zimbabwe, 95

