

The JOURNAL of THE INSTITUTE OF NAVIGATION

VOL. 19, NO. 3

JULY

1966

Sight Reduction Tables for Marine Navigation	281
J. H. BLYTHE, R. L. DUNCOMBE AND D. H. SADLER	
A Navigation Control Post for Automated Merchant Ships	293
C. ABRAMOWSKI	
Inertial Navigation in Relation to Animal Navigation	302
J. S. BARLOW	
'The Mathematical Practitioners of Hanoverian England'	317
C. H. COTTER	
Some Aspects of S.S.T. Operations in Non-Optimum Conditions	324
P. S. COLE	
Analysis of Long-Range Air Traffic Systems Separation Standards—III	331
P. G. REICH	
Parallel-Route Systems for Supersonic Traffic	348
V. W. ATTWOOLL	
Principles and Applications of Prediction Display	361
R. BERNOTAT AND H. WIDLOK	
The Training of Navigators	371
A DISCUSSION	

FORUM

Longitude without Time	392
J. J. EVANS	
Visual Indication of Direction for Ships	394
G. V. PARMITER	
The Impact of Radar on the Rule of the Road	395
F. J. WYLIE	
Collision Avoidance in Restricted Visibility	398
J. F. WACHER	
Record	401
Reviews	403

THE INSTITUTE OF NAVIGATION
AT THE ROYAL GEOGRAPHICAL SOCIETY
1 KENSINGTON GORE LONDON SW 1

JOHN MURRAY (PUBLISHERS) LTD., 50 ALBEMARLE STREET, LONDON W1

PRICE TWENTY SHILLINGS

THE INSTITUTE OF NAVIGATION

Patron

H.R.H. PRINCE PHILIP DUKE OF EDINBURGH, K.G., K.T.

OFFICERS AND COUNCIL 1965-66

President

Rear Admiral Sir Edmund Irving, K.B.E., C.B.

Vice-Presidents

Francis Chichester, C.B.E.

Air Vice Marshal W. E. Oulton, C.B., C.B.E., D.S.O., D.F.C.

Honorary Treasurer

Captain M. E. Butler Bowdon, O.B.E., R.N.

Chairman of the Technical Committee

G. E. Beck

Chairman of the Membership and Fellowship Committee

D. H. Sadler, O.B.E.

Council Members

Air Commodore D. Bower, O.B.E., A.F.C.	Captain F. Ormonroyd, D.F.M.
Captain A. F. Dickson	D. M. Page
Group Captain E. Fennessy, C.B.E.	Commander G. V. Parmiter, R.N.(Ret.)
Commander C. E. N. Frankcom, R.N.R.	C. Powell
Captain W. L. Manson	Professor A. Stratton

Executive Secretary : M. W. Richey

The Journal of the Institute of Navigation

THE *Journal* is published quarterly by the Institute and is edited by M. W. RICHEY. It contains original papers contributing to the science of navigation, including those presented at meetings of the Institute together with the ensuing discussion. In addition the *Journal* includes a record of current navigational work, reviews of important books, and other matters of concern to those interested in navigation. The views expressed in the *Journal* are not necessarily those of the Institute, or of any organization or department to which the authors may belong.

The *Journal* is free to all members of the Institute. It is sold to the public at twenty shillings per copy or, by subscription, at eighty-four shillings per annum (post free) and may be obtained through all booksellers and John Murray (Publishers) Ltd., 50 Albemarle Street, London W1.

Contributions, which are welcomed from both members and non-members, should be addressed to the Editor.

Enquiries for advertising space should be addressed to the Institute offices.

The postal address of the Institute is:

The Institute of Navigation,
at The Royal Geographical Society,
1 Kensington Gore, London SW7.

Telephone: Kensington 5021

BP makes a big splash on Tyneside

With British Argosy, the biggest ship yet launched from a Tyneside shipyard. In fact, she and her giant sister, BP's British Admiral, are the two largest tankers built in Britain.


British Argosy hit the Tyne with little more than a tenth of her own length between her stern and the opposite bank. To control her passage down the berth


called for nearly 1,300 tons of dragchain.

Now she's under her own steam; 25,000 s.h.p. And equipped in style, from swimming pool to four sets of cargo oil-hose davits!

With interests in more than 70 different countries BP's transport requirements are growing. And British Argosy will carry over 100,000 tons of crude oil every trip.

BP SERVES A WORLD ON THE MOVE





Cubic Autotape fixes positions of ships or aircraft within 2 meters over 30 miles!

Check this performance turned in by Cubic's all-new Autotape, today's most advanced positioning system!

"In a simple helicopter line-crossing operation alone, measurements made at a distance of 124 miles were within 1.42 meters of the true distance," reports off-shore surveyor John Chance of Lafayette, Louisiana. And Autotape has turned in equally impressive accuracies on ship-to-shore distances of 30 miles.

Autotape is a truly automatic two-range system that gives a near-perfect fix on ships or helicopters—speeding and simplifying hydrographic, geophysical, topographic or oceanographic surveys.

Autotape, transistorized for portability, provides direct digital display of two ranges simultaneously each second. An all-weather system. Autotape requires no lane-counting, no calibration, can operate unattended, and uses antennas only three feet long. No other system like it! For details, write Cubic Corporation, Department E-212, Autotape Division, San Diego, California 92123.



CUBIC
CORPORATION
SAN DIEGO, CALIFORNIA 92123
AUTOTAPE DIVISION

Designed with total flexibility to suit all aircraft types, Smiths lightweight Series 6 Flight Control System—comprising autopilot, flight system and compass system—is a development of the first importance to the Airline Operator. Here are some of the 100 reasons why:

- high performance and reliability at low cost.
- lightweight and small size (basic autopilot weighs only 55 lb.).
- developed to ICAO/IATA CAT 2 weather limits.
- conforms to ARINC recommendations throughout.
- employs advanced techniques with fully transistorised circuits and solid state switching.
- no potentiometers, no relays.
- suits the executive jet and extends to the inter-continental airliner.
- meets ARB and FAA requirements.
- high utilisation (5000 hours between overhauls).
- designed for easy maintenance.
- supported by 'over-the-counter' unit replacement schemes and world-wide service.

- developed with experience gained from the successful and well-proven SEP.2 autopilot.
- thoroughly proved in flight and now available for customer demonstration in Smiths own HS.748 aircraft.
- on order *now* for Fokker F28.
- available *now* in production form.

And the other 85 reasons?

These, and many more, are built into every detail of Smiths Series 6 Flight Control System: they are the refinements of conception, design and construction evolved in over thirty years' unique experience. Write or 'phone for fullest information.




SMITHS INDUSTRIES LIMITED

AVIATION DIVISION

Kelvin House, Wembley Park Drive, Wembley, Middlesex
Wembley 8888. Airspeed, Wembley. Telex: 25386

*“OK there are a
hundred reasons
for choosing
Smiths Series 6
Flight Control System
—but I like the
way it works for me”*





20 REASONS

Why DECCA Transar is the most reliable marine radar in the world

1 Transar is backed by 17 years unmatched specialisation in marine electronics.

2 — 17 years Innovation: Decca has led the world with every major advance in marine radar.

3 Over 22,000 Decca marine radars have been ordered by the mercantile marine of every nation and 50 of the world's navies.

4 Decca Transistor marine radar has been under development for 5 years and at sea for 3 years.

5 Decca has established the new age of Transistor Reliability.

6 Design Philosophy: Reliability in operation is of major importance, hence the application of the AGREE* philosophy to the conception of TRANSAR.

7 Exhaustive Development: Prototypes are given exhaustive sea trials and laboratory testing to confirm the design objectives.

8 Continuous Evaluation: Service, installation and post design engineers independently assess the capability of the design so that targets are realistically met.

9 Environmental Testing: Final prototypes are tested to the most stringent environmental specification applied to commercial equipment.

10 Quality Control: Strictly applied at every stage of production to ensure the quality essential for reliability.

11 100% Pre-despatch Tests: Every set undergoes a 24-hour test procedure which eliminates most faults likely to occur in service.

12 Systematic Production Sampling: The AGREE reliability procedures, applied from the design stage, specify random sample testing throughout production.

13 Rigorous Testing: Batches of complete TRANSAR radars undergo 500-hour temperature cycling equivalent to many years of service at sea.

14 First-class Service—high installation standards maintained throughout the world by Decca trained engineers in 344 depots in 75 countries.

15 Continuous Improvement in equipment based on information fed back through the service organisation.

16 Rugged Display units — failure rate halved by intensive transistorisation.

17 Reliable Motor Alternators — Proved in service for 10 years—over 8,000 at sea.

18 Advanced Transceivers — transistorised and employing a new, rugged modulator valve, and balanced mixer.

19 Modern Slotted Waveguide Aerials — watertight and durability tested giving outstanding clarity.

20 British, American and German type approval for all TRANSAR radars.

*The Engineering discipline based on the reliability testing procedures laid down by the American Government's Advisory Group on the Reliability of Electronic Equipment.

Transar radars have received awards for excellence from Leipzig Fair (1964) and American National Marine Electronics Association (1966).

Decca Radar Limited has received The Queen's Award to Industry for export achievement in the sale of marine radar.

DECCA

DECCA RADAR LIMITED,
ALBERT EMBANKMENT, LONDON, S.E.1.

THE QUEEN'S AWARD
TO INDUSTRY 1966




Marconi AD560

**proved in service
the most accurate and reliable
civil doppler navigator
in the world**



SIXTY SERIES



The Marconi AD560 doppler navigator will keep you on track and on time whether you are flying supersonic or subsonic over land or sea.

Marconi airadio systems

The Marconi Company Limited, Aeronautical Division, Basildon, Essex, England

LTD/ASS

THE INTERNATIONAL HYDROGRAPHIC BUREAU

Avenue Président J. F. Kennedy, MONACO

publishes

twice a year, in January and July,
an English and a French edition of

THE INTERNATIONAL HYDROGRAPHIC REVIEW



This publication contains articles of topical interest on hydrography, hydrographic surveying and related techniques.

Each volume contains an average of 160 pages, 18 × 27 cm., and numerous illustrations.

Price per number \$5 (U.S.) excluding postage.


Orders should be sent direct to the Bureau's Headquarters in Monaco, but payments can be made to the Bureau's account at Barclays Bank Ltd., Chief Foreign Branch, 168 Fenchurch Street, London, E.C.3.

A reduction of 30% on the price quoted is allowed to booksellers. The same reduction is granted to government offices and to naval or merchant marine officers of the Bureau's States Members, provided the order is sent direct to the Bureau.



FERRANTI AUTOMATIC CHART DISPLAY

CHOSEN FOR CONCORDE



THE FERRANTI AUTOMATIC CHART DISPLAY IS THE ONLY PICTORIAL NAVIGATION DISPLAY TO PROVIDE ALL THESE FACILITIES:

- operates on inputs from self-contained or ground-based nav aids: inertial; Doppler; long-range radio aids such as Loran C; VOR/DME; etc.
- cross monitors between self-contained and external nav aids or between two self-contained aids
- world-wide coverage together with extensive storage of data sheets
- co-ordinate insertion and flight-plan check
- four scales to meet requirements for en-route and terminal-area conditions
- north-oriented or track-oriented display

Acting as the vital input/output interface between pilot and computer, the Automatic Chart Display will form an essential part of modern navigation systems and will make a significant contribution to the operational flexibility required in the modern ATC environment.

In the Concorde, the Ferranti Automatic Chart Display will be integrated with the SAGEM/Ferranti digital-inertial navigation system.

FERRANTI
First into the Future

ENQUIRIES TO: FERRANTI LTD · FERRY ROAD · EDINBURGH · SCOTLAND · Tel: (031) DEAn 1211


ED/ESD/8

radionavigation
radiolocalisation

TORAN

Hyperbolic system for continuous position fixing at sea, on land and in the air.

Accuracy : one to a few yards
Range : up to 350 n. miles on sea water
Thanks to its unique features, the TORAN offers all the necessary conditions for high accuracy and economical operation.



Pattern stability is absolute : no phase locking or memory devices.
High flexibility allows a free choice in locating stations for higher accuracy and range.

- hyperbolic pattern need not have a common focal point - unlimited lengths of pattern base lines - any number of coordinate patterns can be associated - compact, simple, sturdy and light transmitting stations - fully automatic and unattended operation
- the number of mobile stations in a TORAN is unlimited - TORAN is built to operate in all types of climate



TORAN 3 P : Range up to 160 nm
TORAN 3 G : Range up to 350 nm
TORAN 3 G can be equipped with lane identification
Hydrographic and Geophysical Surveys - Sounding and Dredging - Submarine Pipe and Cable Laying - Airborne Surveys by Plane, or Helicopter - Aeromagnetism, etc...

More than 12 years of WORLD WIDE EXPERIENCE.



96, Avenue VERDIER (92)
MONTROUGE - Tél. 253.37.74
FRANCE



SHIPS GEAR
EXHIBITION
JULY 6-12
STANDS
43 & 44

Who made automation a matter of course?

Decca did, by making accurate fixes continuously and automatically available to the navigator. In 1946 ships first experienced the revolutionary development of the Decca Navigator which provided accurate position information at a glance. Today the Decca System has spread to the important maritime areas of the world and can form the basis of any automated navigational technique. Decca Mark 12 Multipulse is widely used today since it substantially increases the accuracy of the fix at the outer limits of Decca coverage and so ensures a greater service than ever. The Decca Navigator, Decca Radar and Arkas auto-pilot are making an important contribution towards the automation of ships.

Over 11,500 ships are equipped with

THE DECCA NAVIGATOR

The Decca Navigator Company Limited • London

NAVIGATION AND SEAMANSHIP

NICHOLLS'S SEAMANSHIP AND NAUTICAL KNOWLEDGE

By CHARLES H. BROWN, F.R.S.G.S., Extra Master

46/-

Per Post 49/-

NICHOLLS'S CONCISE GUIDE, VOL. I. FUNDAMENTAL PRINCIPLES AND SECOND MATES

Revised by H. H. BROWN, D.S.C., R.D., Extra Master

42/-

Per Post 45/3

NICHOLLS'S CONCISE GUIDE, VOL. II. MATE, MASTER AND EXTRA MASTER

40/-

Per Post 43/-

MATHEMATICAL NOTES AND EXAMPLES FOR SECOND MATES

By A. C. GARDNER, B.A., Extra Master

PART I. 15/-

Per Post 15/10

ALGEBRA, LOGARITHMS, GEOGRAPHY

PART II. 18/6

Per Post 19/3

TRIGONOMETRY, MENSURATION, GRAPHS

AN INTRODUCTION TO SPHERICAL TRIGONOMETRY

By J. CLOUGH-SMITH, B.Sc. (Lond.), Extra Master, F.Inst.N.

32/6

Per Post 33/4

METEOROLOGY FOR SEAMEN

By CDR. C. R. BURGESS, O.B.E., F.R.Met.S.

30/-

Per Post 31/3

MAGNETIC COMPASS DEVIATION AND CORRECTION

By W. DENNIS, Extra Master

25/-

Per Post 26/-

DEVIATION AND THE DEVIASCOPE INCLUDING THE THEORY AND PRACTICE OF COMPASS ADJUSTMENT

Revised by H. H. BROWN, D.S.C., R.D., Extra Master

34/-

Per Post 35/-

Catalogue "N", giving further titles and details, free on request

BROWN, SON & FERGUSON, LTD.,
52, DARNLEY STREET, GLASGOW, S.1



16 inch SOLID STATE RADAR

Seatrac Marine Radar has been designed to meet the vital need for an ultra-reliable, discriminating, large display radar capable of maximum performance over extended periods. The unique design incorporates many new operational and technical features which have never before been available in marine radar.

- Circular Polarisation Eliminates rain and sea clutter
- Solid State Circuitry For outstanding reliability
- Stabilised Flat-Surface Reflex Plotter
- 60 KW 3 c.m. For range and discrimination
- Choice of Antennae 8 ft. or 12 ft.
- Two Year Guarantee

A PICTURE OF RELIABILITY

Sperry Gyroscope Company Ltd., Great West Road, Brentford, Middx. Tel: Isleworth 1241

AIRWAYS

INTERNATIONAL



A monthly journal in the international field of airline and airport, engineering, supplies, services and equipment . . .

. . . established 1964 — bi-monthly — supplying a comprehensive coverage of its field. Contributors are acknowledged experts and their feature articles are designed to entertain as well as to inform. These articles are supplemented in each issue with pages of considered discussion of important matters in international air transport, factual information, and regular features, to ensure the fullest readership value.

Regular features include : air transport news ; pictorial and diagrammatic presentations of aircraft, aircraft systems and flight aids ; personalia ; new equipment ; air book reviews ; events and meetings, etc.

5s. 0d. per copy,

30s. 0d. per annum.


Published by

AIR WORLD LIMITED

John Adam House,

17/19 John Adam Street, London, W.C.2.


An Industrial Newspapers publication



Cubic Electrotape measures where chain and tape can't!

Where other surveying methods are impossible . . . Cubic Electrotape gives fast, accurate measurements. This precise electronic instrument measures distance across water or impassable terrain. Its range extends from a few feet to 30 miles.

Cubic DM-20 Electrotape Unit



Time saving offshore uses include drilling site location, dredge positioning, oil exploration, and other stationary hydrographic and oceanographic surveys.

Simple operation . . .

Electrotape weighs only 24 pounds and is extremely simple to operate. Inexperienced personnel can be used, eliminating the need for costly stand-by electronics technicians.

Easy financing . . .

Electrotape is available for sale, lease or rental. It quickly pays for itself in dollar savings!

Write: Cubic Corp., Electrotape Div., San Diego, California 92123.

DEPT. E-213



CUBIC
CORPORATION
SAN DIEGO, CALIFORNIA 92123
ELECTROTAPE DIV.

'NAVIGATION, U.S.A.'

Navigation, the quarterly Journal of the American Institute of Navigation, is available to members of this Institute at a reduced subscription of £1 a year. Volume 13, No. 1 (Spring 1966), contains the following papers.

MODERN CHARTING REQUIREMENTS FOR MARINE NAVIGATION AND THE NATIONAL ECONOMY

Capt. Lorne Taylor, U.S.C. & G.S.

PROPOSED NAUTICAL UNITS OF LENGTH AND TIME

Dr. John C. Bellamy

AN INTERNATIONAL AIRLINE VIEWS NAVIGATION SATELLITES

R. R. Bohannon

THE VIEWS OF SHIPS OPERATING COMPANIES ON NAVIGATIONAL SATELLITES

James T. Enzensperger

EVALUATION OF MULTI-CHANNEL NAVIGATIONAL DISPLAYS

Dr. Charles A. Fenwick

LUNAR CHARTING FOR PROJECT APOLLO

Robert W. Carder and Samuel P. Scott

LUNCHEON SPEECH

David B. Nicholson

AUTOMATION AND PERSONNEL REQUIREMENTS ON MERCHANT MARINE SHIPS

C. Abramowski

NAVIGATIONAL MANAGEMENT FOR OCEAN RACING

Bernhard N. Palm, N., U.S.P.S.

A PICTORIAL DISPLAY FOR COMPUTED NAVIGATION DATA

J. L. Denis

THE USE OF VOR FOR SMALL CRAFT NAVIGATION

John R. West

THE INSTITUTE FILE

NOTES AND COMMENT

Reviews of Recent Books

R.G.S. REPRODUCTIONS OF EARLY MAPS—VIII

THE SOURCES OF THE NILE: EXPLORERS' MAPS

A.D. 1856-1891

From the Society's collections with
notes by G. R. Crone

Ten collotype plates (two in colour) with
pamphlet in portfolio, 21 × 16½ inches

Price 42s. plus postage.

This addition to the Society's series contains reproductions of manuscript maps in its collections by nineteenth-century British explorers of Central Africa—Speke, Livingstone and others. These are, therefore, the earliest representations of the topography of this region by direct observation. Two topographic water colours by Speke are included.

The Institute of Navigation

INSTITUTE PUBLICATIONS

The Use of Radar at Sea

A Handbook on Marine Radar. (Hollis & Carter, 45s.)

Observational Errors

An elementary account of the ideas behind the statistical theory of errors, by E. W. Anderson & J. B. Parker. (John Murray, 5s.)

The Geometrical Seaman

An illustrated work on early navigational instruments, by E. G. R. Taylor & M. W. Richey. (Hollis & Carter, 30s.)

The Mathematical Practitioners of Tudor and Stuart England

by E. G. R. Taylor. (Cambridge University Press, 70s. Members 55s. plus 2s. postage)

An account of the ideas, instruments and methods in navigation and surveying between 1485 and 1715 with lists of the mathematical practitioners with biographical notes and details of their work.

The Mathematical Practitioners of Hanoverian England

by E. G. R. Taylor. (Cambridge University Press, 84s. Members 63s. plus 2s. postage)

This book, a sequel to the earlier volume, takes the story up to 1840, by which time the independent mathematical practitioner had virtually disappeared, absorbed into the large firm or organization as a consequence of industrial and social change.

Journal Index

Vols. 1-15, 1948-63. (10s.)


from The Institute of Navigation
1 Kensington Gore, London SW7



Kelvin Hughes Photoplot Radar

In this equipment the conventional rotating radar trace and P.P.I. is superseded by a bright stable radar picture on which all echoes on all bearings are displayed simultaneously. The screen, 24 inches in diameter, is horizontal and covered with tracing paper on which target speeds and courses can be plotted directly. Targets are depicted in black against a white background, and the picture can be studied by several observers at the same time, both in daylight and at night, without resorting to a visor or hood. True plot or relative motion displays can be selected.

The radar information is first displayed in the normal way on a 3½-inch cathode ray tube. This display is then automatically photographed on special 16mm film, processed in a few seconds and projected on to the underside of a translucent screen. The time interval between successively projected pictures can be set at 15 seconds, three minutes or six minutes, according to plotting requirements. When the longer time intervals are used successive radar paints of moving targets become integrated over the selected period. They are then automatically shown on the display as lines of varying length and direction, indicating the track and distance travelled.



KELVIN HUGHES

A DIVISION OF SMITHS INDUSTRIES LIMITED
 St. Clare House, Minorities, London EC3 Telephone Royal 8741
 Grams/Cables Marinst, London EC3