

The Journal of *Hom* Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

| | | |
|--|---|----|
| The Effects of Radiation Therapy on Laryngeal Function | ELVIRA WERNER-KUKUK, HANS VON LEDEN and NAOAKI YANAGIHARA | 1 |
| The Protective Properties of Fat and Gel-foam as Oval Window Grafts | RONALD ALASTAIR McNEILL | 17 |
| Incus Homografts: Viability and Rate of Bone Repair by Tetracycline Labels and Fluorescent Microscopy in the Cat | JAIME T. BENITEZ and CECIL L. McINTIRE | 23 |
| Silicones in Middle Ear Reconstructive Surgery | MICHAEL M. PAPARELLA and SHIGERU SUGIURA | 29 |
| Mondini Type of Genetically Determined Deafness | RUTH GUSSEN | 41 |
| Clinical Records— | | |
| Deafness in Myositis Ossificans Progressiva | HAROLD LUDMAN, E. B. D. HAMILTON and A. W. T. EADE | 57 |
| Otosclerosis in the Lateral Semi-circular Canal | P. BRETLAU and M. BALSLEV JØRGENSEN | 65 |
| Some Unusual Experiences with Oestrin Therapy | R. E. JOWETT | 69 |
| Hypophysectomy: A Report on 50 Operations for Metastasizing Breast Cancer | DAVID STEVENS | 73 |
| General Notes | | |

Headley Brothers Ltd

Ashford, Kent

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

7. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

8. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

9. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.


United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent, England.

© *Journal of Laryngology and Otology*, 1968

PETERS AP/5 CLINIC AUDIOMETER

WITH SYNCHRONOUS MASKING



This new clinic audiometer of very advanced design offers:

- A continuous frequency range with continuously variable attenuation accurate and readable to less than 1 db.
- Synchronous masking. A new, accurate and speedier masking technique, which is semi-automatic.
- Narrow band masking for pure-tone measurements and white noise for speech.
- Automatic loudness balance switching.
- The SISI Test, the Rainville B.C. Test, automatic pulsing.
- Full speech facilities.
- Interchangeable slide and plug in sub-chassis.
- Operator checks of output and threshold.


Five additional features are offered by the still more advanced
PETERS AP/6 CLINIC AUDIOMETER

Both audiometers can be used with the "PETERS" automatic
BÉKÉSY ACCESSORY

write for full details to:

ALFRED PETERS AND SONS LTD
 GELL STREET SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



**could
removal
of mucus
minimize
post-operative
hypoxia . . .
in those cases
where it
matters most?**

airbron

"...may have a place in the management of chronic bronchitis, tracheostomy and certain post-operative cases." Leading article, *Brit.med.J.*, 1966, 2:603.

Post-operative hypoxia does not normally endanger the healthy patient, but "there are many whose pre-existing desaturation is such that a slight fall in tension cannot be tolerated." An important cause of this pre-existing hypoxia is chronic airways obstruction, due to excess mucus. Thus removal of mucus with AIRBRON* (20 per cent acetylcysteine solution) can be regarded as a way of minimizing hypoxia.

 The British Drug Houses Ltd. London

Detailed information available on request
1. *Lancet*, 1964, 1:220 *trade mark

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

***WHEN A HEARING AID
IS RECOMMENDED
ONLY AMPLIVOX
OFFERS THIS
HEARING AID SERVICE***

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

14 branch offices with while-you-wait service.

**FOR YOUR PATIENTS' GREATEST SATISFACTION
SPECIFY AMPLIVOX**

AMPLIVOX

World's most experienced and complete hearing service

AMPLIVOX HEARING ADVISORY SERVICE

80 NEW BOND STREET

LONDON, W.1

TEL : 01-493 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

The merger
of
Acousticon Hearing Aids
and
Multitone Hearing Aids
is now complete

A & M Hearing Aids Ltd., now the largest British Hearing Aid Manufacturers and incidentally the largest exporters, are thrusting ahead into new spheres of development to the greater benefit of the aurally handicapped.

Acousticon and Multitone aids can be recommended with confidence and enquiries are welcomed.

ACOUSTICON MULTITONE

45 New Cavendish Street,
London W.1. Tel: 01-935 0935


9 New Cavendish Street,
London W.1. Tel: 01-935 1422

Or the respective centres in most Provincial Cities.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

AMPLIVOX

FOR CLINICAL AUDIOMETRY



Audiometer Booths
 prefabricated to ensure correct acoustic environment for threshold audiometry, research, etc. Available in standard and special sizes.

Manual Audiometers

with narrow band masking for highest accuracy and extended resolution. Battery-operated transistor models also available.



Automatic Audiometers

As exclusive U.K. distributors, we are able to offer Rudmose Self-Recording Audiometers from the most simple to the most comprehensive Diagnostic Békésy Audiometer illustrated.



Calibration Service, Screening, Speech & Industrial Audiometers

Please write for technical literature to meet your needs

AMPLIVOX
 HEARING ADVISORY SERVICE LTD
 80 New Bond St, London, W1 Tel: 01-493 9888

Please mention The Journal of Laryngology and Otology when replying to advertisements

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$18.00 per year Canada \$19.00 per year
Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.
EDITOR

517 SOUTH EUCLID AVENUE
SAINT LOUIS MO. 63110.

For advertisement space in this Journal

apply to

HEADLEY BROTHERS LTD.

Ashford, Kent

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Just one of the reasons why Ceporin has an important place in the ENT unit



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Ceporin[®] (cephaloridine)

Broad spectrum

Ceporin is highly active against most gram-positive organisms—including penicillin-resistant staphylococci—and many gram-negative organisms.

Bactericidal

Ceporin rapidly kills susceptible organisms at or near the minimum inhibitory concentration, leaving little opportunity for resistance to develop.

Safe

Ceporin has very low toxicity and can usually be given safely to penicillin-hypersensitive patients. The injection is remarkably



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Clinical success

In the ENT unit, Ceporin has proved valuable for use in place of more toxic drugs or combinations of antibiotics. In particular, it is an excellent alternative where penicillin might prove ineffective or dangerous. Ceporin's broad-spectrum activity is also very useful in the mixed infections often encountered in the ear, nose and throat.



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Ceporin[®] (cephaloridine)


Presentation

Ceporin is issued in vials containing 250 mg, 500 mg and 1 gram of cephaloridine, packed singly and in boxes of five.

Ceporin is a Glaxo trade mark
Detailed literature available on request




Glaxo Laboratories Ltd
Greenford, Middlesex



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**FROM
THE
FRONT**

...and with A.V.C. where required



—that is the triumph of the
MACKIE
hearing aid

The new Mackie post-aural hearing aid is made in several different circuit versions so that the gain and frequency response can be selected to match the patient's needs; and it is available where required with a unique form of automatic volume control which has proved highly successful in cases of recruitment. The forward pick-up microphone gives maximum

intelligibility of speech without background interference.


It is exported to many countries including the United States of America—a tribute to its high quality and advanced design.

In Great Britain it is available for trial by your patients from *independent* hearing aid dealers in all parts of the country.

MANUFACTURED BY A. G. R. MACKIE LTD. A member of the Bonochord Group of Companies
FOR FURTHER DETAILS WRITE TO 48 WELBECK STREET, LONDON W1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

LARYNGOSTROSCOPE



The Ahrend Van Gogh Laryngostroscope (Δ F Generator) shows the vibration of the vocal chords slowed down to about one cycle per second. It is also possible to stop the movement by stroboscopic effect and then tune through all phases of one cycle.

A cine camera adaptor can also be supplied enabling normal speed cine shots to be taken.

For further details write or phone:

T.E.M. SALES LIMITED

GATWICK ROAD CRAWLEY SUSSEX

Telephone: Crawley 23332

Sales and Service Agents for Ahrend Van Gogh in the United Kingdom

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

DOWNNS

HYDRAULIC FOOT OPERATING CHAIR STOOL



Hydraulic, Foot Operated

Adjustable Height 24 to 33 inch

Adjustable Back Rest

Foot Operated Brake

Foot Rail

Maximum Manœuvrability

Can be elevated and locked by Surgeon whilst seated

This chair-stool is of special value in prolonged operations such as stapedectomy and ophthalmic surgery

BELMONT E.N.T. HYDRAULIC EXAMINATION CHAIR

Model No. 105S

Small and elegant, this chair is heavily sprung and padded with foam rubber, fully revolving and locking by upward pressure on the foot-pedal. Raises and lowers by smooth foot-pedal action, easy finger-tip back reclining handles. Upholstered in Red or Black first-grade Vinyl.

Dimensions:

Height: 3 ft.

Seat Height: 1 ft. 6 in.

Outside width: 2 ft. 3 in.

Raises: 6½ in.

Reclining depth: 4 ft. 1 in.



DOWN BROS. AND MAYER & PHELPS LTD
CHURCH PATH, MITCHAM, SURREY, ENGLAND

In Canada

410 Dundas Street West, Toronto, 2B, Canada

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**When the patient
needs a hearing aid-**

**Whom do you
recommend?**

**INGRAMS, of course,
the firm with the different
makes to choose from.**

**The usual trial
periods are available
for all patients.**

INGRAMS

2 Shepherd Street, London, W.1. Tel: HYDe Park 9041.

BRANCHES AT

Aberdeen—461 Union Street. Tel: Aberdeen 29632

Birmingham—Five Ways Shopping Centre. Tel: Midland 4314

Brighton—5 Duke Street. Tel: Brighton 28699

Croydon—11 Essex House, George Street. Tel: Croydon 4663

Edinburgh—17 Stafford Street. Tel: Caledonian 1942

Glasgow—38 Bath Street. Tel: Douglas 7710

Manchester—Peter House, St. Peter Square, Oxford St.

Tel: Central 5711

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

What clinicians say about ORBENIN

Clinicians have frequently testified to the success of Orbenin in the treatment of Gram-positive infections. World Literature now contains over 400 references to Orbenin.

Pneumonia Lung Abscess Tonsillitis Pharyngitis Acute bronchitis

Septicaemia

Boils Carbuncles Infected dermatoses

Osteomyelitis Osteitis

Post-operative wound infections Burns Skin graft protection

Acute endocarditis

Staphylococcal enterocolitis Staphylococcal urinary tract infections
Staphylococcal meningitis

Dosage

Adults: 500mg (2 capsules) four times daily, by mouth. 250mg (1 vial) by intramuscular injection, four times daily.

Children: Under 2 years—quarter adult dose. 2-10 years—half adult dose.

Additional information is available on request.

Contra-indications

Orbenin should not be given to patients with a penicillin allergy or administered by subconjunctival injection.


Side-effects

As with other penicillins.



Orbenin (Regd.) (cloxacillin sodium BP) is a product of British research at **Beecham Research Laboratories** Brentford, England, originators of the new penicillins.





THE DROP THAT SOOTHES THE INFECTED EAR

'Otosporin' rapidly destroys virtually *all* bacteria commonly found in ear infections, reduces irritation, inflammation and pain. 'Otosporin' brand Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Issued in bottles of 5 ml.

'OTOSPORIN'

Full information is available on request.



Burroughs Wellcome & Co. London
(The Wellcome Foundation Ltd.)

Please mention *The Journal of Laryngology and Otology* when replying to advertisements