

Erratum

Cite this article: Jonczyk M, Tratnig-Frankl P, Uygun K, and Cetrulo CL. 4072 Optimizing ex-vivo perfusion in Vascularized Composite Allotransplantation using Hyperosmolar solution and Electric Stimulation: Preliminary Results – ERRATUM. *Journal of Clinical and Translational Science* 7: e52, 1. doi: [10.1017/cts.2020.503](https://doi.org/10.1017/cts.2020.503)

4072 Optimizing ex-vivo perfusion in Vascularized Composite Allotransplantation using Hyperosmolar solution and Electric Stimulation: Preliminary Results – ERRATUM

Michael Jonczyk, Philipp Tratnig-Frankl, Korkut Uygun and Curtis L. Cetrulo

DOI: <https://doi.org/10.1017/cts.2020.87>, Published by Cambridge University Press, 29 July 2020

The above abstract [1] published without listing Korkut Uygun and Curtis L. Cetrulo as authors.

The original article has been corrected online to rectify this error.

Reference

Jonczyk M, Tratnig-Frankl P, Uygun K, Cetrulo CL. 4072 Optimizing ex-vivo perfusion in Vascularized Composite Allotransplantation using Hyperosmolar solution and Electric Stimulation: Preliminary Results. *Journal of Clinical and Translational Science* 2020; 4(s1): 14. doi: [10.1017/cts.2020.87](https://doi.org/10.1017/cts.2020.87)

© The Association for Clinical and Translational Science 2023. This is an Open Access article, distributed under the terms of the Creative Commons Attribution licence (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted re-use, distribution, and reproduction in any medium, provided the original work is properly cited



Clinical Research
FORUM
Analysis. Advocacy. Action.