

## **Parasitology**

**Back volumes.** Vols. 1–71 : Inquiries should be addressed to Wm. Dawson & Sons Ltd, Cannon House, Folkestone, Kent. Vols. 72 onwards : quotations for parts still in print may be obtained from Cambridge or the American Branch of Cambridge University Press.

**Copying.** This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of \$11.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0031–1820/95 \$11.00 + .10.

Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions.

**ISI Tear Sheet Service.** 3051 Market Street, Philadelphia, Pennsylvania 19104, USA, is authorized to supply single copies of separate articles for private use only.

**For all other use,** permission should be sought from Cambridge or the American Branch of Cambridge University Press.

**Claims** for missing issues can only be considered if made immediately after receipt of the subsequent issue.

**Advertising.** Details of advertising in *Parasitology* may be obtained from the publisher.

© Cambridge University Press 1995

The Pitt Building, Trumpington Street, Cambridge CB2 1RP  
40 West 20th Street, New York, NY 10011–4211, USA  
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

*Printed in Great Britain by the University Press, Cambridge*

# Parasitology

## CONTENTS

	PAGE
Mendoza-León, A., Havercroft, J. C. and Barker, D. C. The RFLP analysis of the $\beta$ -tubulin gene region in New World <i>Leishmania</i>	1
Mayrhofer, G., Andrews, R. H., Ey, P. L. and Chilton, N. B. Division of <i>Giardia</i> isolates from humans into two genetically distinct assemblages by electrophoretic analysis of enzymes encoded at 27 loci and comparison with <i>Giardia muris</i>	11
Failloux, A.-B., Raymond, M., Ung, A., Glaziou, P., Martin, P. M. V. and Pasteur, N. Variation in the vector competence of <i>Aedes polynesiensis</i> for <i>Wuchereria bancrofti</i>	19
Young, A. S., Dolan, T. T., Mwakima, F. N., Ochanda, H., Mwaura, S. N., Njihia, G. M., Muthoni, M. W. and Dolan, R. B. Estimation of heritability of susceptibility to infection with <i>Theileria parva</i> in the tick <i>Rhipicephalus appendiculatus</i>	31
Morzaria, S. P., Dolan, T. T., Norval, R. A. I., Bishop, R. P. and Spooner, P. R. Generation and characterization of cloned <i>Theileria parva</i> parasites	39
Smith, N. C., Ovington, K. S., Deplazes, P. and Eckert, J. Cytokine and immunoglobulin subclass responses of rats to infection with <i>Eimeria nieschulzi</i>	51
Fallon, P. G., Hamilton, J. V. and Doenhoff, M. J. Efficacy of treatment of murine <i>Schistosoma mansoni</i> infections with praziquantel and oxamniquine correlates with infection intensity: role of host antibody	59
Agnew, A., Fulford, A. J. C., De Jonge, N., Krijger, F. W., Rodriguez-Chacon, M., Gutschmann, V. and Deelder, A. M. The relationship between worm burden and levels of a circulating antigen (CAA) of five species of <i>Schistosoma</i> in mice	67
Woodward, R., Carden, M. J. and Gull, K. Immunological characterization of cytoskeletal proteins associated with the basal body, axoneme and flagellum attachment zone of <i>Trypanosoma brucei</i>	77
Cunningham, C. O., McGillivray, D. M., MacKenzie, K. and Melvin, W. T. Discrimination between <i>Gyrodactylus salaris</i> , <i>G. derjavini</i> and <i>G. truttae</i> (Platyhelminthes: Monogenea) using restriction fragment length polymorphisms and an oligonucleotide probe within the small subunit ribosomal RNA gene	87
Rea, J. G. and Irwin, S. W. B. The effects of age, temperature and shadow stimuli on activity patterns of the cercariae of <i>Cryptocotyle lingua</i> (Digenea: Heterophyidae)	95
Schjetlein, J. and Skorping, A. The temperature threshold for development of <i>Elaphostrongylus rangiferi</i> in the intermediate host: an adaptation to winter survival?	103
Beg, M. A., Fistein, J. L. and Storey, D. M. The host-parasite relationships in pyridoxine (vitamin B6) deficient cotton rats infected with <i>Litomosoides carinii</i> (Nematoda: Filaroidea)	111
Liu, J. and Berry, R. E. Differentiation of isolates in the genus <i>Steinernema</i> (Nematoda: Steinernematidae) by random amplified polymorphic DNA fragments and morphological characters	119

**CAMBRIDGE**  
UNIVERSITY PRESS



0031-1820(199507)111:1;1-W